

# 2023 Retail Price List

Specialty Rollers For Discerning Turf Maintenance Professionals

**GOLFCO**®  
INTERNATIONAL



**COMPETITION**™  
**ROLLERS**

Offering Superior & Unique Rollers to Upgrade Golf & Turf  
Reel Mowers, Rotary Deck Mowers & Greens Rolling Machines

\* Roller Complete Assemblies & Component Parts \*

\* Roller Rebuild Instructions \*

Each roller assembly listed in this offering catalog comes completely assembled  
with roller body or bodies, shaft and overhaul kits (bearings/seals/retainers).



**GOLFCO INTERNATIONAL**

Martin Doyle, President  
[martin@golfcointl.com](mailto:martin@golfcointl.com)  
425-213-3721 cell

**EST. '93**

Manufactured in Redmond, WA


**GOLFCO INTERNATIONAL  
COMPETITION ROLLERS™ 2023**

# **Table of Contents**

Photos: Single Body Polyurethane and Heavy Duty Steel Competition Rollers™	page 3
Photos: Twin and Multi-Body Competition Rollers™	page 4
Reel Overlap Shadowing Solution	page 5
Summary of Roller Lines and Options	page 6
Summary of Special Features	page 7
Competition Roller™ Prices for:	
<b>Jacobsen</b>	
* Greens Mowers	page 8
* Surrounds Mowers and Fairway Mowers	page 8
* Fairway and Rotary Deck Mowers	page 9
<b>John Deere</b>	
* Greens Mowers	page 10
* Surrounds Mowers and Fairway Mowers	page 10-11
* Rotary Deck Mowers	page 11
<b>Toro</b>	
* Greens Mowers	page 12-13
* Light Fairway and Surrounds Mowers	page 13-14
* Rotary Deck and Fairway Mowers	page 14
<b>Ransomes</b>	
* Greens, Surrounds, Fairway & Rough Mowers	page 15
<b>Tru-Turf * SISIS * Dennis * Shibaura * Hustler * Baroness</b>	page 16
<b>Ventrac * National * Bunton * Kesmac</b>	page 17
Upgrade Options, Overhaul Kits, Shafts, Water Pump Bearings	page 18
Roller Rebuild Instructions	page 19

**GOLFCO INTERNATIONAL  
COMPETITION ROLLERS™ 2023**

**Yellow Polyurethane cast over Heavy Duty Steel Rollers**



2" dia. Grooved polyurethane & steel (.67" centers) Part # ends in 2CGH US Patent #5394681

2.5" dia. Grooved polyurethane & steel (1" centers) Part # ends in 25CG US Patent #5394681

3" dia. Grooved polyurethane & steel (1" centers) Part # ends in 3CG US Patent #5394681

3" dia. Grooved polyurethane & steel (1" centers) with smooth ends Part # ends in 3CG.22C US Patent #5394681

2" dia. Smooth polyurethane & steel Part # ends in 2C

2.5" dia. Smooth polyurethane & steel Part # ends in 25C


3" dia. Smooth polyurethane & steel Part # ends in 3C

3.5" dia. Smooth polyurethane & steel Part # ends in 3.5C



5" dia. Smooth polyurethane & steel Part # ends in 5C and Grooved polyurethane & steel Part # ends in 5CG

**Heavy Duty Steel Rollers**



2" dia. Smooth steel heavy duty 1/4" wall tubing. Part # ends in 2S

2.5" dia. Smooth steel heavy duty tubing. Part # ends in 25S

3" dia. Smooth steel heavy duty tubing. Part # ends in 3S

4" dia. Smooth steel heavy duty tubing. Part # ends in 4S



2" & 3" dia. Competition Roller™ Cutaway body and Overhaul Kits

# GOLFCO INTERNATIONAL COMPETITION ROLLERS™ 2023

## Divided Twin Body Rollers

Twin body rollers minimize striping and shadow lines. On rotary decks they allow for improved air flow, more efficient cutting, better clippings discharge and more consistent after-cut appearance. All bodies spin independently.



3" dia. Smooth polyurethane & steel with 2 twin bodies Part # ends in 3Ct



3" dia. Grooved polyurethane & steel with 2 twin bodies Part # ends in 3CGt



5" dia. Smooth polyurethane & steel with 2 twin bodies Part # ends in 5Ct



5" dia. Grooved polyurethane & steel with 2 twin bodies Part # ends in 5CGt

## Multi-Body Rollers

Multi-body rollers with independent spinning grooved or smooth sections minimize skidding and damage to turf during turns and through undulations and contours. Significant advantage in roughs, fairways, approaches, surrounds and greens.

Multi-body rollers are available in 2", 2.5" & 3" smooth polyurethane or steel designs and 2.5" and 3" grooved polyurethane designs. The number of bodies can often be customized to fit your application and your requirements to enhance after-cut appearance.



2" dia. 6 Section smooth polyurethane & steel with outboard bodies. Part # ends in 2C4+2C



2" dia. 4 Section Smooth polyurethane & steel Part # ends in 2C4



2.5" dia. 4 Section Smooth polyurethane & steel Part # ends in 25C4



2.5" dia. 4 Section Smooth steel heavy duty tubing. Part # ends in 25S4



3" dia. 4 Section Smooth polyurethane & steel Part # ends in 3C4



2.5" dia. 4 Section Grooved polyurethane & steel (1" crest centers) Part # ends in 25CG4



3" dia. 4 Section Grooved polyurethane & steel (1" crest centers) Part # ends in 3CG4




3" dia. 5 Section Grooved polyurethane & steel (1" crest centers) Part # ends in 3CG5

## GOLFCO INTERNATIONAL COMPETITION ROLLERS™ 2023

PROBLEM: REEL OVERLAP SHADOWING

SOLUTION: GOLFCO 3 SECTION MIXED SURFACE ROLLER



Multi-head mowers are designed with overlap positioning of the forward and rear reels causing double cutting of the turf that is typically visible as 2"-3" wide shadowing pathways or lines.

### Golfer has developed an effective solution to this "double cut" shadowing as follows:


- \* We created a special front roller assembly for the rear mower heads. This roller assembly has three design sections on the body as follows: a grooved roller center section combined with short width smooth surface sections on each end. The smooth roller sections are aligned with the overlap of the forward and rear reels and function to lay down the grass just prior to the cut of the rear reel. This significantly minimizes the cut from the rear reel at the overlap end position, thereby eliminating or greatly reducing the shadowing lines inherent in the "double cut".

The multi-section roller aids in diminishing scuffing or sliding of the roller during turns. We have made this roller using our popular ultra tough polyurethane cast over a heavy duty steel roller base and our Competition Roller sealed bearing assembly for optimal life and utility.

We recommend use of our special multi-section front roller assembly in combination with our shortened rear roller. For optimal benefit, use our Competition polyurethane rollers on the forward mower heads. These roller assemblies are available to fit any fairway mower in complete sets or as individual rollers.

This product was initially tested at PGA National Golf Resort, Florida (home of the Honda Classic), in conjunction with the professional care of John Patterson using John Deere 8700D fairway mowers.

\*These special roller combinations are available for all brands and models of fairway rollers.\*



# GOLFCO INTERNATIONAL COMPETITION ROLLERS™ 2023

## ROLLER LINES and OPTIONS:

Golferco makes rollers as significant upgrades to golf course reel and rotary deck mowers as follows:

Toro, Jacobsen, John Deere, Shibaura, Hustler, Ventrac (as listed here)  
Ransomes, National, Bunton, Kesmac, Progressive Turf, Steiner, Brouwer, Baroness & more (call for details)  
**Also offering smoothing rollers for True-Turf golf greens rollers - Amazing Pricing Available.**

We can make almost any roller including rollers for aeration equipment. Many other diameters and models available

### Competition Rollers™ (Full length shafts and sealed bearings)

**\*ORIGINAL\* -Roller of choice for discerning professionals**

- \* Golferco has been making heavy duty, precision rollers exclusively for the golf & turf industry for 22 years. Our Competition Rollers™ were designed to accommodate almost any option of diameter, length and body style for any reel type and rotary deck mower used by golf courses and other discerning turf care professionals.
  - \* All of our Competition Rollers™ are made of heavy duty, precision steel tubing. We also produce polyurethane rollers. Polyurethane cast and bonded to steel provides exceptional high performance benefits unmatched by other materials. Polyurethane is a highly engineered elastomer similar to rubber but with far superior physical characteristics. Our cast polyurethane Competition Rollers™ provide exceptional wearability with abrasion resistance, toughness and shock absorbency unmatched by other material choices. Your mowers will also benefit from the cushioning effect of polyurethane in rough, abusive environments.
  - \* Polyurethane is exceptional at resisting debris buildup. It has no surface micro-pores (unlike metals). It resists absorption and adsorption of liquids and solids. Further, by resisting adherence of contaminants, our polyurethane rollers reduce the likelihood of contributing to transportation or transmigration of harmful microorganisms and diseases.
  - \* Polyurethane is resistant to extremes in temperature. It will not get hot to the touch in sunny applications like metal and therefore will not sear or stress your turf. Also, it reflects cold and is resistant to frost.
  - \* Competition Rollers™ incorporate a unique bearing, seal and shaft design that can be used in any application. All Competition Rollers™ utilize full length shafts and a bearing retainer system that is precise and reliable.
  - \* No regreasing required - the sealed single row ball bearings allow for ease of maintenance. The bearings are filled with a superior quality "EP" (extreme pressure) grease. We have added proprietary, unique additional seals for enhanced protection against the elements and for retaining grease within the housing to prevent leakage. A sealed bearing configuration that actually holds up to the toughest applications.
  - \* Each roller is rebuildable quickly and affordably - the proven success of Golferco's sealed bearing design is taken to the next level.
  - \* Stainless steel bearings are available as an upgrade upon request.
  - \* An optional flush-mount grease fitting can be added that is fully protected against breakage within our proprietary exterior seal. This unique option allows for regreasing of the bearings at discretionary, customized intervals. Since the bearings remain sealed, you can regrease as often or little as you desire.
  - \* Our patented grooved rollers have soft large radius corners to protect the turf and provide steerability. No solid debris will ever lodge between the grooves of our polyurethane rollers. (US Patent 5394681)
- \*\*\* New sectional rollers with multiple independent roller bodies on a single shaft now available.  
An advantage for tight turn conditions or to avoid skid marks on cleanup pass with greens mowers.**

### Competition2 Rollers™ (with full length shafts and larger double row bearings)

**\*NEW OPTION\* -If you have the toughest application on the planet**

Golferco offers a significant enhancement to our proven line of Competition Rollers™. Competition2 Rollers™ are upgraded to stainless steel double row sealed ball bearings.

- these heavy duty bearings have significantly higher load bearing capacity
- double row bearing sets have more than twice the lateral thrust capacity of tapered roller bearings
- these bearings have up to 2X the mass of the ones that we used successfully for over 20 years
- double row ball bearings require no adjustments or preloading - no nuts or threaded shafts

(Please call to inquire about these Competition2 Rollers™ available for many applications)  
(Competition2 Rollers™ have a "2" in front of the part #)

### Pro Roller™ line (Enhanced Golferco designs with water pump style bearings)

Precision machined rollers with simple replaceable water pump style bearings (with integral shafts). Most Pro rollers are machined grooved or smooth from one piece solid steel or aluminum bar. All light steel tubing roller bodies and bearing hubs are TIG welded full circumference to last longer.

### Standard Roller™ line (Comparable to OEM style)

Golferco offers certain roller options that are visually similar to OEM style rollers. These rollers are produced and assembled to high precision standards. They are priced at or below any other manufacturers' comparable roller part.

**ALL GOLFCO ROLLERS ARE MADE IN THE USA BY OUR OWN SKILLED MACHINISTS & TECHNICIANS**

**GOLFCO INTERNATIONAL  
COMPETITION ROLLERS™ 2023**

## **SUMMARY OF SPECIAL FEATURES**

**Advanced design for bearings, seals and retainers:**

Customized sealed ball bearings.  
Bearings are completely filled with highest quality extreme pressure (EP rated) grease.  
Paired with special external seals for maximum life.  
Stainless bearings available for extreme environmental conditions.  
Special flush mount grease fittings are available (if you prefer to re-grease the bearings).  
Adding grease fitting does not require frequent regreasing. Once or twice a year is typical.

**Competition Rollers are heavy-duty, thick wall precision steel rollers:**

All polyurethane covered rollers are made with 1.75" OD, thick wall, precision DOM steel tubing.  
Machining tolerances are within .0002" for all bearing surfaces and features.  
All production processes are supervised by skilled managers with over 60 years of experience.  
Inspection of all components occurs four times prior to shipping.  
High precision ensures lasting quality of all components and ease of rebuilding.  
Full length shafts (increases integrity of the roller with less stress on body and bearings).

**Polyurethane body material with features as follows:**

Extreme performance elastomer that continues to cure and increase physical properties for years.  
Precision cast (not a thin spray-on coating) over a heavy duty steel roller body.  
Extremely wear and abrasion resistant (very tough).  
Will far outlast any metallic material in abrasive conditions.  
Completely impact resistant and dent proof.  
100% memory rebound and returns to its original shape.  
Highly shock absorbing thereby diminishing damage to mower from rough terrain.  
Minimizes shake and shudder from the motor...reducing wear on joints and components.  
Reduces fatigue and physical wear on mower operators.  
Will not shred or fray like plastic materials.  
Will not absorb liquids, swell, expand or shrink.  
Will not damage concrete or asphalt paths or curbs from contact.  
Silent running on all surfaces.

**Polyurethane minimizes debris collection and buildup:**

Is a "live" material that limits debris from clinging to the surface in dynamic rolling.  
No micro-pore surface structure for adsorption of liquids.  
Diminishes transmigration of harmful elements such as disease or fungus.

**Polyurethane minimizes turf stress form thermal transfer:**

Absorption of heat or cold in roller is minimal.  
No turf stress from heat or cold transmission by roller contact.  
Minimizes potential for frost buildup.

**Grooved design features no parallel sides within the groove channels:**

Eliminates hard debris from lodging in the grooves.  
Provides more consistent, finer after-cut appearance.

**Grooved design has large soft radius groove crests and no corners for gentle turf contact:**

Minimizes surface area contact and ensures less compaction of the turf.  
Rollers ride closer to the soil and prevent floating of mower head.  
Ensures more consistent after-cut appearance.  
Provides easier steering and turning of the mower.  
Non-aggressive and less stressful on turf.  
Allows for more grass to be cut on initial pass - saving time.

### for Jacobsen mowers

	Roller Assemblies	roller retail	replacement shaft	shaft retail	US PATENT #5394681
<b>Jacobsen ALL 22" GREENSKING, GM, E-Plex, G-Plex, GP400 &amp; ECLIPSE 122 &amp; 322 MOWERS - FRONT ROLLER</b>					
4 bodies	2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb J2522A2C4	\$555	4 independent roller bodies @22.3" oal on a shaft	SHA2522AJN4 \$83
4 bodies	2" smooth steel extra duty tubing (4 x 5.55" wide bodies)	12 lb J2522A2S4	\$528	4 independent roller bodies @22.3" oal on a shaft	SHA2522AJN4 \$83
6 bodies	2" smooth Urethane over steel tubing (4 inner+2 outboard bodies)	13 lb J3122A2C4+2C	\$745	6 independent roller bodies @22.3" oal on a shaft	SHA3122AJN4+2 \$99
4 bodies	2.5" grooved Urethane over steel tubing (4 x 5.55" wide bodies)	10.5 lb J2522A25CG4	\$595	4 independent roller bodies @22.3" oal on a shaft	SHA2522AJN4 \$83 68673 (2.25" dia)
4 bodies	2.5" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	9 lb J2522A25C4	\$582	4 independent roller bodies @22.3" oal on a shaft	SHA2522AJN4 \$83
4 bodies	2.5" smooth steel extra duty tubing (4 x 5.55" wide bodies)	12 lb J2522A25S4	\$582	4 independent roller bodies @22.3" oal on a shaft	SHA2522AJN4 \$83
6 bodies	2.5" grooved Urethane over steel tubing (4 inner+2 outboard bodies)	14 lb J3122A25CG4+2C	\$780	6 independent roller bodies @22.3" oal on a shaft	SHA3122AJN4+2 \$99
6 bodies	2.5" smooth Urethane over steel tubing (4 inner+2 outboard bodies)	14 lb J3122A25C4+2C	\$780	6 independent roller bodies @22.3" oal on a shaft	SHA3122AJN4+2 \$99
	2" grooved Urethane cast over heavy duty steel tubing	7.5 lb J2522A2CGH	\$333	22.45" body, 25.87" shaft	SHA2522AJ \$68 68527
	2" smooth Urethane cast over heavy duty steel tubing	8 lb J2522A2C	\$312	22.45" body, 25.87" shaft	SHA2522AJ \$68 68641
	2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb J2522A2S	\$265	22.25" body, 25.87" shaft	SHA2522AJ \$68 68641
	2" smooth Steel light tubing (full shaft)	5.5 lb J2522A2L	\$265	22.25" body, 25.87" shaft	SHA2522AJ \$68 1004991, 68530
	2.5" grooved Urethane cast over heavy duty steel tubing	9 lb J2522A25CG	\$387	22.45" body, 25.87" shaft	SHA2522AJ \$68
	2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb J2522A25C	\$343	22.45" body, 25.87" shaft	SHA2522AJ \$68
	2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb J2522A25S	\$298	22.25" body, 25.87" shaft	SHA2522AJ \$68
<b>Jacobsen ALL 22" GREENSKING, GM, E-Plex, G-Plex, GP400 &amp; ECLIPSE 122 &amp; 322 MOWERS - BACK ROLLER</b>					
4 bodies	2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb J2422S2C4	\$555	3/8"-24 taps in shaft ends	SHA2422SJN4 \$83
4 bodies	2" smooth steel extra duty tubing (4 x 5.55" wide bodies)	12 lb J2422S2S4	\$528	3/8"-24 taps in shaft ends	SHA2422SJN4 \$83
4 bodies	2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb J2422G2C4	\$555	7/16"-20 taps in shaft ends	SHA2422GJN4 \$83
4 bodies	2" smooth steel extra duty tubing (4 x 5.55" wide bodies)	12 lb J2422G2S4	\$528	7/16"-20 taps in shaft ends	SHA2422GJN4 \$83
	2" grooved Urethane cast over heavy duty steel tubing	7.5 lb J2422S2CGH	\$333	3/8"-24 taps in shaft ends	SHA2422SJ \$68
	2" smooth Urethane cast over heavy duty steel tubing	8 lb J2422S2C	\$312	3/8"-24 taps in shaft ends	SHA2422SJ \$68
	2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb J2422S2S	\$265	3/8"-24 taps in shaft ends	SHA2422SJ \$68 1000770
	2" smooth Steel light tubing (full shaft)	5.5 lb J2422S2L	\$265	3/8"-24 taps in shaft ends	SHA2422SJ \$68 1004990
	2" grooved Urethane cast over heavy duty steel tubing	7.5 lb J2422G2CGH	\$333	7/16"-20 taps in shaft ends	SHA2422GJ \$68
	2" smooth Urethane cast over heavy duty steel tubing	8 lb J2422G2C	\$312	7/16"-20 taps in shaft ends	SHA2422GJ \$68
	2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb J2422G2S	\$265	7/16"-20 taps in shaft ends	SHA2422GJ \$68
	2" smooth Steel light tubing (full shaft)	5.5 lb J2422G2L	\$265	7/16"-20 taps in shaft ends	SHA2422GJ \$68
<b>Jacobsen TC-22 GREENSMOWERS - FRONT ROLLER</b>					
4 bodies	2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb J2522J2C4	\$608	4 independent roller bodies @22.3" oal on a shaft	SHA2422JJN4 \$83
4 bodies	2" smooth steel extra duty tubing (4 x 5.55" wide bodies)	12 lb J2522J2S4	\$582	4 independent roller bodies @22.3" oal on a shaft	SHA2422JJN4 \$83
	2" grooved Urethane cast over heavy duty steel tubing	7.5 lb J2522J2CGH	\$372	22.45" body, 25.87" shaft	SHA2422JJ \$68
	2" smooth Urethane cast over heavy duty steel tubing	8 lb J2522J2C	\$343	22.45" body, 25.87" shaft	SHA2422JJ \$68
	2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb J2522J2S	\$312	22.25" body, 25.87" shaft	SHA2422JJ \$68
	2" smooth Steel light tubing (full shaft)	5.5 lb J2522J2L	\$312	22.25" body, 25.87" shaft	SHA2422JJ \$68
<b>Jacobsen TC-22 GREENSMOWERS - BACK ROLLER</b>					
	2" smooth Urethane cast over heavy duty steel tubing	8 lb J2522V2C	\$343	22.45" body, 25.87" shaft	SHA2522VJ \$83
	2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb J2522V2S	\$312	22.25" body, 25.87" shaft	SHA2522VJ \$83
	2" smooth Steel light tubing (full shaft)	5.5 lb J2522V2L	\$312	22.25" body, 25.87" shaft	SHA2522VJ \$83
<b>Jacobsen ALL 18" GREENSMOWERS (Eclipse 118, GK 418 &amp; GK 518) - FRONT &amp; BACK ROLLERS without taps in shaft ends</b>					
4 bodies	2" smooth Urethane over steel tubing (4 x 4.75" wide bodies)	8.5 lb J2119A2C4	\$555	4 independent roller bodies on a shaft	SHA2119AJN4 \$83
4 bodies	2" smooth steel extra duty tubing (4 x 4.75" wide bodies)	12 lb J2119A2S4	\$528	4 independent roller bodies on a shaft	SHA2119AJN4 \$83
6 bodies	2" smooth Urethane over steel tubing (4 inner+2 outboard bodies)	12 lb J2719A2C4+2C	\$745	6 independent roller bodies on a shaft	SHA2719ADN4+2 \$99
	2" grooved Urethane cast over heavy duty steel tubing	6.5 lb J2119A2CGH	\$333	19.45" body & no tap in shaft ends	SHA2119AJ \$68 68616, 63318
	2" smooth Urethane cast over heavy duty steel tubing	7.5 lb J2119A2C	\$312	19.45" body & no tap in shaft ends	SHA2119AJ \$68 68626, 4108920, 4175221
	2" smooth Steel extra heavy duty tubing (1/4" wall)	10.5 lb J2119A2S	\$265	19.25" body & no tap in shaft ends	SHA2119AJ \$68 68626, 4108920, 4175221
	2" smooth Steel light tubing (full shaft)	4.5 lb J2119A2L	\$265	19.25" body & no tap in shaft ends	SHA2119AJ \$68 4108920, 4175221
<b>Jacobsen 18" Eclipse2 118F GREENSMOWERS - FRONT &amp; BACK ROLLERS with taps in shaft ends</b>					
	2" grooved Urethane cast over heavy duty steel tubing	6.5 lb J2119S2CGH	\$333	19.45" body & 3/8"-24 taps in shaft ends	SHA2119SJ \$68
	2" smooth Urethane cast over heavy duty steel tubing	7.5 lb J2119S2C	\$312	19.45" body & 3/8"-24 taps in shaft ends	SHA2119SJ \$68 4175221 body + 4175220 shaft
	2" smooth Steel extra heavy duty tubing (1/4" wall)	10.5 lb J2119S2S	\$279	19.25" body & 3/8"-24 taps in shaft ends	SHA2119SJ \$68 4175221 body + 4175220 shaft
	2" smooth Steel light tubing (full shaft)	4.5 lb J2119S2L	\$279	19.25" body & 3/8"-24 taps in shaft ends	SHA2119SJ \$68 4175221 body + 4175220 shaft
<b>Jacobsen ALL 26" GREENSMOWERS (Eclipse 126, GK 426 &amp; GK 526) - FRONT &amp; BACK ROLLERS</b>					
4 bodies	2.5" grooved Urethane over steel tubing (4 x 6.5" wide bodies)	10 lb J2926A25CG4	\$608	4 independent roller bodies on a shaft	SHA2926AJN4 \$83
4 bodies	2.5" smooth Urethane over steel tubing (4 x 6.5" wide bodies)	13 lb J2926A25C4	\$595	4 independent roller bodies on a shaft	SHA2926AJN4 \$83
6 bodies	2.5" grooved Urethane over steel tubing (4 inner+2 outboard bodies)	10 lb J3526A25CG4+2C	\$780	4 independent roller bodies on a 29.75" shaft	SHA3526AJN4+2 \$99
6 bodies	2.5" smooth Urethane over steel tubing (4 inner+2 outboard bodies)	13 lb J3526A25C4+2C	\$780	4 independent roller bodies on a 29.75" shaft	SHA3526AJN4+2 \$99
	2" smooth Urethane cast over heavy duty steel tubing	9 lb J2926A2C	\$357	26.45" body	SHA2926AJ \$68
	2" smooth Steel extra heavy duty tubing (1/4" wall)	12.5 lb J2926A2S	\$312	26.25" body	SHA2926AJ \$68 68627
	2" smooth Steel light tubing (full shaft)	7 lb J2926A2L	\$312	26.25" body	SHA2926AJ \$68 68627
	2.5" grooved Urethane cast over heavy duty steel tubing	9 lb J2926A25CG	\$387	26.45" body	SHA2926AJ \$68 68617, 68628
	2.5" smooth Urethane cast over heavy duty steel tubing	11 lb J2926A25C	\$357	26.45" body	SHA2926AJ \$68
	2.5" smooth Steel heavy duty tubing (1/8" wall)	11 lb J2926A25S	\$298	26.25" body	SHA2926AJ \$68 68627
<b>Jacobsen 26" LF3810 &amp; TRIKING 1471 &amp; 1671 - FRONT &amp; BACK ROLLERS (Sectional rollers with 4 bodies also available)</b>					
	2.5" grooved Urethane cast over heavy duty steel tubing	9.5 lb J2826A25CG	\$387	26.45" body	SHA2826AJ \$68
	2.5" smooth Urethane cast over heavy duty steel tubing	11 lb J2826A25C	\$343	26.45" body	SHA2826AJ \$68 132639
	2.5" smooth Steel heavy duty tubing (1/8" wall)	11 lb J2826A25S	\$298	26.25" body	SHA2826AJ \$68 132639
	3" grooved Urethane cast over heavy duty steel tubing	13 lb J2826A3CG	\$447	26.45" body	SHA2826AJ \$68 68617/28, 123266, JMAB422
	3" smooth Urethane cast over heavy duty steel tubing	13.5 lb J2826A3C	\$417	26.45" body	SHA2826AJ \$68 68627
	3" smooth Steel heavy duty tubing (1/8" wall)	13.5 lb J2826A3S	\$328	26.25" body	SHA2826AJ \$68 68627
<b>Jacobsen 26" TR-3 - FRONT &amp; BACK ROLLERS (Sectional rollers with 4 bodies also available)</b>					
	2.5" grooved Urethane cast over heavy duty steel tubing	9.5 lb J3126X25CG	\$432	26.45" body	SHA3126XJ \$68 LMAC078
	2.5" smooth Urethane cast over heavy duty steel tubing	11 lb J3126X25C	\$387	26.45" body	SHA3126XJ \$68 LMAC075
	2.5" smooth Steel heavy duty tubing (1/8" wall)	11 lb J3126X25S	\$328	26.25" body	SHA3126XJ \$68 LMAC075
	3" grooved Urethane cast over heavy duty steel tubing	13 lb J3126X3CG	\$492	26.45" body	SHA3126XJ \$68 LMAC078
	3" smooth Urethane cast over heavy duty steel tubing	13.5 lb J3126X3C	\$432	26.45" body	SHA3126XJ \$68 LMAC075
	3" smooth Steel heavy duty tubing (1/8" wall)	13.5 lb J3126X3S	\$357	26.25" body	SHA3126XJ \$68 LMAC075
<b>Jacobsen 30" TRIKING 1684D &amp; 1900D - FRONT &amp; BACK ROLLERS</b>					
	2.5" grooved Urethane cast over heavy duty steel tubing	9 lb J3229A25CG	\$387	29.45" body	SHA3229AJ \$68
	2.5" smooth Urethane cast over heavy duty steel tubing	12 lb J3229A25C	\$343	29.45" body	SHA3229AJ \$68 132640
	2.5" smooth Steel heavy duty tubing (1/8" wall)	12 lb J3229A25S	\$298	29.25" body	SHA3229AJ \$68 132640
	3" grooved Urethane cast over heavy duty steel tubing	12.4 lb J3229A3CG	\$447	29.45" body	SHA3229AJ \$68 67729 (set of 3)
	3" smooth Urethane cast over heavy duty steel tubing	15 lb J3229A3C	\$417	29.45" body	SHA3229AJ \$68
	3" smooth Steel heavy duty tubing (1/8" wall)	15 lb J3229A3S	\$328	29.25" body	SHA3229AJ \$68
<b>Jacobsen 18" LIGHT FAIRWAY LF530 &amp; SLF1880 - FRONT ROLLER (Sectional rollers with 4 bodies also available)</b>					
	3" grooved Urethane cast over heavy duty steel tubing	9 lb J2119A3CG	\$447	19.45" body	SHA2119AJ \$68 67925
	3" smooth Urethane cast over heavy duty steel tubing	10.5 lb J2119A3C	\$417	19.45" body	SHA2119AJ \$68
	3" smooth Steel heavy duty tubing (1/8" wall)	11 lb J2119A3S	\$328	19.25" body	SHA2119AJ \$68
<b>To diminish instances of shadowing lines due to overlap of reels</b>					
	3 section 3" grooved Urethane with 2" wide smooth ends	8.5 lb J2119A3CG.22C	\$675	call for proper application specifics	SHA2119AJ \$68
	2" smooth Urethane cast over heavy duty steel tubing	6.5 lb J2016G2C	\$372	front roller for rear mower heads-use with J2016G2C	SHA2016GJ \$68
				back roller for rear mower heads-use with J2119A3CG.22C	SHA2016GJ \$68











**Toro GM800 18" GREENSMOWER - FRONT & BACK ROLLERS**

4 bodies	2" smooth Urethane over steel tubing (4 x 4.75" wide bodies)	7.6 lb	T2219S2C4	\$555	4 independent roller bodies on a shaft	SHA2219STN4	\$83
4 bodies	2" smooth steel extra duty tubing (4 x 4.75" wide bodies)	12 lb	T2219S2S4	\$528	4 independent roller bodies on a shaft	SHA2219STN4	\$83
	2" grooved Urethane cast over heavy duty steel tubing	6.5 lb	T2219S2CGH	\$333	19.45" body, 22.75" shaft with 3/8"-24 taps in ends	SHA2219ST	\$68
	2" smooth Urethane cast over heavy duty steel tubing	7.5 lb	T2219S2C	\$312	19.45" body, 22.75" shaft with 3/8"-24 taps in ends	SHA2219ST	\$68
	2" smooth Steel extra heavy duty tubing (1/4" wall)	10.5 lb	T2219S2S	\$265	19.25" body, 22.75" shaft with 3/8"-24 taps in ends	SHA2219ST	\$68
	2" smooth Steel light tubing (full shaft)	4.5 lb	T2219S2L	\$265	19.25" body, 22.75" shaft with 3/8"-24 taps in ends	SHA2219ST	\$68

**Toro GM1600 26" GREENSMOWER - FRONT & BACK ROLLERS**

4 bodies	2.5" grooved Urethane over steel: 1" crests etc (4 x 6.5" bodies)	10 lb	T3127A25CG4	\$608	4 independent roller bodies on a shaft	SHA3127ATN4	\$83
4 bodies	2.5" smooth Urethane over steel tubing (4 x 6.5" wide bodies)	10 lb	T3127A25C4	\$595	4 independent roller bodies on a shaft	SHA3127ATN4	\$83
6 bodies	2.5" grooved Urethane over steel tubing (4 inner+2 outboard bodies)	10 lb	T3726A25CG4+2C	\$780	4 independent roller bodies on a 29.75" shaft	SHA3726ATN4+2	\$99
6 bodies	2.5" smooth Urethane over steel tubing (4 inner+2 outboard bodies)	13 lb	T3726A25C4+2C	\$780	4 independent roller bodies on a 29.75" shaft	SHA3726ATN4+2	\$99
	2.5" grooved Urethane cast over heavy duty steel tubing	11 lb	T3127A25CG	\$387	27.45" body	SHA3127AT	\$68
	2.5" smooth Urethane cast over heavy duty steel tubing	11 lb	T3127A25C	\$343	27.45" body	SHA3127AT	\$68
	2.5" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb	T3127A25S	\$298	27.25" body	SHA3127AT	\$68

**Toro 5100D, 5300D & 223D FAIRWAY MOWERS - FRONT ROLLER (Sectional rollers with 4 bodies also available)**

**Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call**

	2.5" grooved Urethane cast over heavy duty steel tubing	9 lb	T2522A25CG	\$387	22.45" body & 25.87" shaft	SHA2522AT	\$68	75-1520
	2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb	T2522A25C	\$343	22.45" body & 25.87" shaft	SHA2522AT	\$68	
	2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb	T2522A25S	\$298	22.25" body & 25.87" shaft	SHA2522AT	\$68	

**Toro 5100D, 5300D & 223D FAIRWAY MOWERS - BACK ROLLER (2.5" diameter also available) (Sectional rollers with 4 bodies also available)**

	2" grooved Urethane cast over heavy duty steel tubing	6.5 lb	T2319A2CGH	\$333	19.45" body	SHA2319AT	\$68	
	2" smooth Urethane cast over heavy duty steel tubing	7.5 lb	T2319A2C	\$312	19.45" body	SHA2319AT	\$68	940694
	2" smooth Steel extra heavy duty tubing (1/4" wall)	10.5 lb	T2319A2S	\$265	19.25" body	SHA2319AT	\$68	940694
	2" smooth Steel light tubing (full shaft)	4.5 lb	T2319A2L	\$265	19.25" body	SHA2319AT	\$68	

**Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIRWAY MOWERS - FRONT (Sectional rollers with 4 bodies also available)**

**Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call**

	3" grooved Urethane cast over heavy duty steel tubing	9.5 lb	T2722A3CG	\$447	22.45" body, 27" shaft	SHA2722AT	\$68	1009906
	3" smooth Urethane cast over heavy duty steel tubing	12 lb	T2722A3C	\$417	22.45" body, 27" shaft	SHA2722AT	\$68	99-5749
	3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb	T2722A3S	\$328	22.25" body, 27" shaft	SHA2722AT	\$68	99-5749
	3" grooved Urethane cast over heavy duty steel tubing	9.5 lb	T2724A3CG	\$447	24.45" body, 27" shaft	SHA2724AT	\$68	114-5400
	3" smooth Urethane cast over heavy duty steel tubing	12 lb	T2724A3C	\$417	24.45" body, 27" shaft	SHA2724AT	\$68	
	3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb	T2724A3S	\$325	24.25" body, 27" shaft	SHA2724AT	\$68	99-5749
	2.5" grooved Urethane cast over heavy duty steel tubing	8 lb	T2319T25CG	\$413	19.45" body & 23" shaft	SHA2319TT	\$68	
	2.5" smooth Urethane cast over heavy duty steel tubing	9 lb	T2319T25C	\$363	19.45" body & 23" shaft	SHA2319TT	\$68	
	2.5" smooth Steel heavy duty tubing (1/8" wall)	9 lb	T2319T25S	\$315	19.25" body & 23" shaft	SHA2319TT	\$68	

**Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIRWAY MOWERS - BACK (Sectional rollers with 4 bodies also available)**

	3" grooved Urethane cast over heavy duty steel tubing	9.5 lb	T2522C3CG	\$465	22.45" body, 25.5" shaft	SHA2522CT	\$68
	3" smooth Urethane cast over heavy duty steel tubing	12 lb	T2522C3C	\$417	22.45" body, 25.5" shaft	SHA2522CT	\$68
	3" smooth Steel heavy duty tubing (1/8" wall)	11.5 lb	T2522C3S	\$325	22.25" body, 25.5" shaft	SHA2522CT	\$68
	2.5" grooved Urethane cast over heavy duty steel tubing	8.5 lb	T2522C25CG	\$387	22.45" body, 25.5" shaft	SHA2522CT	\$68
	2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb	T2522C25C	\$343	22.45" body, 25.5" shaft	SHA2522CT	\$68
	2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb	T2522C25S	\$298	22.25" body, 25.5" shaft	SHA2522CT	\$68
	2.5" grooved Urethane cast over heavy duty steel tubing	8.5 lb	T2521C25CG	\$387	21.45" body, 25.5" shaft	SHA2521CT	\$68
	2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb	T2521C25C	\$343	21.45" body, 25.5" shaft	SHA2521CT	\$68
	2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb	T2521C25S	\$298	21.25" body, 25.5" shaft	SHA2521CT	\$68
	2.5" grooved Urethane cast over heavy duty steel tubing	8.5 lb	T2321A25CG	\$387	21.45" body, 23.75" shaft	SHA2321AT	\$68
	2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb	T2321A25C	\$343	21.45" body, 23.75" shaft	SHA2321AT	\$68
	2.5" smooth Steel heavy duty tubing (1/8" wall)	9.2 lb	T2321A25S	\$298	21.25" body, 23.75" shaft	SHA2321AT	\$68
	2" smooth Urethane cast over heavy duty steel tubing	8 lb	T2321A2C	\$298	21.45" body, 23.75" shaft	SHA2321AT	\$68
	2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb	T2321A2S	\$265	21.25" body, 23.75" shaft	SHA2321AT	\$68
	2" smooth Steel light tubing (full shaft)	5.5 lb	T2321A2L	\$265	21.25" body, 23.75" shaft	SHA2321AT	\$68
	3" grooved Urethane cast over heavy duty steel tubing	9 lb	T2519A3CG	\$447	19.45" body, 25" shaft	SHA2519AT	\$68
	3" smooth Urethane cast over heavy duty steel tubing	11 lb	T2519A3C	\$417	19.45" body, 25" shaft	SHA2519AT	\$68
	3" smooth Steel heavy duty tubing (1/8" wall)	11 lb	T2519A3S	\$325	19.25" body, 25" shaft	SHA2519AT	\$68
	2.5" grooved Urethane cast over heavy duty steel tubing	8 lb	T2519A25CG	\$387	19.45" body, 25" shaft	SHA2519AT	\$68
	2.5" smooth Urethane cast over heavy duty steel tubing	9 lb	T2519A25C	\$343	19.45" body, 25" shaft	SHA2519AT	\$68
	2.5" smooth Steel heavy duty tubing (1/8" wall)	9 lb	T2519A25S	\$298	19.25" body, 25" shaft	SHA2519AT	\$68
	2" grooved Urethane cast over heavy duty steel tubing	6.5 lb	T2519A2CGH	\$333	19.45" body, 25" shaft	SHA2519AT	\$68
	2" smooth Urethane cast over heavy duty steel tubing	7.5 lb	T2519A2C	\$312	19.45" body, 25" shaft	SHA2519AT	\$68
	2" smooth Steel extra heavy duty tubing (1/4" wall)	10.5 lb	T2519A2S	\$265	19.25" body, 25" shaft	SHA2519AT	\$68
	2" smooth Steel light tubing (full shaft)	4.5 lb	T2519A2L	\$265	19.25" body, 25" shaft	SHA2519AT	\$68
	3" grooved Urethane cast over heavy duty steel tubing	9 lb	T2319T3CG	\$462	19.45" body & 23" shaft	SHA2319TT	\$68
	3" smooth Urethane cast over heavy duty steel tubing	11 lb	T2319T3C	\$438	19.45" body & 23" shaft	SHA2319TT	\$68
	3" smooth Steel heavy duty tubing (1/8" wall)	11 lb	T2319T3S	\$352	19.25" body & 23" shaft	SHA2319TT	\$68
	2.5" grooved Urethane cast over heavy duty steel tubing	8 lb	T2319A25CG	\$387	19.45" body, 23" shaft	SHA2319AT	\$68
	2.5" smooth Urethane cast over heavy duty steel tubing	9 lb	T2319A25C	\$343	19.45" body, 23" shaft	SHA2319AT	\$68
	2.5" smooth Steel heavy duty tubing (1/8" wall)	9 lb	T2319A25S	\$298	19.25" body, 23" shaft	SHA2319AT	\$68
	2" grooved Urethane cast over heavy duty steel tubing	6.5 lb	T2319A2CGH	\$333	19.45" body, 23" shaft	SHA2319AT	\$68
	2" smooth Urethane cast over heavy duty steel tubing	7.5 lb	T2319A2C	\$312	19.45" body, 23" shaft	SHA2319AT	\$68
	2" smooth Steel extra heavy duty tubing (1/4" wall)	10.5 lb	T2319A2S	\$265	19.25" body, 23" shaft	SHA2319AT	\$68
	2" smooth Steel light tubing (full shaft)	4.5 lb	T2319A2L	\$265	19.25" body, 23" shaft	SHA2319AT	\$68



for RANSOMES mowers

**RANSOMES ALL 22" GREENSPLEX & E-PLEX - FRONT ROLLER**

4 bodies	2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb	R2522A2C4	\$555	4 independent roller bodies @22.3" oal on a shaft	SHA2522AJN4	\$68
4 bodies	2" smooth steel extra duty tubing (4 x 5.55" wide bodies)	12 lb	R2522A2S4	\$528	4 independent roller bodies @22.3" oal on a shaft	SHA2522AJN4	\$68
4 bodies	2.5" grooved Urethane over steel: 1" crests etc (5.55" bodies)	10.5 lb	R2522A25CG4	\$595	4 independent roller bodies @22.3" oal on a shaft	SHA2522AJN4	\$68 68673
4 bodies	2.5" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb	R2522A25C4	\$582	4 independent roller bodies @22.3" oal on a shaft	SHA2522AJN4	\$68
	2" grooved Urethane cast over heavy duty steel tubing	7.5 lb	R2522A2CGH	\$333	22.45" body	SHA2522AJ	\$68 68527
	2" smooth Urethane cast over heavy duty steel tubing	8 lb	R2522A2C	\$312	22.45" body	SHA2522AJ	\$68
	2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb	R2522A2S	\$265	22.25" body	SHA2522AJ	\$68 68641
	2" smooth Steel light tubing (full shaft)	5.5 lb	R2522A2L	\$265	22.25" body	SHA2522AJ	\$68 1004991, 68530
	2.5" grooved Urethane cast over heavy duty steel tubing	9 lb	R2522A25CG	\$387	22.45" body	SHA2522AJ	\$68
	2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb	R2522A25C	\$343	22.45" body	SHA2522AJ	\$68
	2.5" smooth Steel heavy duty tubing (1/8" wall)	10 lb	R2522A25S	\$298	22.25" body	SHA2522AJ	\$68

**RANSOMES 300 & 500 GREENSMOWERS - BACK ROLLER**

4 bodies	2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb	R2422S2C4	\$555	4 independent bodies @22.3" oal on a shaft with 3/8"-24 taps	SHA2422SJN4	\$68
4 bodies	2" smooth steel extra duty tubing (4 x 5.55" wide bodies)	12 lb	R2422S2S4	\$528	4 independent bodies @22.3" oal on a shaft with 3/8"-24 taps	SHA2422SJN4	\$68
4 bodies	2" smooth Urethane over steel tubing (4 x 5.55" wide bodies)	8.5 lb	R2422G2C4	\$555	4 independent bodies @22.3" oal on a shaft with 7/16"-20 taps	SHA2422GJN4	\$68
4 bodies	2" smooth steel extra duty tubing (4 x 5.55" wide bodies)	12 lb	R2422G2S4	\$528	4 independent bodies @22.3" oal on a shaft with 7/16"-20 taps	SHA2422GJN4	\$68
	2" grooved Urethane cast over heavy duty steel tubing	7.5 lb	R2422S2CGH	\$333	22.45" body, 3/8"-24 taps in shaft ends	SHA2422SJ	\$68
	2" smooth Urethane cast over heavy duty steel tubing	8 lb	R2422S2C	\$312	22.45" body, 3/8"-24 taps in shaft ends	SHA2422SJ	\$68 LMSE079
	2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb	R2422S2S	\$265	22.25" body, 3/8"-24 taps in shaft ends	SHA2422SJ	\$68 1000770
	2" smooth Steel light tubing (full shaft)	5.5 lb	R2422S2L	\$265	22.25" body, 3/8"-24 taps in shaft ends	SHA2422SJ	\$68 1004990
	2" grooved Urethane cast over heavy duty steel tubing	7.5 lb	R2422G2CGH	\$333	22.45" body, 7/16"-20 taps in shaft ends	SHA2422GJ	\$68
	2" smooth Urethane cast over heavy duty steel tubing	8 lb	R2422G2C	\$312	22.45" body, 7/16"-20 taps in shaft ends	SHA2422GJ	\$68
	2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb	R2422G2S	\$265	22.25" body, 7/16"-20 taps in shaft ends	SHA2422GJ	\$68
	2" smooth Steel light tubing (full shaft)	5.5 lb	R2422G2L	\$265	22.25" body, 7/16"-20 taps in shaft ends	SHA2422GJ	\$68

**RANSOMES MOTOR 180D, 180 TRIPLEX & TRIPLE 18 - ALL ROLLERS**

	2.5" grooved Urethane cast over heavy duty steel tubing	9 lb	R2826G25CG	\$387	7/16"-20 taps in shaft ends	SHA2826GR	\$68
	2.5" smooth Urethane cast over heavy duty steel tubing	11.5 lb	R2826G2S	\$343	7/16"-20 taps in shaft ends	SHA2826GR	\$68 A896305
	2.5" smooth Steel heavy duty tubing (1/8" wall)	12 lb	R2826G25S	\$298	7/16"-20 taps in shaft ends	SHA2826GR	\$68 A896305

**RANSOMES 250 LIGHTWEIGHT FAIRWAY - 33 HP/ 6" DIA. REELS - ALL ROLLERS**

	3" grooved Urethane cast over heavy duty steel tubing	13 lb	R2722R3CG	\$447		SHA2722RR	\$68
	3" smooth Urethane cast over heavy duty steel tubing	15 lb	R2722R3C	\$417		SHA2722RR	\$68
	3" smooth Steel heavy duty tubing	15 lb	R2722R3S	\$328		SHA2722RR	\$68

**RANSOMES 250 LIGHTWEIGHT FAIRWAY - 28 HP/ 2WD REELS - FRONT ROLLER**

	3" grooved Urethane cast over heavy duty steel tubing	13 lb	R2622A3CG	\$447		SHA2622AR	\$68
	3" smooth Urethane cast over heavy duty steel tubing	15 lb	R2622A3C	\$417		SHA2622AR	\$68
	3" smooth Steel heavy duty tubing	15 lb	R2622A3S	\$328		SHA2622AR	\$68

**RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - FRONT ROLLER**

	3" grooved Urethane cast over heavy duty steel tubing	13 lb	R2722A3CG	\$447		SHA2722AR	\$68 2206098
	3" smooth Urethane cast over heavy duty steel tubing	15 lb	R2722A3C	\$417		SHA2722AR	\$68 2206099
	3" smooth Steel heavy duty tubing	15 lb	R2722A3S	\$328		SHA2722AR	\$68 2206099

**RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - BACK ROLLER**

	2.5" grooved Urethane cast over heavy duty steel tubing	9 lb	R2421S25CG	\$387	3/8"-24 taps in shaft ends	SHA2421SJ	\$68
	2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb	R2421S25C	\$343	3/8"-24 taps in shaft ends	SHA2421SJ	\$68
	2.5" smooth Steel extra heavy duty tubing (1/4" wall)	10 lb	R2421S25S	\$298	3/8"-24 taps in shaft ends	SHA2421SJ	\$68
	2.5" grooved Urethane cast over heavy duty steel tubing	9 lb	R2421G25CG	\$387	7/16"-20 taps in shaft ends	SHA2421GJ	\$68
	2.5" smooth Urethane cast over heavy duty steel tubing	8 lb	R2421G25C	\$343	7/16"-20 taps in shaft ends	SHA2421GJ	\$68
	2.5" smooth Steel extra heavy duty tubing (1/4" wall)	12 lb	R2421G25S	\$298	7/16"-20 taps in shaft ends	SHA2421GJ	\$68

**RANSOMES 26" FAIRWAY 300, 305, 405 & 26" T-PLEX 185D - ALL ROLLERS**

	3" grooved Urethane cast over heavy duty steel tubing	13 lb	R3026T3CG	\$447		SHA3026TR	\$68
	3" smooth Urethane cast over heavy duty steel tubing	15 lb	R3026T3C	\$417		SHA3026TR	\$68
	3" smooth Steel heavy duty tubing	15 lb	R3026T3S	\$328		SHA3026TR	\$68

**RANSOMES 30" T-PLEX 185D - ALL ROLLERS**

	3" grooved Urethane cast over heavy duty steel tubing	13 lb	R3429T3CG	\$488		SHA3429TR	\$68 LMSE080
	3" smooth Urethane cast over heavy duty steel tubing	15 lb	R3429T3C	\$455		SHA3429TR	\$68 LMSE079
	3" smooth Steel heavy duty tubing	15 lb	R3429T3S	\$395		SHA3429TR	\$68

**RANSOMES 350D, 213D, 465, 5/3 MOTOR, 5 MOUNTED, 5/7 & 340 (27" REEL) - ALL ROLLERS**

	2.5" grooved Urethane cast over heavy duty steel tubing	9 lb	R3127G25CG	\$432	27.45" body, 31 .62" shaft w/ 7/16"-20 taps	SHA3127GR	\$68
	2.5" smooth Urethane cast over heavy duty steel tubing	11.2 lb	R3127G25C	\$389	27.45" body, 31 .62" shaft w/ 7/16"-20 taps	SHA3127GR	\$68 LMAA356, 71091
	2.5" smooth Steel extra heavy duty tubing (1/4" wall)	12 lb	R3127G25S	\$362	27.25" body, 31 .62" shaft w/ 7/16"-20 taps	SHA3127GR	\$68 LMAA356, 71091
	3" grooved Urethane cast over heavy duty steel tubing	12.4 lb	R3529A3CG	\$488	29.45" body, 35" shaft	SHA3529AR	\$68 MBE0852B, 500638, 500630
	3" smooth Urethane cast over heavy duty steel tubing	15 lb	R3529A3C	\$455	29.45" body, 35" shaft	SHA3529AR	\$68
	3" smooth Steel heavy duty tubing	15 lb	R3529A3S	\$395	29.25" body, 35" shaft	SHA3529AR	\$68

**RANSOMES ROTARY AR-250, AR-2500 DECK - BACK ROLLER**

	3.5" smooth Urethane cast over heavy duty steel tubing	27 lb	R2722X7C	\$535	22.45" body	SHA2722XR	\$68 4115430, 2206195
	4" smooth Urethane cast over heavy duty steel tubing	23 lb	R2722X4C	\$595	22.45" body	SHA2722XR	\$68 4115430, 2206195
	4" smooth Steel heavy duty tubing (1/8" wall)	27 lb	R2722X4S	\$569	22.45" body	SHA2722XR	\$68 4115430, 2206195

## for TRU-TURF Greens Golf Rollers

Tru-Turf Smoothing Heads Rollers for RS48-11E machine						
2.5" smooth Urethane cast over heavy duty steel tubing 22.45"	9.5 lb	T2222S25C	\$343	22.45" body	SHA2222ST	\$68 R8217
2.5" smooth Steel heavy duty tubing (1/8" wall) 22.25"	9.2 lb	T2222S25S	\$307	22.25" body	SHA2222ST	\$68 R8217
Tru-Turf Smoothing Heads Rollers for RB48-11A machine						
2.5" smooth Urethane cast over heavy duty steel tubing 22.45"	9.5 lb	T2222R25C	\$355	22.45" body short rollers (4 per machine)	SHA2222RT	\$68
2.5" smooth Steel heavy duty tubing (1/8" wall) 22.25"	9.2 lb	T2222R25S	\$319	22.25" body short rollers (4 per machine)	SHA2222RT	\$68
2.5" smooth Urethane cast over heavy duty steel tubing 24.45"	10 lb	T2524R25C	\$368	24.45" body long rollers (2 per machine)	SHA2222RT	\$68
2.5" smooth Steel heavy duty tubing (1/8" wall) 24.25"	9.6 lb	T2524R25S	\$332	24.25" body long rollers (2 per machine)	SHA2222RT	\$68
Tru-Turf Smoothing Heads Rollers for R50-11 machine						
2.5" smooth Urethane cast over heavy duty steel tubing 22.45"	9.5 lb	T2222Y25C	\$355	22.45" body short rollers (4 per machine)	SHA2222YT	\$68
2.5" smooth Steel heavy duty tubing (1/8" wall) 22.25"	9.2 lb	T2222Y25S	\$319	22.25" body short rollers (4 per machine)	SHA2222YT	\$68
2.5" smooth Urethane cast over heavy duty steel tubing 24.45"	10 lb	T2524Y25C	\$368	24.45" body long rollers (2 per machine)	SHA2524YT	\$68
2.5" smooth Steel heavy duty tubing (1/8" wall) 24.25"	9.6 lb	T2524Y25S	\$332	24.25" body long rollers (2 per machine)	SHA2524YT	\$68
Tru-Turf Smoothing Heads Rollers for GR39 machine						
2.5" smooth Urethane cast over heavy duty steel tubing 39.5"		T3939S25C	\$552	39.45" body	SHA3939ST	\$91
2.5" smooth Steel heavy duty tubing (1/8" wall) 39.5"		T3939S25S	\$493	39.25" body	SHA3939ST	\$91
Tru-Turf Smoothing Heads Rollers for TR7000C machine						
2.5" smooth Urethane cast over heavy duty steel 39.5" 2 bodies		T3939S25C2	\$590	2 body assembly at 39.5" total length	SHA3939ST	\$91 G7018 & G7049
2.5" smooth Steel heavy duty tubing (1/8" wall) 39.5" 2 bodies	15.5 lb	T3939S25S2	\$520	2 body assembly at 39.5" total length	SHA3939ST	\$91 G7018 & G7049
Tru-Turf Smoothing Heads Rollers for R52 machine						
2.5" smooth Urethane cast over heavy duty steel tubing 18.45"	9 lb	T1818S25C	\$343	18.45" body	SHA1818ST	\$68 E7149
2.5" smooth Steel heavy duty tubing (1/8" wall) 18.25"	8.7 lb	T1818S25S	\$319	18.25" body	SHA1818ST	\$68 E7149
Tru-Turf Smoothing Heads Rollers for TR66 Spikes machine						
2.5" smooth Urethane cast over heavy duty steel tubing 22.45"	9.5 lb	TT2422S25C	\$387	22.45" body, 24.25" shaft	SHA2422STT	\$68 T3005
2.5" smooth Steel heavy duty tubing (1/8" wall) 22.25"	9.2 lb	TT2422S25S	\$372	22.25" body, 24.25" shaft	SHA2422STT	\$68 T3005

## for SISIS

Sisis Flexi-400 - ALL ROLLERS						
3" smooth Urethane cast over heavy duty steel tubing	11.6 lb	S2524S3C	\$447	24.45" body	SHA2524SS	\$83
3" smooth Steel heavy duty tubing	12 lb	S2524S3S	\$419	24.25" body	SHA2524SS	\$83
3.5" smooth Urethane cast over heavy duty steel tubing	16 lb	S2524S7C	\$505	24.45" body	SHA2524SS	\$83
Sisis Veemo MK2 Verticutter - ALL ROLLERS						
3" smooth Urethane cast over heavy duty steel tubing	15 lb	S3029G3C	\$447	29.45" body	SHA3029GS	\$83
3" smooth Steel heavy duty tubing	15 lb	S3029G3S	\$419	29.25" body	SHA3029GS	\$83

## for DENNIS

Dennis Walking mower - ALL ROLLERS (handlebar bushings needed)						
3.5" smooth Urethane cast over heavy duty steel tubing	21 lb	D3834G7C	\$582		SHA3834GD	\$97
Handlebar bushing (2 per roller)		2SLEEVE 1.25x.5x1.2 PU	\$29			

## for SHIBAURA & HUSTLER

Shibaura G EXE 26 Greens Mower (Sectional rollers with 4 bodies also available)						
2.5" grooved Urethane cast over heavy duty steel tubing	10 lb	S2826P25CG	\$514	26.45" body, 28.375" shaft	SHA2826PS	\$80
2.5" smooth Urethane cast over heavy duty steel tubing	12.5 lb	S2826P25C	\$460	26.45" body, 28.375" shaft	SHA2826PS	\$80
2.5" smooth Steel heavy duty tubing (1/8" wall)	12.5 lb	S2826P25S	\$400	26.25" body, 28.375" shaft	SHA2826PS	\$80
2" smooth Urethane cast over heavy duty steel tubing	8.5 lb	S2826P2C	\$377	26.45" body, 28.375" shaft	SHA2826PS	\$80
2" smooth Steel heavy duty tubing (1/4" wall)	12 lb	S2826P2S	\$350	26.25" body, 28.375" shaft	SHA2826PS	\$80
Shibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower (Sectional rollers with 4 bodies also available)						
2.5" grooved Urethane cast over heavy duty steel tubing	9 lb	S2522P25CG	\$500	22.45" body, 25.75" shaft	SHA2522PS	\$80
2.5" smooth Urethane cast over heavy duty steel tubing	11.5 lb	S2522P25C	\$447	22.45" body, 25.75" shaft	SHA2522PS	\$80
2.5" smooth Steel heavy duty tubing (1/8" wall)	12 lb	S2522P25S	\$387	22.25" body, 25.75" shaft	SHA2522PS	\$80
2" grooved Urethane cast over heavy duty steel tubing	7.5 lb	S2522P2CGH	\$377	22.45" body, 25.75" shaft	SHA2522PS	\$80
2" smooth Urethane cast over heavy duty steel tubing	8 lb	S2522P2C	\$350	22.45" body, 25.75" shaft	SHA2522PS	\$80
2" smooth Steel heavy duty tubing (1/4" wall)	11.5 lb	S2522P2S	\$338	22.25" body, 25.75" shaft	SHA2522PS	\$80
Shibaura SR525 Fairway & Hustler 7500 & 7700 Fairway (Sectional rollers with 4 bodies also available)						
3" grooved Urethane cast over heavy duty steel tubing	10.5 lb	S2522P3CG	\$535	22.45" body, 25.75" shaft	SHA2522PS	\$80 A72010351
3" smooth Urethane cast over heavy duty steel tubing	12.5 lb	S2522P3C	\$505	22.45" body, 25.75" shaft	SHA2522PS	\$80 A72010351
3" smooth Steel heavy duty tubing (1/8" wall)	12.5 lb	S2522P3S	\$417	22.25" body, 25.75" shaft	SHA2522PS	\$80 A72010351
Shibaura SR370 (Sectional rollers with 4 bodies also available)						
3" grooved Urethane cast over heavy duty steel tubing	12.5 lb	S2926P3CG	\$555	26.45" body, 29.75" shaft	SHA2926PS	\$80
3" smooth Urethane cast over heavy duty steel tubing	14 lb	S2926P3C	\$520	26.45" body, 29.75" shaft	SHA2926PS	\$80
3" smooth Steel heavy duty tubing (1/8" wall)	14 lb	S2926P3S	\$447	26.25" body, 29.75" shaft	SHA2926PS	\$80

## for BARONESS

Baroness LM66T Greens - ALL ROLLERS						
2.5" grooved Urethane cast over heavy duty steel tubing	13 lb	B2725H25CG	\$477	25.45" body	SHA2725HK	\$83
2.5" smooth Urethane cast over heavy duty steel tubing	15 lb	B2725H25C	\$432	25.45" body	SHA2725HK	\$83
2.5" smooth Steel heavy duty tubing	15 lb	B2725H25S	\$402	25.45" body	SHA2725HK	\$83
Baroness LM185 - ALL ROLLERS						
3" grooved Urethane cast over heavy duty steel tubing	13 lb	B3027K3CG	\$580	27.45" body	SHA3027KK	\$83
3" smooth Urethane cast over heavy duty steel tubing	15 lb	B3027K3C	\$520	27.45" body	SHA3027KK	\$83
3" smooth Steel heavy duty tubing	15 lb	B3027K3S	\$447	27.25" body	SHA3027KK	\$83
Baroness LM2700 Fairway - ALL ROLLERS						
3" grooved Urethane cast over heavy duty steel tubing	13 lb	B2727G3CG	\$580	27.45" body	SHA2727GK	\$83
3" smooth Urethane cast over heavy duty steel tubing	15 lb	B2727G3C	\$520	27.45" body	SHA2727GK	\$83
3" smooth Steel heavy duty tubing	15 lb	B2727G3S	\$447	27.25" body	SHA2727GK	\$83
3.5" smooth Urethane cast over heavy duty steel tubing	18 lb	B2727G7C	\$655	27.45" body	SHA2727GK	\$83
4" smooth Urethane cast over heavy duty steel tubing	23 lb	B2727G4C	\$743	27.45" body	SHA2727GK	\$83



## for VENTRAC

Ventrac MJ840 Contour Deck Rotary Mower						
	3" smooth Urethane cast over heavy duty steel tubing	11.8 lb	V2422S3C	only available through Venture Products	SHA2422SV	Competition2 upgrade
	3" smooth Steel heavy duty tubing (1/8" wall)	11.4 lb	V2422S3S	<b>\$417</b> 22.05" body	SHA2422SV	<b>\$83</b>
2 bodies	3" grooved Urethane over steel tubing (2 x 4" wide bodies)	8 lb	V2404S3CGt	<b>\$535</b> non-stripping, allows better air flow	SHA2404SVN	<b>\$83</b>
2 bodies	3" smooth Urethane over steel tubing (2 x 4" wide bodies)	8 lb	V2404S3Ct	<b>\$595</b> non-stripping, allows better air flow	SHA2404SVN	<b>\$83</b> Competition2 upgrade
2 bodies	3" smooth Urethane over steel tubing (2 x 4" wide bodies)	8 lb	V2404S3Ct	<b>\$492</b> non-stripping, allows better air flow	SHA2404SVN	<b>\$83</b>
2 bodies	3" smooth Steel heavy duty tubing (2 x 4" wide bodies)	10 lb	V2404S3St	<b>\$460</b> non-stripping, allows better air flow	SHA2404SVN	<b>\$83</b>
Ventrac MR740 Triplex Reel Mower						
	3" grooved Urethane cast over heavy duty steel tubing	9.5 lb	V2827G3CG	<b>\$520</b> 27.45" body	SHA2827GV	<b>\$68</b>
	3" smooth Urethane cast over heavy duty steel tubing	11.5 lb	V2827G3C	<b>\$462</b> 27.45" body	SHA2827GV	<b>\$68</b>
	3" smooth Steel heavy duty tubing (1/8" wall)	11.2 lb	V2827G3S	<b>\$434</b> 27.25" body	SHA2827GV	<b>\$68</b>

## for NATIONAL

National 68 & 84 TRIPLEX & PTO GANG - 30" REELS						
	3" grooved Urethane cast over heavy duty steel tubing	13 lb	N3429I3CG	<b>\$447</b> 29.45" body	SHA3429IN	<b>\$68</b>
	3" smooth Urethane cast over heavy duty steel tubing	15 lb	N3429I3C	<b>\$417</b> 29.45" body	SHA3429IN	<b>\$68</b>
	3" smooth Steel heavy duty tubing	15 lb	N3429I3S	<b>\$328</b> 29.25" body	SHA3429IN	<b>\$68</b>
	3.5" smooth Urethane cast over heavy duty steel tubing	18 lb	N3429I7C	<b>\$505</b> 29.45" body	SHA3429IN	<b>\$68</b>
	4" smooth Urethane cast over heavy duty steel tubing	23 lb	N3229I4C	<b>\$565</b> 29.45" body	SHA3229IN	<b>\$68</b>
	4" smooth Steel heavy duty tubing	19 lb	N3429I4S	<b>\$505</b> 29.25" body	SHA3229IN	<b>\$68</b>
National 68 & 84 TRIPLEX & PTO GANG - 25" OUTSIDE REELS						
	3" smooth Urethane cast over heavy duty steel tubing	11 lb	N2420I3C	<b>\$417</b> 20.45" body	SHA2420IN	<b>\$68</b>
	3" smooth Steel heavy duty tubing	11 lb	N2420I3S	<b>\$343</b> 20.25" body	SHA2420IN	<b>\$68</b>
	3.5" smooth Urethane cast over heavy duty steel tubing	13 lb	N2420I7C	<b>\$505</b> 20.45" body	SHA2420IN	<b>\$68</b>

## for BUNTON

Bunton 22" WALKING GREENSMOWERS - FRONT <span style="float: right;">(Sectional rollers with 4 bodies also available)</span>						
	2" grooved Urethane cast over heavy duty steel tubing	7.5 lb	B2422P2CGH	<b>\$345</b> 22.45" body	SHA2422PB	<b>\$80</b>
	2" smooth Urethane cast over heavy duty steel tubing	8 lb	B2422P2C	<b>\$324</b> 22.45" body	SHA2422PB	<b>\$80</b>
	2" smooth Steel extra heavy duty tubing (1/4" wall)	11.5 lb	B2422P2S	<b>\$288</b> 22.25" body	SHA2422PB	<b>\$80</b>
	2" smooth Steel light tubing (full shaft)	5 lb	B2422P2L	<b>\$288</b> 22.25" body	SHA2422PB	<b>\$80</b>
	2.5" grooved Urethane cast over heavy duty steel tubing	9 lb	B2422P25CG	<b>\$365</b> 22.45" body	SHA2422PB	<b>\$80</b>
	2.5" smooth Urethane cast over heavy duty steel tubing	9.5 lb	B2422P25C	<b>\$324</b> 22.45" body	SHA2422PB	<b>\$80</b>
	2.5" smooth Steel extra heavy duty tubing (1/4" wall)	10 lb	B2422P25S	<b>\$298</b> 22.25" body	SHA2422PB	<b>\$80</b>
Bunton 26" WALKING GREENSMOWER - FRONT <span style="float: right;">(Sectional rollers with 4 bodies also available)</span>						
	2.5" grooved Urethane cast over heavy duty steel tubing	10 lb	B2726P25CG	<b>\$365</b> 26.45" body	SHA2726PB	<b>\$80</b>
	2.5" smooth Urethane cast over heavy duty steel tubing	10.5 lb	B2726P25C	<b>\$324</b> 26.45" body	SHA2726PB	<b>\$80</b>
	2.5" smooth Steel extra heavy duty tubing (1/4" wall)	11 lb	B2726P25S	<b>\$298</b> 26.25" body	SHA2726PB	<b>\$80</b>
Bunton 30" FAIRWAY GANG MOWER - FRONT & BACK ROLLERS						
	3" grooved Urethane cast over heavy duty steel tubing	13 lb	B3629H3CG	<b>\$447</b> 29.45" body	SHA3629HB	<b>\$80</b>
	3" smooth Urethane cast over heavy duty steel tubing	15 lb	B3629H3C	<b>\$417</b> 29.45" body	SHA3629HB	<b>\$80</b>
	3" smooth Steel heavy duty tubing	15 lb	B3629H3S	<b>\$328</b> 29.25" body	SHA3629HB	<b>\$80</b>
	3.5" smooth Urethane cast over heavy duty steel tubing	18 lb	B3629H7C	<b>\$505</b> 29.25" body	SHA3629HB	<b>\$80</b>

## for KESMAC

Kesmac GANG MOWER - ALL ROLLERS						
	3" grooved Urethane cast over heavy duty steel tubing	13 lb	K3227A3CG	<b>\$535</b> 27.45" body	SHA3227AK	<b>\$80</b>
	3" smooth Urethane cast over heavy duty steel tubing	15 lb	K3227A3C	<b>\$417</b> 27.45" body	SHA3227AK	<b>\$80</b>
	3" smooth Steel heavy duty tubing	15 lb	K3227A3S	<b>\$328</b> 27.25" body	SHA3227AK	<b>\$80</b>
	3.5" smooth Urethane cast over heavy duty steel tubing	18 lb	K3227A7C	<b>\$535</b> 27.45" body	SHA3227AK	<b>\$80</b>
	4" smooth Urethane cast over heavy duty steel tubing	23 lb	N3227A4C	<b>\$565</b> 27.45" body	SHA3227AK	<b>\$80</b>

**Don't see your machine listed? Call us about the possible roller options for your equipment.**

# GOLFCO INTERNATIONAL COMPETITION ROLLERS™ 2023

## Competition Roller™ Upgrade Options

	<u>Retail</u>	<u>Part #</u>	
<b>Upgrade to Stainless Steel Bearings on Competition Rollers™</b>	\$27	BU-COMPSS	
<b>Upgrade to Double Row Bearings as our Competition2 Rollers™</b>	\$76		
-upgrade select Competition Rollers™ to double row bearings with black oxide finish (per body)			(designate by adding "2" to front of roller part number)
-available for most rollers > 2" diameter (requires specially machined inner steel tube bearing housings)			
<b>Add Grease Fittings (set of 2 special flush mount grease fittings)</b>			
-grease fittings (set of two) for new Competition Rollers™ or new overhaul kits	\$23	GFFD316SET	
-special yellow end seal (set of two) to accommodate grease fitting without new bearing kits	\$28	2SEAL16CUGF SET	
<b>Bearing Installation Tool Set</b>	\$73	2TOOLSET	
-set of 2 tools - aids in installing bearings into roller housing and onto shaft			
<b>Super Duty solid one piece Polyurethane Soft Blow Mallet</b>	\$67	#MALLET1	
-unique utility to add to your tool box			

## Competition Roller™ Overhaul Kits - \*ORIGINAL STYLE\*



<b>Standard overhaul kit for all single body rollers (except "H" style 2" grooved)</b>	\$69	OHCOMP
(with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)		
<b>Stainless steel bearing overhaul kit for all single body rollers (except "H" style 2" grooved)</b>	\$96	OHCOMPSS
(with 2 stainless bearings, 6 seals, 2 stainless washers & 4 retainers)		
<b>Overhaul kit for new "H" style 2" dia. grooved rollers shipped after 9/26/19</b>	\$69	OHCOMPH
(with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)		
<b>Overhaul kit for twin body roller assemblies (one kit per body - call to confirm)</b>	\$83	OHCOMPnt
<b>Overhaul kit for 3 &amp; 4 body roller assemblies (one kit per body - call to confirm)</b>	\$71	OHCOMPN4

## Competition2 Roller™ Overhaul Kits \*SERIES 2\* with Double-Row Bearings

<b>Kit with Double-Row Bearings with corrosion resistant black oxide finish</b>	\$115	OHCOMP2BO
(with 2 bearings, 6 seals, 2 stainless washers & 4 retainers)		

{ Only Golfco bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

## Competition Roller™ Shafts

Replacement shafts are listed to the right of each roller line item shown in our Competition Roller price list above.

(The shaft part number is derived from the first 6 digits of the roller part number as follows: Roller T2522S2CGH has shaft part SHA2522ST)

Each roller assembly listed in this offering catalog comes completely assembled with roller body or bodies, shaft and overhaul kits (bearings/seals/retainers).

## Pro Roller™ Bearings (Water Pump Style)

<b>Replaces Toro #21-8430</b>	\$25	BWP3
Water pump bearing-sealed (shaft is 1.8")		
<b>Replaces Toro #52-3180 &amp; 52-3210</b>	\$25	BWP4
Water pump bearing-sealed (shaft is 1.8" with 3/8-24 tap)		
<b>Replaces Jacobsen #101482</b>	\$25	BWP5
Water pump bearing-sealed (shaft is 1.0" with 7/16-20 tap)		
<b>Replaces Toro #75-1290, Jacobsen #101481 &amp; John Deere #35741</b>	\$25	BWP7
Water pump bearing-sealed (shaft is 1.5")		

