

GOLFCO INTERNATIONAL COMPETITION ROLLERS

2025 Retail Price List

US PATENT #5394681

Don't see your machine or roller style listed? Call us about the possible roller options to enhance after-cut appearance.

for Jacobsen mowers		Complete Roller Assemblies	roller retail	Replacement shaft #	shaft retail
Jacobsen ALL 22" GREENS MOWERS including GREENSKING, GM, E-Plex, G-Plex, GP400 & ECLIPSE 122 & 322 MOWERS - FRONT ROLLER					
2" dia. SINGLE body					
2" dia. wide grooved Urethane no flats	6.5 lb	J2522A2CG	\$382	22.45" body, 25.87" shaft	SHA2522AJ \$76
2" dia. narrow grooved Urethane no flats	6.7 lb	J2522A2NG	\$382	22.45" body, 25.87" shaft	SHA2522AJ \$76
2" dia. wide grooved Urethane 1" flats	6.5 lb	J2522A2CGF	\$382	22.45" body, 25.87" shaft	SHA2522AJ \$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb	J2522A2NGF	\$382	22.45" body, 25.87" shaft	SHA2522AJ \$76
2" dia. smooth Urethane	8 lb	J2522A2C	\$362	22.25" body, 25.87" shaft	SHA2522AJ \$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	J2522A2S	\$302	22.25" body, 25.87" shaft	SHA2522AJ \$76
2" dia. TWO opposing end short bodies					
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2504A2CGt	\$452	2 short twin bodies at ends of 25.87" shaft	SHA2504AJAt \$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2504A2NGt	\$452	2 short twin bodies at ends of 25.87" shaft	SHA2504AJAt \$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2504A2CGFt	\$452	2 short twin bodies at ends of 25.87" shaft	SHA2504AJAt \$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2504A2NGFt	\$452	2 short twin bodies at ends of 25.87" shaft	SHA2504AJAt \$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb	J2502A2Ct	\$452	2 short twin bodies at ends of 25.87" shaft	SHA2502AJAt \$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2504A2Ct	\$452	2 short twin bodies at ends of 25.87" shaft	SHA2504AJAt \$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb	J2504A2St	\$452	2 short twin bodies at ends of 25.87" shaft	SHA2504AJAt \$91
2" dia. SINGLE body + 2 bodies outside of brackets					
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	J3122A2CG+2C	\$512	22.45" center body + 2 short outer bodies, 31.87" shaft	SHA3122AJA+2 \$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	J3122A2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.87" shaft	SHA3122AJA+2 \$108
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	J3122A2CGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.87" shaft	SHA3122AJA+2 \$108
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	J3122A2NGF+2C	\$512	22.45" center body + 2 short outer bodies, 31.87" shaft	SHA3122AJA+2 \$108
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	J3122A2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.87" shaft	SHA3122AJA+2 \$108
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	15 lb	J3122A2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.87" shaft	SHA3122AJA+2 \$108
2" dia. FOUR bodies					
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	J2522A2CG4	\$562	4 short bodies, 25.87" shaft	SHA2522AJA4 \$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb	J2522A2NG4	\$562	4 short bodies, 25.87" shaft	SHA2522AJA4 \$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	J2522A2CGF4	\$562	4 short bodies, 25.87" shaft	SHA2522AJA4 \$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	J2522A2NGF4	\$562	4 short bodies, 25.87" shaft	SHA2522AJA4 \$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	J2522A2C4	\$562	4 short bodies, 25.87" shaft	SHA2522AJA4 \$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	J2522A2S4	\$562	4 short bodies, 25.87" shaft	SHA2522AJA4 \$91
2" dia. FOUR bodies + 2 bodies outside of brackets					
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	J3122A2CG4+2C	\$652	4 center bodies + 2 short outer bodies, 31.87" shaft	SHA3122AJA4+2 \$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	J3122A2NG4+2C	\$652	4 center bodies + 2 short outer bodies, 31.87" shaft	SHA3122AJA4+2 \$108
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	J3122A2CGF4+2C	\$652	4 center bodies + 2 short outer bodies, 31.87" shaft	SHA3122AJA4+2 \$108
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	J3122A2NGF4+2C	\$652	4 center bodies + 2 short outer bodies, 31.87" shaft	SHA3122AJA4+2 \$108
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb	J3122A2C4+2C	\$652	4 center bodies + 2 short outer bodies, 31.87" shaft	SHA3122AJA4+2 \$108
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	15 lb	J3122A2S4+2S	\$652	4 center bodies + 2 short outer bodies, 31.87" shaft	SHA3122AJA4+2 \$108
2.5" dia. SINGLE body					
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	J2522A25CG	\$456	22.45" body, 25.87" shaft	SHA2522AJ \$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	J2522A25NG	\$456	22.45" body, 25.87" shaft	SHA2522AJ \$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb	J2522A25CGF	\$456	22.45" body, 25.87" shaft	SHA2522AJ \$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 3/4" flats	9 lb	J2522A25NGF	\$456	22.45" body, 25.87" shaft	SHA2522AJ \$76
2.5" smooth Urethane	9.5 lb	J2522A25C	\$396	22.45" body, 25.87" shaft	SHA2522AJ \$76
2.5" smooth Steel	10 lb	J2522A25S	\$376	22.25" body, 25.87" shaft	SHA2522AJ \$76
2.5" dia. TWO opposing end short bodies					
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2504A25CGt	\$496	2 short twin bodies at ends of 25.87" shaft	SHA2504AJAt \$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	J2504A25NGt	\$496	2 short twin bodies at ends of 25.87" shaft	SHA2504AJAt \$91
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2504A25CGFt	\$496	2 short twin bodies at ends of 25.87" shaft	SHA2504AJAt \$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	J2504A25NGFt	\$496	2 short twin bodies at ends of 25.87" shaft	SHA2504AJAt \$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	J2504A25Ct	\$496	2 short twin bodies at ends of 25.87" shaft	SHA2504AJAt \$91
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	4.2 lb	J2504A25St	\$496	2 short twin bodies at ends of 25.87" shaft	SHA2504AJAt \$91
2.5" dia. SINGLE body + 2 bodies outside of brackets					
extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	J3122A25CG+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	SHA3122AJA+2 \$108
extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb	J3122A25NG+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	SHA3122AJA+2 \$108
extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	J3122A25CGF+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	SHA3122AJA+2 \$108
extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb	J3122A25NGF+2C	\$566	22.45" center body + 2 short outer bodies, 31.87" shaft	SHA3122AJA+2 \$108
extended 2.5" smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb	J3122A25C+2C	\$566	22.25" center body + 2 short outer bodies, 31.87" shaft	SHA3122AJA+2 \$108
2.5" dia. FOUR bodies					
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	J2522A25CG4	\$636	4 short bodies, 25.87" shaft	SHA2522AJA4 \$91
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	J2522A25NG4	\$636	4 short bodies, 25.87" shaft	SHA2522AJA4 \$91
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	J2522A25CGF4	\$636	4 short bodies, 25.87" shaft	SHA2522AJA4 \$91
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	J2522A25NGF4	\$636	4 short bodies, 25.87" shaft	SHA2522AJA4 \$91
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	9 lb	J2522A25C4	\$636	4 short bodies, 25.87" shaft	SHA2522AJA4 \$91
2.5" dia. FOUR bodies + 2 bodies outside of brackets					
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	14 lb	J3122A25CG4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	SHA3122AJA4+2 \$108
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb	J3122A25NG4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	SHA3122AJA4+2 \$108
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	J3122A25CGF4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	SHA3122AJA4+2 \$108
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb	J3122A25NGF4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	SHA3122AJA4+2 \$108
6 bodies 2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb	J3122A25C4+2C	\$686	4 center bodies + 2 short outer bodies, 31.87" shaft	SHA3122AJA4+2 \$108

Jacobsen ALL 22" GREENS MOWERS including GREENSKIN, GM, E-Plex, G-Plex,GP400 & ECLIPSE 122 & 322 MOWERS - BACK ROLLER**2" dia. SINGLE body w/ 3/8" taps in shaft**

2" dia. wide grooved Urethane no flats	6.5 lb J2422S2CG	\$382	22.45" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb J2422S2NG	\$382	22.45" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb J2422S2CGF	\$382	22.45" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2422S2NGF	\$382	22.45" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76
2" dia. smooth Urethane	8 lb J2422S2C	\$362	22.25" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2422S2S	\$302	22.25" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76

2" dia. SINGLE body w/ 7/16" taps in shaft

2" dia. wide grooved Urethane no flats	6.5 lb J2422G2CG	\$382	22.45" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb J2422G2NG	\$382	22.45" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb J2422G2CGF	\$382	22.45" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2422G2NGF	\$382	22.45" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76
2" dia. smooth Urethane	8 lb J2422G2C	\$362	22.25" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2422G2S	\$302	22.25" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76

2" dia. TWO opposing end short bodies w/ 3/8" taps in shaft

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S2CGt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S2NGt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S2CGFt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S2NGFt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2402S2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2402SJAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2404S2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb J2404S2St	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91

2" dia. TWO opposing end short bodies w/ 7/16" taps in shaft

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404G2CGt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404G2NGt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404G2CGFt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404G2NGFt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2402G2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2402GJAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2404G2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6.2 lb J2404G2St	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91

2" dia. FOUR bodies w/ 3/8" taps in shaft

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422S2CG4	\$562	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJ4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422S2NG4	\$562	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJ4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422S2CGF4	\$562	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJ4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422S2NGF4	\$562	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJ4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2422S2C4	\$562	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJ4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2422S2S4	\$562	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJ4	\$91

2" dia. FOUR bodies w/ 7/16" taps in shaft

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422G2CG4	\$562	4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJ4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422G2NG4	\$562	4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJ4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422G2CGF4	\$562	4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJ4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422G2NGF4	\$562	4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJ4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2422G2C4	\$562	4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJ4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2422G2S4	\$562	4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJ4	\$91

Jacobsen TC-22 GREENSMOWERS - FRONT ROLLER**2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats	6.5 lb J2522J2CG	\$412	22.45" body, 25.87" shaft	SHA2522JJ	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb J2522J2NG	\$412	22.45" body, 25.87" shaft	SHA2522JJ	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb J2522J2CGF	\$412	22.45" body, 25.87" shaft	SHA2522JJ	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2522J2NGF	\$412	22.45" body, 25.87" shaft	SHA2522JJ	\$80
2" dia. smooth Urethane	8 lb J2522J2C	\$392	22.25" body, 25.87" shaft	SHA2522JJ	\$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2522J2S	\$332	22.25" body, 25.87" shaft	SHA2522JJ	\$80

2" dia. FOUR bodies

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2522J2CG4	\$562	4 short bodies, 25.87" shaft	SHA2522JJ4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2522J2NG4	\$562	4 short bodies, 25.87" shaft	SHA2522JJ4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2522J2CGF4	\$562	4 short bodies, 25.87" shaft	SHA2522JJ4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2522J2NGF4	\$562	4 short bodies, 25.87" shaft	SHA2522JJ4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2522J2C4	\$592	4 short bodies, 25.87" shaft	SHA2522JJ4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2522J2S4	\$592	4 short bodies, 25.87" shaft	SHA2522JJ4	\$91

Jacobsen TC-22 GREENSMOWERS - BACK ROLLER**2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats	6.5 lb J2522V2CG	\$412	22.45" body, 25.87" shaft	SHA2522VJ	\$80
2" dia. narrow grooved Urethane no flats	6.7 lb J2522V2NG	\$412	22.45" body, 25.87" shaft	SHA2522VJ	\$80
2" dia. wide grooved Urethane 1" flats	6.5 lb J2522V2CGF	\$412	22.45" body, 25.87" shaft	SHA2522VJ	\$80
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2522V2NGF	\$382	22.45" body, 25.87" shaft	SHA2522VJ	\$80
2" dia. smooth Urethane	8 lb J2522V2C	\$392	22.25" body, 25.87" shaft	SHA2522VJ	\$80
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2522V2S	\$332	22.25" body, 25.87" shaft	SHA2522VJ	\$80

2" dia. FOUR bodies

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2522V2CG4	\$562	4 short bodies, 25.87" shaft	SHA2522VJ4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2522V2NG4	\$562	4 short bodies, 25.87" shaft	SHA2522VJ4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2522V2CGF4	\$562	4 short bodies, 25.87" shaft	SHA2522VJ4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2522V2NGF4	\$562	4 short bodies, 25.87" shaft	SHA2522VJ4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2522V2C4	\$592	4 short bodies, 25.87" shaft	SHA2522VJ4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2522V2S4	\$592	4 short bodies, 25.87" shaft	SHA2522VJ4	\$91

Jacobsen ALL 18" GREENSMOWERS (Eclipse 118, GK 418 & GK 518) - FRONT & BACK ROLLERS (SHAFT is 21.25" without taps in either end)**2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats	6.2 lb J2119A2CG	\$382	19.45" body, 21.25" shaft w/o taps	SHA2119AJ	\$76
2" dia. narrow grooved Urethane no flats	6.4 lb J2119A2NG	\$382	19.45" body, 21.25" shaft w/o taps	SHA2119AJ	\$76
2" dia. wide grooved Urethane 1" flats	6.2 lb J2119A2CGF	\$382	19.45" body, 21.25" shaft w/o taps	SHA2119AJ	\$76
2" dia. narrow grooved Urethane 1" flats	6.4 lb J2119A2NGF	\$382	19.45" body, 21.25" shaft w/o taps	SHA2119AJ	\$76
2" dia. smooth Urethane	7.5 lb J2119A2C	\$362	19.25" body, 21.25" shaft w/o taps	SHA2119AJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb J2119A2S	\$302	19.25" body, 21.25" shaft w/o taps	SHA2119AJ	\$76

2" dia. TWO opposing end short bodies

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)

2" dia. SINGLE body + 2 bodies outside of brackets

extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats
extended 2" dia. smooth Urethane (19.45" inner+2x2" outer bodies)
extended 2" dia. smooth Steel heavy (19.45" inner+2x2" outer bodies)

2" dia. FOUR bodies

4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)

2" dia. FOUR bodies + 2 bodies outside of brackets

6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats
6 bodies 2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)
6 bodies 2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)

Jacobsen 18" Eclipse2 118F GREENSMOWERS - FRONT ROLLERS (SHAFT is 21.25" with taps in both ends)**2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats
2" dia. narrow grooved Urethane no flats
2" dia. wide grooved Urethane 1" flats
2" dia. narrow grooved Urethane 1" flats
2" dia. smooth Urethane
2" dia. smooth Steel heavy (1/4" wall)

2" dia. TWO opposing end short bodies

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)

2" dia. FOUR bodies

4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)

Jacobsen 18" Eclipse2 118F GREENSMOWERS - REAR ROLLERS (SHAFT is 20.5" with taps in both ends)**2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats
2" dia. narrow grooved Urethane no flats
2" dia. wide grooved Urethane 1" flats
2" dia. narrow grooved Urethane 1" flats
2" dia. smooth Urethane
2" dia. smooth Steel heavy (1/4" wall)

2" dia. TWO opposing end short bodies

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)

2" dia. FOUR bodies

4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)

Jacobsen ALL 26" GREENSMOWERS (Eclipse 126, GK 426 & GK 526) - FRONT & BACK ROLLERS**2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats
2" dia. narrow grooved Urethane no flats
2" dia. wide grooved Urethane 1" flats
2" dia. narrow grooved Urethane 1" flats
2" dia. smooth Urethane
2" dia. smooth Steel heavy (1/4" wall)

4 lb J2104A2CGt
4 lb J2104A2NGt
4 lb J2104A2CGFt
4 lb J2104A2NGFt
4 lb J2102A2Ct
4.2 lb J2104A2Ct
6 lb J2104A2St

12 lb J2719A2CG+2C
12 lb J2719A2NG+2C
12 lb J2719A2CGF+2C
12 lb J2719A2NGF+2C
13 lb J2719A2C+2C
13 lb J2719A2S+2S

8.5 lb J2119A2CG4
8.5 lb J2119A2NG4
8.5 lb J2119A2CGF4
8.5 lb J2149A2NGF4
8.5 lb J2119A2C4
12 lb J2119A2S4

13 lb J2719A2CG4+2C
13 lb J2719A2NG4+2C
13 lb J2719A2CGF4+2C
13 lb J2719A2NGF4+2C
12 lb J2719A2C4+2C
12 lb J2719A2S4+2S

non-stripping, non-skidding for tight turns & ground undulations

2 short twin bodies at ends of 21.25" shaft
2 short twin bodies at ends of 21.25" shaft
2 short twin bodies at ends of 21.25" shaft
2 short twin bodies at ends of 21.25" shaft
2 short twin bodies at ends of 21.25" shaft
2 short twin bodies at ends of 21.25" shaft
2 short twin bodies at ends of 21.25" shaft

non-skidding for tight turns & ground undulations

19.45" center body + 2 short outer bodies, 27.25" shaft
19.45" center body + 2 short outer bodies, 27.25" shaft
19.45" center body + 2 short outer bodies, 27.25" shaft
19.45" center body + 2 short outer bodies, 27.25" shaft
19.45" center body + 2 short outer bodies, 27.25" shaft
19.45" center body + 2 short outer bodies, 27.25" shaft
19.45" center body + 2 short outer bodies, 27.25" shaft

non-skidding for tight turns & ground undulations

4 short bodies, 21.25" shaft
4 short bodies, 21.25" shaft
4 short bodies, 21.25" shaft
4 short bodies, 21.25" shaft
4 short bodies, 21.25" shaft
4 short bodies, 21.25" shaft
4 short bodies, 21.25" shaft

non-skidding for tight turns & ground undulations

4 center bodies + 2 short outer bodies, 27.25" shaft
4 center bodies + 2 short outer bodies, 27.25" shaft
4 center bodies + 2 short outer bodies, 27.25" shaft
4 center bodies + 2 short outer bodies, 27.25" shaft
4 center bodies + 2 short outer bodies, 27.25" shaft
4 center bodies + 2 short outer bodies, 27.25" shaft
4 center bodies + 2 short outer bodies, 27.25" shaft

19.45" body, 21.25" shaft-3/8" taps
19.45" body, 21.25" shaft-3/8" taps
19.45" body, 21.25" shaft-3/8" taps
19.45" body, 21.25" shaft-3/8" taps
19.25" body, 21.25" shaft-3/8" taps
19.25" body, 21.25" shaft-3/8" taps

non-stripping, non-skidding for tight turns & ground undulations

2 short twin bodies at ends of a 21.25" shaft-3/8" taps
2 short twin bodies at ends of a 21.25" shaft-3/8" taps
2 short twin bodies at ends of a 21.25" shaft-3/8" taps
2 short twin bodies at ends of a 21.25" shaft-3/8" taps
2 short twin bodies at ends of a 21.25" shaft-3/8" taps
2 short twin bodies at ends of a 21.25" shaft-3/8" taps
2 short twin bodies at ends of a 21.25" shaft-3/8" taps

non-skidding for tight turns & ground undulations

4 short bodies, 21.25" shaft-3/8" taps
4 short bodies, 21.25" shaft-3/8" taps
4 short bodies, 21.25" shaft-3/8" taps
4 short bodies, 21.25" shaft-3/8" taps
4 short bodies, 21.25" shaft-3/8" taps
4 short bodies, 21.25" shaft-3/8" taps
4 short bodies, 21.25" shaft-3/8" taps

19.45" body, 20.5" shaft-3/8" taps
19.45" body, 20.5" shaft-3/8" taps
19.45" body, 20.5" shaft-3/8" taps
19.45" body, 20.5" shaft-3/8" taps
19.25" body, 20.5" shaft-3/8" taps
19.25" body, 20.5" shaft-3/8" taps

non-stripping, non-skidding for tight turns & ground undulations

2 short twin bodies at ends of a 20.5" shaft-3/8" taps
2 short twin bodies at ends of a 20.5" shaft-3/8" taps
2 short twin bodies at ends of a 20.5" shaft-3/8" taps
2 short twin bodies at ends of a 20.5" shaft-3/8" taps
2 short twin bodies at ends of a 20.5" shaft-3/8" taps
2 short twin bodies at ends of a 20.5" shaft-3/8" taps
2 short twin bodies at ends of a 20.5" shaft-3/8" taps

non-skidding for tight turns & ground undulations

4 short bodies, 20.5" shaft-3/8" taps
4 short bodies, 20.5" shaft-3/8" taps
4 short bodies, 20.5" shaft-3/8" taps
4 short bodies, 20.5" shaft-3/8" taps
4 short bodies, 20.5" shaft-3/8" taps
4 short bodies, 20.5" shaft-3/8" taps
4 short bodies, 20.5" shaft-3/8" taps

Call to upgrade with double row angular contact bearings

26.45" body, 29.75" shaft
26.45" body, 29.75" shaft
26.45" body, 29.75" shaft
26.45" body, 29.75" shaft
26.45" body, 29.75" shaft
26.45" body, 29.75" shaft
26.25" body, 29.75" shaft

2.5" dia. FOUR bodies

4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)

2.5" dia. FOUR bodies + 2 bodies outside of brackets

6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats
6 bodies 2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)

3" dia. SINGLE body

3" dia. wide grooved Urethane
3" smooth Urethane
3" smooth Steel

3" dia. FOUR bodies

4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)
4 bodies 3" smooth Urethane (4x6.5" wide bodies)

Jacobsen 26" TR-3 - FRONT & BACK ROLLERS

2.5" dia. SINGLE body

2.5" dia. wide grooved (1" spacing) Urethane no flats
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats
2.5" dia. wide grooved (1" spacing) Urethane 1" flats
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats
2.5" smooth Urethane
2.5" smooth Steel

2.5" dia. TWO opposing end short bodies

2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)
2 bodies 2.5" smooth steel (2x4.75" wide bodies)

2.5" dia. FOUR bodies

4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)

3" dia. SINGLE body

3" dia. wide grooved Urethane
3" smooth Urethane
3" smooth Steel

3" dia. FOUR bodies

4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)
4 bodies 3" smooth Urethane (4x6.5" wide bodies)

Jacobsen 30" TRIKING 1684D & 1900D - FRONT & BACK ROLLERS

2.5" dia. SINGLE body

2.5" dia. wide grooved (1" spacing) Urethane no flats
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats
2.5" dia. wide grooved (1" spacing) Urethane 1" flats
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats
2.5" smooth Urethane
2.5" smooth Steel

2.5" dia. TWO opposing end short bodies

2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)

2.5" dia. SINGLE body + 2 bodies outside of brackets

extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats
extended 2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats
extended 2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats
extended 2.5" smooth Urethane (26.45" inner+2x2" outer bodies)

2.5" dia. FOUR bodies

4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)

2.5" dia. FOUR bodies + 2 bodies outside of brackets

6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats
6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats
6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats
6 bodies 2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)

10 lb J2826A25CG4
10 lb J2826A25NG4
10 lb J2826A25CGF4
10 lb J2826A25NGF4
13 lb J2826A25C4

10 lb J3426A25CG4+2C
10 lb J3426A25NG4+2C
10 lb J3426A25CGF4+2C
10 lb J3426A25NGF4+2C
13 lb J3426A25C4+2C

13 lb J2826A3CG
13.5 lb J2826A3C
13.5 lb J2826A3S

12 lb J2826A3CG4
14 lb J2826A3C4

9 lb J3126X25CG
9 lb J3126X25NG
9 lb J3126X25CGF
9 lb J3126X25NGF
11 lb J3126X25C
11 lb J3126X25S

4 lb J3104X25CGt
4 lb J3104X25NGt
4 lb J3104X25CGFt
4 lb J3104X25NGFt
4.2 lb J3104X25Ct
6 lb J3104X25St

10 lb J3126X25CG4
10 lb J3126X25NG4
10 lb J3126X25CGF4
10 lb J3126X25NGF4
13 lb J3126X25C4

13 lb J3126X3CG
13.5 lb J3126X3C
13.5 lb J3126X3S

12 lb J3126X3CG4
14 lb J3126X3C4

9 lb J3229A25CG
9 lb J3229A25NG
9 lb J3229A25CGF
9 lb J3229A25NGF
12 lb J3229A25C
12 lb J3229A25S

4 lb J3204A25CGt
4 lb J3204A25NGt
4 lb J3204A25CGFt
4 lb J3204A25NGFt
4.2 lb J3204A25Ct
6 lb J3204A25St

12 lb J3829A25CG+2C
12 lb J3829A25NG+2C
12 lb J3829A25CGF+2C
12 lb J3829A25NGF+2C
13 lb J3829A25C+2C

10 lb J3229A25CG4
10 lb J3229A25NG4
10 lb J3229A25CGF4
10 lb J3229A25NGF4
13 lb J3229A25C4

10 lb J3829A25CG4+2C
10 lb J3829A25NG4+2C
10 lb J3829A25CGF4+2C
10 lb J3829A25NGF4+2C
13 lb J3829A25C4+2C

non-skidding for tight turns & ground undulations

4 short bodies, 28.375" shaft
4 short bodies, 28.375" shaft
4 short bodies, 28.375" shaft
4 short bodies, 28.375" shaft
4 short bodies, 28.375" shaft

non-skidding for tight turns & ground undulations

4 center bodies + 2 short outer bodies, 34.375" shaft
4 center bodies + 2 short outer bodies, 34.375" shaft
4 center bodies + 2 short outer bodies, 34.375" shaft
4 center bodies + 2 short outer bodies, 34.375" shaft
4 center bodies + 2 short outer bodies, 34.375" shaft

26.45" body, 28.375" shaft
26.45" body, 28.375" shaft
26.25" body, 28.375" shaft

non-skidding for tight turns & ground undulations

4 short bodies, 28.375" shaft
4 short bodies, 28.375" shaft

Call to upgrade with double row angular contact bearings

26.45" body, 31.25" shaft-1/2" dia. ends
26.45" body, 31.25" shaft-1/2" dia. ends
26.45" body, 31.25" shaft-1/2" dia. ends
26.45" body, 31.25" shaft-1/2" dia. ends
26.45" body, 31.25" shaft-1/2" dia. ends
26.45" body, 31.25" shaft-1/2" dia. ends

non-stripping, non-skidding for tight turns & ground undulations

2 short twin bodies at ends of 31.25" shaft
2 short twin bodies at ends of 31.25" shaft
2 short twin bodies at ends of 31.25" shaft
2 short twin bodies at ends of 31.25" shaft
2 short twin bodies at ends of 31.25" shaft
2 short twin bodies at ends of 31.25" shaft

non-skidding for tight turns & ground undulations

4 short bodies, 31.25" shaft-1/2" dia. ends
4 short bodies, 31.25" shaft-1/2" dia. ends
4 short bodies, 31.25" shaft-1/2" dia. ends
4 short bodies, 31.25" shaft-1/2" dia. ends
4 short bodies, 31.25" shaft-1/2" dia. ends

26.45" body, 31.25" shaft-1/2" dia. ends
26.45" body, 31.25" shaft-1/2" dia. ends
26.25" body, 31.25" shaft-1/2" dia. ends

non-skidding for tight turns & ground undulations

4 short bodies, 31.25" shaft-1/2" dia. ends
4 short bodies, 31.25" shaft-1/2" dia. ends

Call to upgrade with double row angular contact bearings

29.45" body, 32.19" shaft
29.45" body, 32.19" shaft
29.45" body, 32.19" shaft
29.45" body, 32.19" shaft
29.45" body, 32.19" shaft
29.25" body, 32.19" shaft

non-stripping, non-skidding for tight turns & ground undulations

2 short twin bodies at ends of 32.19" shaft
2 short twin bodies at ends of 32.19" shaft
2 short twin bodies at ends of 32.19" shaft
2 short twin bodies at ends of 32.19" shaft
2 short twin bodies at ends of 32.19" shaft
2 short twin bodies at ends of 32.19" shaft

non-skidding for tight turns & ground undulations

29.45" center body +2 short outer bodies, 38.19" shaft
29.45" center body +2 short outer bodies, 38.19" shaft
29.45" center body +2 short outer bodies, 38.19" shaft
29.45" center body +2 short outer bodies, 38.19" shaft
29.45" center body +2 short outer bodies, 38.19" shaft

non-skidding for tight turns & ground undulations

4 short bodies, 32.19" shaft
4 short bodies, 32.19" shaft
4 short bodies, 32.19" shaft
4 short bodies, 32.19" shaft
4 short bodies, 32.19" shaft

non-skidding for tight turns & ground undulations

4 center bodies + 2 short outer bodies, 38.19" shaft
4 center bodies + 2 short outer bodies, 38.19" shaft
4 center bodies + 2 short outer bodies, 38.19" shaft
4 center bodies + 2 short outer bodies, 38.19" shaft
4 center bodies + 2 short outer bodies, 38.19" shaft

\$91
\$91
\$91
\$91
\$91
\$108
\$108
\$108
\$108
\$108

\$76
\$76
\$76

\$91
\$91

\$81
\$81
\$81
\$81
\$81
\$81

\$96
\$96
\$96
\$96
\$96
\$96

\$96
\$96
\$96
\$96
\$96

\$86
\$86
\$86

\$96
\$96

\$76
\$76
\$76
\$76
\$76
\$76

\$91
\$91
\$91
\$91
\$91
\$91

\$108
\$108
\$108
\$108
\$108

\$91
\$91
\$91
\$91
\$91

\$108
\$108
\$108
\$108
\$108

<u>3" dia. SINGLE body</u>					
3" dia. wide grooved Urethane	12.4 lb J3229A3CG	\$513	29.45" body, 32.19" shaft	SHA3229AJ	\$76
3" smooth Urethane	15 lb J3229A3C	\$483	29.45" body, 32.19" shaft	SHA3229AJ	\$76
3" smooth Steel	15 lb J3229A3S	\$443	29.25" body, 32.19" shaft	SHA3229AJ	\$76
<u>3" dia. FOUR bodies</u>					
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb J3229A3CG4	\$673	4 short bodies, 32.19" shaft	SHA3229AJA4	\$91
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb J3229A3C4	\$663	4 short bodies, 32.19" shaft	SHA3229AJA4	\$91
Jacobsen 18" LIGHT FAIRWAY LF530 & SLF1880 - FRONT ROLLER			non-skidding for tight turns & ground undulations		
<u>3" dia. SINGLE body</u>					
3" dia. wide grooved Urethane	9 lb J2119A3CG	\$513	19.45" body, 21.25" shaft	SHA2119AJ	\$76
3" smooth Urethane	10.5 lb J2119A3C	\$483	19.45" body, 21.25" shaft	SHA2119AJ	\$76
3" smooth Steel	11 lb J2119A3S	\$443	19.25" body, 21.25" shaft	SHA2119AJ	\$76
<u>3" dia. FOUR bodies</u>					
4 bodies 3" dia. wide grooved Urethane (4x4.75" wide bodies)	12 lb J2119A3CG4	\$673	4 short bodies, 21.25" shaft	SHA2119AJA4	\$91
4 bodies 3" smooth Urethane (4x4.75" wide bodies)	14 lb J2119A3C4	\$663	4 short bodies, 21.25" shaft	SHA2119AJA4	\$91
To diminish instances of shadowing lines due to overlap of reels			call for proper application specifics		
3" dia. wide grooved Urethane with 2.2" wide smooth ends	8.5 lb J2119A3CG.22C	\$543	front roller for rear mower heads-use with J2016G2C	SHA2119AJ	\$76
2" dia. smooth Urethane	6.5 lb J2016G2C	\$362	back roller for rear mower heads-use with J2119A3CG.22C	SHA2016GJ	\$76
Jacobsen 18" LIGHT FAIRWAY LF530 & SLF1880 - BACK ROLLER (with 7/16-20 tap)			Call to upgrade with double row angular contact bearings		
<u>2" dia. SINGLE body</u>					
2" dia. smooth Urethane	6.5 lb J2016S2C	\$362	16.25" body, 20.5" shaft-3/8" taps	SHA2016GJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	8.5 lb J2016S2S	\$312	16.25" body, 20.5" shaft-3/8" taps	SHA2016GJ	\$76
2" dia. smooth Urethane	6.5 lb J2016G2C	\$362	16.25" body, 20.5" shaft-7/16" taps	SHA2016GJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	8.5 lb J2016G2S	\$312	16.25" body, 20.5" shaft-7/16" taps	SHA2016GJ	\$76
2" dia. smooth Urethane	11 lb J2019S2C	\$362	19.45" body, 20.5" shaft-3/8" taps	SHA2019SJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11 lb J2019S2S	\$302	19.25" body, 20.5" shaft-3/8" taps	SHA2019SJ	\$76
2" dia. smooth Urethane	11 lb J2019G2C	\$362	19.45" body, 20.5" shaft-7/16" taps	SHA2019SJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11 lb J2019G2S	\$302	19.25" body, 20.5" shaft-7/16" taps	SHA2019SJ	\$76
<u>2.5" dia. SINGLE body</u>					
2.5" smooth Urethane	11 lb J2019S25C	\$396	19.45" body, 20.5" shaft-3/8" taps	SHA2019SJ	\$76
2.5" smooth steel	11 lb J2019S25S	\$376	19.25" body, 20.5" shaft-3/8" taps	SHA2019SJ	\$76
Jacobsen 22" LIGHT FAIRWAY- FRONT (Excludes 18" & 26" LF530, SLF1880, LF2500, LF3050, LF3810)			Call to upgrade with double row angular contact bearings		
<u>3" dia. SINGLE body</u>					
3" dia. wide grooved Urethane	9.4 lb J2522A3CG	\$513	22.45" body, 25.87" shaft	SHA2522AJ	\$76
3" smooth Urethane	12 lb J2522A3C	\$483	22.45" body, 25.87" shaft	SHA2522AJ	\$76
3" smooth Steel	11.5 lb J2522A3S	\$443	22.25" body, 25.87" shaft	SHA2522AJ	\$76
<u>3" dia. FOUR bodies</u>					
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies)	12 lb J2522A3CG4	\$673	4 short bodies, 25.875" shaft	SHA2522AJA4	\$91
4 bodies 3" smooth Urethane (4x5.55" wide bodies)	14 lb J2522A3C4	\$663	4 short bodies, 25.875" shaft	SHA2522AJA4	\$91
To diminish instances of shadowing lines due to overlap of reels			call for proper application specifics		
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb J2522A3CG.22C	\$543	front roller for rear mower heads-use with J2419S2C	SHA2522AJ	\$76
2" dia. smooth Urethane (rear roller)	7 lb J2419S2C	\$362	back roller for rear mower heads-use with J2522A3CG.22C	SHA2419SJ	\$76
Jacobsen 22" LIGHT FAIRWAY- REAR (Excludes 18" & 26" LF530, SLF1880, LF2500, LF3050, LF3810)			Call to upgrade with double row angular contact bearings		
<u>2" dia. SINGLE body w/ 3/8" taps in shaft</u>					
2" dia. wide grooved Urethane no flats	6.5 lb J2422S2CG	\$382	22.45" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb J2422S2NG	\$382	22.45" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb J2422S2CGF	\$382	22.45" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2422S2NGF	\$382	22.45" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76
2" dia. smooth Urethane	8 lb J2422S2C	\$362	22.25" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2422S2S	\$302	22.25" body, 24.25" shaft-3/8" taps	SHA2422SJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb J2419S2CGF	\$382	19.45" body, 24.25" shaft-3/8" taps	SHA2419SJ	\$76
2" dia. smooth Urethane	7 lb J2419S2C	\$362	19.25" body, 24.25" shaft-3/8" taps	SHA2419SJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb J2419S2S	\$302	19.25" body, 24.25" shaft-3/8" taps	SHA2419SJ	\$76
<u>2" dia. SINGLE body w/ 7/16" taps in shaft</u>					
2" dia. wide grooved Urethane no flats	6.5 lb J2422G2CG	\$382	22.45" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb J2422G2NG	\$382	22.45" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb J2422G2CGF	\$382	22.45" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb J2422G2NGF	\$382	22.45" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76
2" dia. smooth Urethane	8 lb J2422G2C	\$362	22.25" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb J2422G2S	\$302	22.25" body, 24.25" shaft-7/16" taps	SHA2422GJ	\$76
<u>2" dia. TWO opposing end short bodies w/ 3/8" taps in shaft</u>					
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S2CGt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S2NGt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S2CGFt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S2NGFt	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2402S2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2402SJAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2404S2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6 lb J2404S2St	\$452	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJAt	\$91
<u>2" dia. TWO opposing end short bodies w/ 7/16" taps in shaft</u>					
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404G2CGt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404G2NGt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404G2CGFt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404G2NGFt	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb J2402G2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2402GJAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb J2404G2Ct	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	6.2 lb J2404G2St	\$452	2 short twin bodies at ends of 24.25" shaft-7/16" taps	SHA2404GJAt	\$91
<u>2" dia. FOUR bodies w/ 3/8" taps in shaft</u>					
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422S2CG4	\$562	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422S2NG4	\$562	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422S2CGF4	\$562	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422S2NGF4	\$562	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2422S2C4	\$562	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2422S2S4	\$562	4 short bodies, 24.25" shaft-3/8" taps	SHA2422SJA4	\$91

<u>2" dia. FOUR bodies w/ 7/16" taps in shaft</u>			non-skidding for tight turns & ground undulations		
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422G2CG4	\$562	4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb J2422G2NG4	\$562	4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422G2CGF4	\$562	4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb J2422G2NGF4	\$562	4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb J2422G2C4	\$562	4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb J2422G2S4	\$562	4 short bodies, 24.25" shaft-7/16" taps	SHA2422GJA4	\$91
<u>2.5" dia. SINGLE body w/ 3/8" taps in shaft</u>			non-skidding for tight turns & ground undulations		
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb J2421S25CG	\$456	21.45" body, 24.25" shaft-3/8" taps	SHA2421SJ	\$76
2.5" smooth Urethane	8.8 lb J2421S25C	\$396	21.45" body, 24.25" shaft-3/8" taps	SHA2421SJ	\$76
2.5" smooth Steel	9.5 lb J2421S25S	\$376	21.25" body, 24.25" shaft-3/8" taps	SHA2421SJ	\$76
<u>2.5" dia. SINGLE body w/ 7/16" taps in shaft</u>			non-skidding for tight turns & ground undulations		
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb J2421G25CG	\$456	21.45" body, 24.25" shaft-7/16" taps	SHA2421GJ	\$76
2.5" smooth Urethane	8.8 lb J2421G25C	\$396	21.45" body, 24.25" shaft-7/16" taps	SHA2421GJ	\$76
2.5" smooth Steel	9.5 lb J2421G25S	\$376	21.25" body, 24.25" shaft-7/16" taps	SHA2421GJ	\$76
<u>2.5" dia. TWO opposing end short bodies</u>			non-striping, non-skidding for tight turns & ground undulations		
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S25CGt	\$496	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJA4	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb J2404S25NGt	\$496	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJA4	\$91
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S25CGFt	\$496	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJA4	\$91
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb J2404S25NGFt	\$496	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJA4	\$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb J2404S25Ct	\$496	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJA4	\$91
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)	4.2 lb J2404S25St	\$496	2 short twin bodies at ends of 24.25" shaft-3/8" taps	SHA2404SJA4	\$91
<u>2.5" dia. FOUR bodies</u>			non-skidding for tight turns & ground undulations		
4 bodies 2.5" dia. wide grooved Urethane (2x4.75" + 2x5.55" wide bodies) no flats	10.5 lb J2421S25CG4	\$636	4 short bodies at ends of 24.25" shaft-3/8" taps	SHA2421SJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (2x4.75+2x5.55" wide bodies) no flats	10.5 lb J2421S25NG4	\$636	4 short bodies at ends of 24.25" shaft-3/8" taps	SHA2421SJA4	\$91
4 bodies 2.5" dia. wide grooved Urethane (2x4.75" + 2x5.55" wide bodies) 1" flats	10.5 lb J2421S25CGF4	\$636	4 short bodies at ends of 24.25" shaft-3/8" taps	SHA2421SJA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (2x4.75"+2x5.55" wide bodies) 1" flats	10.5 lb J2421S25NGF4	\$636	4 short bodies at ends of 24.25" shaft-3/8" taps	SHA2421SJA4	\$91
4 bodies 2.5" smooth Urethane (2x4.75"+2x5.55" wide bodies)	9 lb J2421S25C4	\$636	4 short bodies at ends of 24.25" shaft-3/8" taps	SHA2421SJA4	\$91
Jacobsen 26" LIGHT FAIRWAY LF2500 & 3050 - FRONT & BACK ROLLERS			Call to upgrade with double row angular contact bearings		
<u>3" dia. SINGLE body</u>			non-skidding for tight turns & ground undulations		
3" dia. wide grooved Urethane	13 lb J3026X3CG	\$513	26.45" body, 30.5" shaft-1/2" dia. ends	SHA3026XJ	\$76
3" smooth Urethane	13.5 lb J3026X3C	\$493	26.45" body, 30.5" shaft-1/2" dia. ends	SHA3026XJ	\$76
3" smooth Steel	13.5 lb J3026X3S	\$453	26.25" body, 30.5" shaft-1/2" dia. ends	SHA3026XJ	\$76
<u>3" dia. FOUR bodies</u>			non-skidding for tight turns & ground undulations		
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12 lb J3026X3CG4	\$683	4 short bodies, 30.5" shaft-1/2" dia. ends	SHA3026XJA4	\$96
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	14 lb J3026X3C4	\$663	4 short bodies, 30.5" shaft-1/2" dia. ends	SHA3026XJA4	\$96
Jacobsen 30" ST5111, FAIRWAY, GANG, HF5 & HF15 - FRONT & BACK ROLLERS			Call to upgrade with double row angular contact bearings		
<u>3" dia. SINGLE body</u>			non-skidding for tight turns & ground undulations		
3" dia. wide grooved Urethane	12.4 lb J3329A3CG	\$513	29.45" body, 33" shaft	SHA3329AJ	\$76
3" smooth Urethane	15 lb J3329A3C	\$483	29.45" body, 33" shaft	SHA3329AJ	\$76
3" smooth Steel	15 lb J3329A3S	\$443	29.25" body, 33" shaft	SHA3329AJ	\$76
Jacobsen ROTARY AR-522 & AR-722 26" DECK - FRONT ROLLER			non-skidding for tight turns & ground undulations		
5" grooved Urethane (4" wide body) double row bearings	10 lb 2J040G5CG	\$315	Roller assembly includes sleeves & bolts for mounting to fork	SHA0404GJ	\$76
5" smooth Urethane (4" wide body) double row bearings	11 lb 2J040G5C	\$295	Roller assembly includes sleeves & bolts for mounting to fork	SHA0404GJ	\$76
Jacobsen ROTARY AR-522, AR-722, & AR-5 26" DECK - BACK ROLLER (must confirm shaft configuration on ends)			non-striping, non-skidding for tight turns & ground undulations		
<u>3" dia. SINGLE body</u>			non-skidding for tight turns & ground undulations		
3" dia. wide grooved Urethane with double row bearings	12.5 lb 2J2926R3CGR	\$553	26.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2926RJ	\$91
3" smooth Urethane with double row bearings	13.3 lb 2J2926R3CR	\$533	26.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2926RJ	\$91
3" smooth Steel with double row bearings	14 lb 2J2926R3SR	\$513	26.25" body, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2926RJ	\$91
3" dia. wide grooved Urethane with double row bearings	12.5 lb 2J2926Q3CGR	\$553	26.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	SHA2926QJ	\$91
3" smooth Urethane with double row bearings	13.3 lb 2J2926Q3CR	\$533	26.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	SHA2926QJ	\$91
3" smooth Steel with double row bearings	14 lb 2J2926Q3SR	\$513	26.25" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	SHA2926QJ	\$91
<u>3" dia. TWO opposing end short bodies</u>			non-striping, non-skidding for tight turns & ground undulations		
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb 2J2905R3CGRt	\$613	2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on end	SHA2905RJAt	\$98
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	6.2 lb 2J2904R3CRt	\$573	2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on end	SHA2905RJAt	\$98
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	8 lb 2J2904R3SRt	\$573	2 short twin bodies, 29.42" dia. shaft-large milled flat & pin hole on end	SHA2905RJAt	\$98
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	5.8 lb 2J2905Q3CGRt	\$613	2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end	SHA2905QJAt	\$98
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	6.2 lb 2J2904Q3CRt	\$573	2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end	SHA2905RJAt	\$98
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	8 lb 2J2904Q3SRt	\$573	2 short twin bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end	SHA2905RJAt	\$98
<u>3" dia. FOUR bodies</u>			non-skidding for tight turns & ground undulations		
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies) double row bearings	13.5 lb 2J2926R3CGR4	\$703	4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2926RJ4	\$98
4 bodies 3" smooth Urethane (4x6.5" wide bodies) double row bearings	14 lb 2J2926R3CR4	\$703	4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2926RJ4	\$98
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies) double row bearings	13.5 lb 2J2926Q3CGR4	\$703	4 short bodies, 29.42" dia. shaft-1 large milled flat end & 1 round end	SHA2926QJ4	\$98
4 bodies 3" smooth Urethane (4x6.5" wide bodies) double row bearings	14 lb 2J2926Q3CR4	\$703	4 short bodies, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2926RJ4	\$98
<u>3.5" dia. SINGLE body</u>			non-skidding for tight turns & ground undulations		
3.5" smooth Urethane with double row bearings	17 lb 2J2926R35CR	\$617	26.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2926RJ	\$91
3.5" smooth Urethane with double row bearings	17 lb 2J2926Q35CR	\$617	26.45" body, 29.42" dia. shaft-1 large milled flat end & 1 round end	SHA2926QJ	\$91
<u>4" dia. SINGLE body</u>			non-striping, non-skidding for tight turns & ground undulations		
4" smooth Urethane-double row bearings	24 lb 2J2926R4CR	\$694	26.45" body, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2926RJ	\$91
4" smooth Steel-double row bearings	27 lb 2J2926R4SR	\$694	26.25" body, 29.42" dia. shaft-large milled flat & pin hole on ends	SHA2926RJ	\$91
Jacobsen ROTARY AR-5 26" DECK - BACK ROLLER (must confirm shaft configuration on ends)			non-skidding for tight turns & ground undulations		
<u>3" dia. SINGLE body</u>			non-skidding for tight turns & ground undulations		
3" dia. wide grooved Urethane with double row bearings	13 lb 2J3026D3CGR	\$543	26.45" body, 30" shaft-specify configuration of shaft ends	SHA3026DJ	\$76
3" smooth Urethane with double row bearings	13.4 lb 2J3026D3CR	\$533	26.45" body, 30" shaft-specify configuration of shaft ends	SHA3026DJ	\$76
3" smooth Steel with double row bearings	14 lb 2J3026D3SR	\$503	26.25" body, 30" shaft-specify configuration of shaft ends	SHA3026DJ	\$76
<u>3" dia. TWO opposing end short bodies</u>			non-striping, non-skidding for tight turns & ground undulations		
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	6 lb 2J3005D3CGRt	\$603	2 short twin bodies, 30" shaft-specify configuration of shaft ends	SHA3005DJAt	\$98
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	6.3 lb 2J3004D3CRt	\$573	2 short twin bodies, 30" shaft-specify configuration of shaft ends	SHA3005DJAt	\$98
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	8 lb 2J3004D3SRt	\$573	2 short twin bodies, 30" shaft-specify configuration of shaft ends	SHA3005DJAt	\$98
<u>3" dia. FOUR bodies</u>			non-skidding for tight turns & ground undulations		
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	13.5 lb 2J3026R3CGR4	\$703	4 short twin bodies, 30" shaft-specify configuration of shaft ends	SHA3026RJ4	\$98
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings	14 lb 2J3026R3CR4	\$703	4 short twin bodies, 30" shaft-specify configuration of shaft ends	SHA3026RJ4	\$98

<u>3.5" dia. SINGLE body</u>					
3.5" smooth Urethane with double row bearings	17 lb 2J3026D35CR	\$617	26.45" body, 30" shaft-specify configuration of shaft ends	SHA3026DJ	\$76
<u>4" dia. SINGLE body</u>					
4" smooth Urethane-double row bearings	24 lb 2J3026R4CR	\$694	26.45" body, 30" shaft-specify configuration of shaft ends	SHA3026DJ	\$76
4" smooth Steel-double row bearings	28 lb 2J3026R4SR	\$694	26.45" body, 30" shaft-specify configuration of shaft ends	SHA3026DJ	\$76
Jacobsen ROTARY AR-3 30" DECK - BACK ROLLER (must confirm shaft configuration on ends)					
<u>3" dia. SINGLE body</u>					
3" dia. wide grooved Urethane with double row bearings	14.5 lb 2J3429R3CGR	\$543	29.45" body, 34.25" shaft-large milled flat & pin hole on ends	SHA3429RJ	\$91
3" smooth Urethane with double row bearings	15.5 lb 2J3429R3CR	\$533	29.45" body, 34.25" shaft-large milled flat & pin hole on ends	SHA3429RJ	\$91
3" smooth Steel with double row bearings	15.5 lb 2J3429R3SR	\$513	29.25" body, 34.25" shaft-large milled flat & pin hole on ends	SHA3429RJ	\$91
<u>3" dia. TWO opposing end short bodies</u>					
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	6.5 lb 2J3405R3CGRt	\$603	non-stripping, non-skidding for tight turns & ground undulations 2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends	SHA3405RJAIt	\$98
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	6.7 lb 2J3404R3CRt	\$573	2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends	SHA3404RJAIt	\$98
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	8.5 lb 2J3404R3SRt	\$573	2 short twin bodies, 34.25" shaft-large milled flat & pin hole on ends	SHA3404RJAIt	\$98
<u>3" dia. FIVE bodies</u>					
5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies) double row bearings	15.5 lb 2J3429R3CGR5	\$743	non-skidding for tight turns & ground undulations 5 short bodies, 34.25" shaft-large milled flat & pin hole on ends	SHA3429RJA5	\$98
5 bodies 3" smooth Urethane (5x5.2" wide bodies) double row bearings	16.5 lb 2J3429R3CR5	\$743	5 short bodies, 34.25" shaft-large milled flat & pin hole on ends	SHA3429RJA5	\$98
<u>3.5" dia. SINGLE body</u>					
3.5" smooth Urethane with double row bearings	19 lb 2J3429R35CR	\$617	29.45" body, 34.25" shaft-large milled flat & pin hole on ends	SHA3429RJ	\$91
<u>4" dia. SINGLE body</u>					
4" smooth Urethane-double row bearings	26 lb 2J3429R4CR	\$694	29.45" body, 34.25" shaft-large milled flat & pin hole on ends	SHA3429RJ	\$91
4" smooth Steel-double row bearings	29 lb 2J3429R4SR	\$694	29.25" body, 34.25" shaft-large milled flat & pin hole on ends	SHA3429RJ	\$91
Jacobsen ROTARY AR-250, AR-2500 DECK - BACK ROLLER					
<u>3" dia. SINGLE body</u>					
3" smooth Urethane with double row bearings	15.5 lb 2J2722X3CR	\$533	22.45" body, 27.25" shaft-1/2" dia. ends	SHA2722XJ	\$91
3" smooth Steel with double row bearings	15.5 lb 2J2722X3SR	\$513	22.25" body, 27.25" shaft-1/2" dia. ends	SHA2722XJ	\$91
<u>3.5" dia. SINGLE body</u>					
3.5" smooth Urethane with double row bearings	19 lb 2J2722X35CR	\$617	22.45" body, 27.25" shaft-1/2" dia. ends	SHA2722XJ	\$91
<u>4" dia. SINGLE body</u>					
4" smooth Urethane-double row bearings	23 lb 2J2722X4CR	\$694	22.45" body, 27.25" shaft-1/2" dia. ends	SHA2722XJ	\$91
4" smooth Steel-double row bearings	26 lb 2J2722X4SR	\$694	22.25" body, 27.25" shaft-1/2" dia. ends	SHA2722XJ	\$91
for JOHN DEERE mowers					
John Deere 18" 180B & 180C & 180SL WALKING GREENSMOWERS - FRONT ROLLER					
<u>2" dia. SINGLE body</u>					
2" dia. wide grooved Urethane no flats	6.5 lb D2119A2CG	\$382	19.45" body, 21.25" shaft	SHA2119AD	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb D2119A2NG	\$382	19.45" body, 21.25" shaft	SHA2119AD	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb D2119A2CGF	\$382	19.45" body, 21.25" shaft	SHA2119AD	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb D2119A2NGF	\$382	19.45" body, 21.25" shaft	SHA2119AD	\$76
2" dia. smooth Urethane	7.5 lb D2119A2C	\$362	19.25" body, 21.25" shaft	SHA2119AD	\$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb D2119A2S	\$302	19.25" body, 21.25" shaft	SHA2119AD	\$76
<u>2" dia. TWO opposing end short bodies</u>					
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2104A2CGt	\$452	non-stripping, non-skidding for tight turns & ground undulations 2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb D2104A2NGt	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2104A2CGFt	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb D2104A2NGFt	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb D2104A2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb D2102A2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2102ADAt	\$91
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)	4.2 lb D2104A2St	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
<u>2" dia. SINGLE body + 2 bodies outside of brackets</u>					
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb D2719A2CG+2C	\$512	non-skidding for tight turns & ground undulations 19.45" center body + 2 short outer bodies, 27.25" shaft	SHA2719ADA+2	\$108
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats	12 lb D2719A2NG+2C	\$512	19.45" center body + 2 short outer bodies, 27.25" shaft	SHA2719ADA+2	\$108
extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats	12 lb D2719A2CGF+2C	\$512	19.45" center body + 2 short outer bodies, 27.25" shaft	SHA2719ADA+2	\$108
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) 1" flats	12 lb D2719A2NGF+2C	\$512	19.45" center body + 2 short outer bodies, 27.25" shaft	SHA2719ADA+2	\$108
extended 2" dia. smooth Urethane (19.25" inner+2x2" outer bodies)	13 lb D2719A2C+2C	\$512	19.25" center body + 2 short outer bodies, 27.25" shaft	SHA2719ADA+2	\$108
extended 2" dia. smooth Steel heavy (19.25" inner+2x2" outer bodies)	15 lb D2719A2S+2S	\$512	19.25" center body + 2 short outer bodies, 27.25" shaft	SHA2719ADA+2	\$108
<u>2" dia. FOUR bodies</u>					
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2119A2CG4	\$562	non-skidding for tight turns & ground undulations 4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb D2119A2NG4	\$562	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb D2119A2CGF4	\$562	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb D2119A2NGF4	\$562	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8 lb D2119A2C4	\$562	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb D2119A2S4	\$562	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
<u>2" dia. FOUR bodies + 2 bodies outside of brackets</u>					
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	12 lb D2719A2CG4+2C	\$652	non-skidding for tight turns & ground undulations 4 center bodies + 2 short outer bodies, 27.25" shaft	SHA2719ADA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats	12 lb D2719A2NG4+2C	\$652	4 center bodies + 2 short outer bodies, 27.25" shaft	SHA2719ADA4+2	\$108
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	12 lb D2719A2CGF4+2C	\$652	4 center bodies + 2 short outer bodies, 27.25" shaft	SHA2719ADA4+2	\$108
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats	12 lb D2719A2NGF4+2C	\$652	4 center bodies + 2 short outer bodies, 27.25" shaft	SHA2719ADA4+2	\$108
6 bodies 2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)	13 lb D2719A2C4+2C	\$652	4 center bodies + 2 short outer bodies, 27.25" shaft	SHA2719ADA4+2	\$108
6 bodies 2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)	15 lb D2719A2S4+2S	\$652	4 center bodies + 2 short outer bodies, 27.25" shaft	SHA2719ADA4+2	\$108
John Deere 22" 220 & 220SL WALKING & 2500, 2400, 2550, 2700, 2750 & 2243 RIDING GREENSMOWERS - FRONT & BACK ROLLERS					
<u>2" dia. SINGLE body</u>					
2" dia. wide grooved Urethane no flats	6.5 lb D2522C2CG	\$382	22.45" body, 25.5" shaft	SHA2522CD	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb D2522C2NG	\$382	22.45" body, 25.5" shaft	SHA2522CD	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb D2522C2CGF	\$382	22.45" body, 25.5" shaft	SHA2522CD	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb D2522C2NGF	\$382	22.45" body, 25.5" shaft	SHA2522CD	\$76
2" dia. smooth Urethane	7.9 lb D2522C2C	\$362	22.25" body, 25.5" shaft	SHA2522CD	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb D2522C2S	\$302	22.25" body, 25.5" shaft	SHA2522CD	\$76

2" dia. TWO opposing end short bodies

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)

2" dia. SINGLE body + 2 bodies outside of brackets

extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)

2" dia. FOUR bodies

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)

2" dia. FOUR bodies + 2 bodies outside of brackets

6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)

2.5" dia. SINGLE body

2.5" dia. wide grooved (1" spacing) Urethane no flats
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats
2.5" dia. wide grooved (1" spacing) Urethane 1" flats
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats
2.5" smooth Urethane
2.5" smooth Steel

2.5" dia. TWO opposing end short bodies

2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)
2 bodies 2.5" smooth Steel (2x4.75" wide bodies)

2.5" dia. SINGLE body + 2 bodies outside of brackets

extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats
extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats
extended 2.5" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats
extended 2.5" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats
extended 2.5" smooth Urethane (22.45" inner+2x2" outer bodies)

2.5" dia. FOUR bodies

4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)

2.5" dia. FOUR bodies + 2 bodies outside of brackets

6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats
6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats
6 bodies 2.5" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats
6 bodies 2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)

John Deere 260SL WALKING GREENSMOWERS - FRONT ROLLER

2" dia. SINGLE body

2" dia. wide grooved Urethane no flats
2" dia. narrow grooved Urethane no flats
2" dia. wide grooved Urethane 1" flats
2" dia. narrow grooved Urethane 1" flats
2" dia. smooth Urethane
2" dia. smooth Steel heavy (1/4" wall)

2" dia. TWO opposing end short bodies

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)
2 bodies 2" dia. smooth Steel heavy (2x4.75" wide bodies)

4 lb D2504C2CGt
4 lb D2504C2NGt
4 lb D2504C2CGFt
4 lb D2504C2NGFt
4 lb D2502C2Ct
4.2 lb D2504C2Ct
6 lb D2504C2St

12 lb D3122C2CG+2C
12 lb D3122C2NG+2C
12 lb D3122C2CGF+2C
12 lb D3122C2NGF+2C
13 lb D3122C2C+2C
13 lb D3122C2S+2S

8.5 lb D2522C2CG4
8.5 lb D2522C2NG4
8.5 lb D2522C2CGF4
8.5 lb D2522C2NGF4
8 lb D2522C2C4
12 lb D2522C2S4

12 lb D3122C2CG4+2C
12 lb D3122C2NG4+2C
12 lb D3122C2CGF4+2C
12 lb D3122C2NGF4+2C
13 lb D3122C2C4+2C
13 lb D3122C2S4+2S

8.5 lb D2522C25CG
9 lb D2522C25NG
8.5 lb D2522C25CGF
9 lb D2522C25NGF
9.5 lb D2522C25C
9.2 lb D2522C25S

4 lb D2504C25CGt
4 lb D2504C25NGt
4 lb D2504C25CGFt
4 lb D2504C25NGFt
4.2 lb D2504C25Ct
4.2 lb D2504C25St

12 lb D3122C25CG+2C
12 lb D3122C25NG+2C
12 lb D3122C25CGF+2C
12 lb D3122C25NGF+2C
13 lb D3122C25C+2C

10.5 lb D2522C25CG4
10.5 lb D2522C25NG4
10.5 lb D2522C25CGF4
10.5 lb D2522C25NGF4
10 lb D2522C25C4

14 lb D3122C25CG4+2C
10.5 lb D3122C25NG4+2C
10.5 lb D3122C25CGF4+2C
10.5 lb D3122C25NGF4+2C
14 lb D3122C25C4+2C

7.8 lb D2926A2CG
7.8 lb D2926A2NG
8 lb D2926A2CGF
8 lb D2926A2NGF
9.5 lb D2926A2C
12.5 lb D2926A2S

4 lb D2904A2CGt
4 lb D2904A2NGt
4 lb D2904A2CGFt
4 lb D2904A2NGFt
4 lb D2902A2Ct
4.2 lb D2904A2Ct
6 lb D2904A2St

non-stripping, non-skidding for tight turns & ground undulations

2 short twin bodies at ends of a 25.5" shaft
2 short twin bodies at ends of a 25.5" shaft
2 short twin bodies at ends of a 25.5" shaft
2 short twin bodies at ends of a 25.5" shaft
2 short twin bodies at ends of a 25.5" shaft
2 short twin bodies at ends of a 25.5" shaft
2 short twin bodies at ends of a 25.5" shaft

non-skidding for tight turns & ground undulations

22.45" center body + 2 short outer bodies, 31.5" shaft
22.45" center body + 2 short outer bodies, 31.5" shaft
22.45" center body + 2 short outer bodies, 31.5" shaft
22.45" center body + 2 short outer bodies, 31.5" shaft
22.25" center body + 2 short outer bodies, 31.5" shaft
22.25" center body + 2 short outer bodies, 31.5" shaft

non-skidding for tight turns & ground undulations

4 short bodies, 25.5" shaft
4 short bodies, 25.5" shaft
4 short bodies, 25.5" shaft
4 short bodies, 25.5" shaft
4 short bodies, 25.5" shaft
4 short bodies, 25.5" shaft

non-skidding for tight turns & ground undulations

4 center bodies + 2 short outer bodies, 31.5" shaft
4 center bodies + 2 short outer bodies, 31.5" shaft
4 center bodies + 2 short outer bodies, 31.5" shaft
4 center bodies + 2 short outer bodies, 31.5" shaft
4 center bodies + 2 short outer bodies, 31.5" shaft
4 center bodies + 2 short outer bodies, 31.5" shaft

22.45" body, 25.5" shaft
22.45" body, 25.5" shaft
22.45" body, 25.5" shaft
22.45" body, 25.5" shaft
22.45" body, 25.5" shaft
22.25" body, 25.5" shaft

non-stripping, non-skidding for tight turns & ground undulations

2 short twin independent roller bodies, 25.5" shaft
2 short twin independent roller bodies, 25.5" shaft
2 short twin independent roller bodies, 25.5" shaft
2 short twin independent roller bodies, 25.5" shaft
2 short twin independent roller bodies, 25.5" shaft
2 short twin independent roller bodies, 25.5" shaft

non-skidding for tight turns & ground undulations

22.45" center body + 2 short outer bodies, 31.87" shaft
22.45" center body + 2 short outer bodies, 31.87" shaft
22.45" center body + 2 short outer bodies, 31.87" shaft
22.45" center body + 2 short outer bodies, 31.87" shaft
22.25" center body + 2 short outer bodies, 31.87" shaft

non-skidding for tight turns & ground undulations

4 short bodies, 25.5" shaft
4 short bodies, 25.5" shaft
4 short bodies, 25.5" shaft
4 short bodies, 25.5" shaft
4 short bodies, 25.5" shaft

non-skidding for tight turns & ground undulations

4 center bodies + 2 short outer bodies, 31.5" shaft
4 center bodies + 2 short outer bodies, 31.5" shaft
4 center bodies + 2 short outer bodies, 31.5" shaft
4 center bodies + 2 short outer bodies, 31.5" shaft
4 center bodies + 2 short outer bodies, 31.5" shaft

Call to upgrade with double row angular contact bearings

26.45" body, 29.75" shaft
26.45" body, 29.75" shaft
26.45" body, 29.75" shaft
26.45" body, 29.75" shaft
26.25" body, 29.75" shaft
26.25" body, 29.75" shaft

non-stripping, non-skidding for tight turns & ground undulations

2 short twin bodies at ends of 29.75" shaft
2 short twin bodies at ends of 29.75" shaft
2 short twin bodies at ends of 29.75" shaft
2 short twin bodies at ends of 29.75" shaft
2 short twin bodies at ends of 29.75" shaft
2 short twin bodies at ends of 29.75" shaft
2 short twin bodies at ends of 29.75" shaft

2" dia. SINGLE body + 2 bodies outside of brackets

extended	2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats
extended	2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats
extended	2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats
extended	2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats
extended	2" dia. smooth Urethane (26.45" inner+2x2" outer bodies)
extended	2" dia. smooth Steel heavy (26.25" inner+2x2" outer bodies)

2" dia. FOUR bodies

4 bodies	2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats
4 bodies	2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats
4 bodies	2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats
4 bodies	2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats
4 bodies	2" dia. smooth Urethane (4x6.5" wide bodies)
4 bodies	2" dia. smooth Steel heavy (4x6.5" wide bodies)

2" dia. FOUR bodies + 2 bodies outside of brackets

6 bodies	2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats
6 bodies	2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats
6 bodies	2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats
6 bodies	2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats
6 bodies	2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)
6 bodies	2" dia. smooth Steel heavy (4x6.5" inner+2x2" outer bodies)

2.5" dia. SINGLE body

2.5" dia. wide grooved (1" spacing) Urethane no flats
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats
2.5" dia. wide grooved (1" spacing) Urethane 1" flats
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats
2.5" smooth Urethane
2.5" smooth Steel

2.5" dia. TWO opposing end short bodies

2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)

2.5" dia. SINGLE body + 2 bodies outside of brackets

extended	2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats
extended	2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats
extended	2.5" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats
extended	2.5" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) 1" flats
extended	2.5" smooth Urethane (26.45" inner+2x2" outer bodies)

2.5" dia. FOUR bodies

4 bodies	2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats
4 bodies	2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats
4 bodies	2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats
4 bodies	2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats
4 bodies	2.5" smooth Urethane (4x6.5" wide bodies)

2.5" dia. FOUR bodies + 2 bodies outside of brackets

6 bodies	2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats
6 bodies	2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats
6 bodies	2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats
6 bodies	2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats
6 bodies	2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)

John Deere 22" 3215 & 3225 LIGHT FAIRWAY MOWERS - FRONT & BACK ROLLERS**2" dia. SINGLE body**

Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call

2" dia. wide grooved Urethane no flats	6.7 lb	D2522C2CG
2" dia. narrow grooved Urethane no flats	6.7 lb	D2522C2NG
2" dia. wide grooved Urethane 1" flats	6.7 lb	D2522C2CGF
2" dia. wide grooved Urethane 1" flats	6.7 lb	D2522C2NGF
2" dia. smooth Urethane	7.9 lb	D2522C2C
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	D2522C2S

John Deere 22" 3235 LIGHT FAIRWAY MOWER - FRONT & BACK ROLLERS (2 styles)**2" dia. SINGLE body**

Rollers for QA-5 reels (with 1 flat on one end of the shaft):

3" dia. wide grooved Urethane	9.5 lb	D2522C3CG
3" smooth Urethane	12 lb	D2522C3C
3" smooth Steel	11.5 lb	D2522C3S

To diminish instances of shadowing lines due to overlap of reels

3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb	D2522C3CG.22C
3" smooth Urethane	11 lb	D2519C3C

Rollers with 2 flats on 1 end of the shaft:

3" dia. wide grooved Urethane	9.5 lb	D2522F3CG
3" smooth Urethane	11 lb	D2522F3C
3" smooth Steel	12 lb	D2522F3S

To diminish instances of shadowing lines due to overlap of reels

3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb	D2522F3CG.22C
3" smooth Urethane	11 lb	D2519F3C

non-skidding for tight turns & ground undulations

\$512	26.45" center body +2 short outer bodies, 35.75" shaft	SHA3526ADA+2	\$108
\$512	26.45" center body +2 short outer bodies, 35.75" shaft	SHA3526ADA+2	\$108
\$512	26.45" center body +2 short outer bodies, 35.75" shaft	SHA3526ADA+2	\$108
\$512	26.45" center body +2 short outer bodies, 35.75" shaft	SHA3526ADA+2	\$108
\$512	26.45" center body +2 short outer bodies, 35.75" shaft	SHA3526ADA+2	\$108
\$512	26.45" center body +2 short outer bodies, 35.75" shaft	SHA3526ADA+2	\$108

non-skidding for tight turns & ground undulations

\$562	4 short bodies, 29.75" shaft	SHA2926ADA4	\$91
\$562	4 short bodies, 29.75" shaft	SHA2926ADA4	\$91
\$562	4 short bodies, 29.75" shaft	SHA2926ADA4	\$91
\$562	4 short bodies, 29.75" shaft	SHA2926ADA4	\$91
\$562	4 short bodies, 29.75" shaft	SHA2926ADA4	\$91
\$562	4 short bodies, 29.75" shaft	SHA2926ADA4	\$91

non-skidding for tight turns & ground undulations

\$652	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526ADA4+2	\$108
\$652	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526ADA4+2	\$108
\$652	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526ADA4+2	\$108
\$652	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526ADA4+2	\$108
\$652	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526ADA4+2	\$108
\$652	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526ADA4+2	\$108

\$456	26.45" body, 29.75" shaft	SHA2926AD	\$76
\$456	26.45" body, 29.75" shaft	SHA2926AD	\$76
\$456	26.45" body, 29.75" shaft	SHA2926AD	\$76
\$456	26.45" body, 29.75" shaft	SHA2926AD	\$76
\$396	26.45" body, 29.75" shaft	SHA2926AD	\$76
\$376	26.45" body, 29.75" shaft	SHA2926AD	\$76

non-striping, non-skidding for tight turns & ground undulations

\$496	2 short twin independent roller bodies, 29.75" shaft	SHA2504ADAIt	\$91
\$496	2 short twin independent roller bodies, 29.75" shaft	SHA2504ADAIt	\$91
\$496	2 short twin independent roller bodies, 29.75" shaft	SHA2504ADAIt	\$91
\$496	2 short twin independent roller bodies, 29.75" shaft	SHA2504ADAIt	\$91
\$496	2 short twin independent roller bodies, 29.75" shaft	SHA2504ADAIt	\$91

non-skidding for tight turns & ground undulations

\$566	26.45" center body + 2 short outer bodies, 35.75" shaft	SHA3526ADA+2	\$108
\$566	26.45" center body + 2 short outer bodies, 35.75" shaft	SHA3526ADA+2	\$108
\$566	26.45" center body + 2 short outer bodies, 35.75" shaft	SHA3526ADA+2	\$108
\$566	26.45" center body + 2 short outer bodies, 35.75" shaft	SHA3526ADA+2	\$108
\$566	26.45" center body + 2 short outer bodies, 35.75" shaft	SHA3526ADA+2	\$108

non-skidding for tight turns & ground undulations

\$636	4 short bodies, 29.75" shaft	SHA2926ADA4	\$91
\$636	4 short bodies, 29.75" shaft	SHA2926ADA4	\$91
\$636	4 short bodies, 29.75" shaft	SHA2926ADA4	\$91
\$636	4 short bodies, 29.75" shaft	SHA2926ADA4	\$91
\$636	4 short bodies, 29.75" shaft	SHA2926ADA4	\$91

non-skidding for tight turns & ground undulations

\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526ADA4+2	\$108
\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526ADA4+2	\$108
\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526ADA4+2	\$108
\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526ADA4+2	\$108
\$686	4 center bodies + 2 short outer bodies, 35.75" shaft	SHA3526ADA4+2	\$108

Call to upgrade with double row angular contact bearings

\$382	22.45" body, 25.5" shaft	SHA2522CD	\$76
\$382	22.45" body, 25.5" shaft	SHA2522CD	\$76
\$382	22.45" body, 25.5" shaft	SHA2522CD	\$76
\$382	22.45" body, 25.5" shaft	SHA2522CD	\$76
\$362	22.25" body, 25.5" shaft	SHA2522CD	\$76
\$302	22.25" body, 25.5" shaft	SHA2522CD	\$76

Call to upgrade with double row angular contact bearings

\$72			
\$76	22.45" body, 25.5" shaft-1 flat	SHA2522CD	\$76
\$76	22.45" body, 25.5" shaft-1 flat	SHA2522CD	\$76
\$76	22.25" body, 25.5" shaft-1 flat	SHA2522CD	\$76

call for proper application specifics

\$76	front roller for rear mower heads-use with D2519C3C	SHA2522CD	\$76
\$76	back roller for rear mower heads-use with D2522C3CG.22C	SHA2519CD	\$76

\$72			
\$76	22.45" body, 25.5" shaft-2 flats on 1 end	SHA2522FD	\$76
\$76	22.45" body, 25.5" shaft-2 flats on 1 end	SHA2522FD	\$76
\$76	22.25" body, 25.5" shaft-2 flats on 1 end	SHA2522FD	\$76

call for proper application specifics

\$76	front roller for rear mower heads-use with D2519F3C	SHA2522FD	\$76
\$76	back roller for rear mower heads-use with D2522F3CG.22C	SHA2519FD	\$76

John Deere 22" 7500/ 8500 & 6700/7700/ 8700 PRECISION CUT & E-CUT FAIRWAY (QA5 & QA7 reels)**Call to upgrade with double row angular contact bearings****Rollers for QA-5 reels (with 1 flat on 1 end of the shaft):****2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats	6.5 lb D2522C2CG	\$382
2" dia. narrow grooved Urethane no flats	6.7 lb D2522C2NG	\$382
2" dia. wide grooved Urethane 1" flats	6.5 lb D2522C2CGF	\$382
2" dia. narrow grooved Urethane 1" flats	6.7 lb D2522C2NGF	\$382
2" dia. smooth Urethane	7.9 lb D2522C2C	\$362
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb D2522C2S	\$302

2" dia. SINGLE body + 2 bodies outside of brackets

extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122C2CG+2C	\$512
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122C2NG+2C	\$512
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C2CGF+2C	\$512
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122C2NGF+2C	\$512
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb D3122C2C+2C	\$512
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb D3122C2S+2S	\$512

2" dia. FOUR bodies

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522C2CG4	\$562
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522C2NG4	\$562
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522C2CGF4	\$562
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522C2NGF4	\$562
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8 lb D2522C2C4	\$562
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb D2522C2S4	\$562

2.5" dia. SINGLE body

2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb D2522C25CG	\$456
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	8.5 lb D2522C25NG	\$456
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	8.5 lb D2522C25CGF	\$456
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	8.5 lb D2522C25NGF	\$456
2.5" smooth Urethane	9.5 lb D2522C25C	\$396
2.5" smooth Steel	9.2 lb D2522C25S	\$376

To diminish instances of shadowing lines due to overlap of reels

2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	8.5 lb D2522C25CG.22C	\$496
2.5" smooth Urethane	9.5 lb D2519C25C	\$396

2.5" dia. FOUR bodies

4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb D2522C25CG4	\$636
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb D2522C25NG4	\$636
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb D2522C25CGF4	\$636
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb D2522C25NGF4	\$636
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10 lb D2522C25C4	\$636

3" dia. SINGLE body

3" dia. wide grooved Urethane	9.5 lb D2522C3CG	\$513
3" smooth Urethane	12 lb D2522C3C	\$483
3" smooth Steel	11.5 lb D2522C3S	\$443

To diminish instances of shadowing lines due to overlap of reels

3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb D2522C3CG.22C	\$543
3" smooth Urethane	11 lb D2519C3C	\$483

Rollers for QA-7 reels (with 2 flats on 1 end of the shaft):**2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats	6.5 lb D2522F2CG	\$382
2" dia. narrow grooved Urethane no flats	6.7 lb D2522F2NG	\$382
2" dia. wide grooved Urethane 1" flats	6.5 lb D2522F2CGF	\$382
2" dia. narrow grooved Urethane 1" flats	6.7 lb D2522F2NGF	\$382
2" dia. smooth Urethane	7.9 lb D2522F2C	\$362
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb D2522F2S	\$302

2" dia. SINGLE body + 2 bodies outside of brackets

extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122F2CG+2C	\$512
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb D3122F2NG+2C	\$512
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122F2CGF+2C	\$512
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) 1" flats	12 lb D3122F2NGF+2C	\$512
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb D3122F2C+2C	\$512
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb D3122F2S+2S	\$512

2" dia. FOUR bodies

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522F2CG4	\$562
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb D2522F2NG4	\$562
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522F2CGF4	\$562
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb D2522F2NGF4	\$562
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8 lb D2522F2C4	\$562
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb D2522F2S4	\$562

2.5" dia. SINGLE body

2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb D2522F25CG	\$456
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	8.5 lb D2522F25NG	\$456
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	8.5 lb D2522F25CGF	\$456
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	8.5 lb D2522F25NGF	\$456
2.5" smooth Urethane	9.5 lb D2522F25C	\$396
2.5" smooth Steel	9.2 lb D2522F25S	\$376

To diminish instances of shadowing lines due to overlap of reels

2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	8.5 lb D2522F25CG.22C	\$496
2.5" smooth Urethane	9.5 lb D2519F25C	\$396

22.45" body, 25.5" shaft-1 flat	SHA2522CD	\$76
22.45" body, 25.5" shaft-1 flat	SHA2522CD	\$76
22.45" body, 25.5" shaft-1 flat	SHA2522CD	\$76
22.45" body, 25.5" shaft-1 flat	SHA2522CD	\$76
22.25" body, 25.5" shaft-1 flat	SHA2522CD	\$76
22.25" body, 25.5" shaft-1 flat	SHA2522CD	\$76

non-stripping, non-skidding for tight turns & ground undulations

22.45" center body + 2 short outer bodies, 31.5" shaft	SHA3122CDA+2	\$108
22.45" center body + 2 short outer bodies, 31.5" shaft	SHA3122CDA+2	\$108
22.45" center body + 2 short outer bodies, 31.5" shaft	SHA3122CDA+2	\$108
22.45" center body + 2 short outer bodies, 31.5" shaft	SHA3122CDA+2	\$108
22.25" center body + 2 short outer bodies, 31.5" shaft	SHA3122CDA+2	\$108
22.25" center body + 2 short outer bodies, 31.5" shaft	SHA3122CDA+2	\$108

non-skidding for tight turns & ground undulations

4 short bodies, 25.5" shaft-1 flat	SHA2522CDA4	\$91
4 short bodies, 25.5" shaft-1 flat	SHA2522CDA4	\$91
4 short bodies, 25.5" shaft-1 flat	SHA2522CDA4	\$91
4 short bodies, 25.5" shaft-1 flat	SHA2522CDA4	\$91
4 short bodies, 25.5" shaft-1 flat	SHA2522CDA4	\$91
4 short bodies, 25.5" shaft-1 flat	SHA2522CDA4	\$91

non-skidding for tight turns & ground undulations

22.45" body, 25.5" shaft-1 flat	SHA2522CD	\$76
22.45" body, 25.5" shaft-1 flat	SHA2522CD	\$76
22.45" body, 25.5" shaft-1 flat	SHA2522CD	\$76
22.45" body, 25.5" shaft-1 flat	SHA2522CD	\$76
22.45" body, 25.5" shaft-1 flat	SHA2522CD	\$76
22.25" body, 25.5" shaft-1 flat	SHA2522CD	\$76

call for proper application specifics

front roller for rear mower heads-use with D2519C25C	SHA2522CD	\$76
back roller for rear mower heads-use with D2522C25CG.22C	SHA2519CD	\$76

non-skidding for tight turns & ground undulations

4 short bodies, 25.5" shaft	SHA2522CDA4	\$91
4 short bodies, 25.5" shaft	SHA2522CDA4	\$91
4 short bodies, 25.5" shaft	SHA2522CDA4	\$91
4 short bodies, 25.5" shaft	SHA2522CDA4	\$91
4 short bodies, 25.5" shaft	SHA2522CDA4	\$91

22.45" body, 25.5" shaft-1 flat	SHA2522CD	\$76
22.45" body, 25.5" shaft-1 flat	SHA2522CD	\$76
22.25" body, 25.5" shaft-1 flat	SHA2522CD	\$76

call for proper application specifics

front roller for rear mower heads-use with D2519C3C	SHA2522CD	\$76
back roller for rear mower heads-use with D2522C3CG.22C	SHA2519CD	\$76

22.45" body, 25.5" shaft w/ 2 flats	SHA2522FD	\$82
22.45" body, 25.5" shaft w/ 2 flats	SHA2522FD	\$82
22.45" body, 25.5" shaft w/ 2 flats	SHA2522FD	\$82
22.45" body, 25.5" shaft w/ 2 flats	SHA2522FD	\$82
22.25" body, 25.5" shaft w/ 2 flats	SHA2522FD	\$82
22.25" body, 25.5" shaft w/ 2 flats	SHA2522FD	\$82

non-skidding for tight turns & ground undulations

22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	SHA3122FDA+2	\$112
22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	SHA3122FDA+2	\$112
22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	SHA3122FDA+2	\$112
22.45" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	SHA3122FDA+2	\$112
22.25" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	SHA3122FDA+2	\$112
22.25" center body + 2 short outer bodies, 31.5" shaft w/ 2 flats	SHA3122FDA+2	\$112

non-skidding for tight turns & ground undulations

4 short bodies, 25.5" shaft w/ 2 flats	SHA2522FDA4	\$98
4 short bodies, 25.5" shaft w/ 2 flats	SHA2522FDA4	\$98
4 short bodies, 25.5" shaft w/ 2 flats	SHA2522FDA4	\$98
4 short bodies, 25.5" shaft w/ 2 flats	SHA2522FDA4	\$98
4 short bodies, 25.5" shaft w/ 2 flats	SHA2522FDA4	\$98
4 short bodies, 25.5" shaft w/ 2 flats	SHA2522FDA4	\$98

non-skidding for tight turns & ground undulations

22.45" body, 25.5" shaft w/ 2 flats	SHA2522FD	\$82
22.45" body, 25.5" shaft w/ 2 flats	SHA2522FD	\$76
22.45" body, 25.5" shaft w/ 2 flats	SHA2522FD	\$82
22.45" body, 25.5" shaft w/ 2 flats	SHA2522FD	\$76
22.45" body, 25.5" shaft w/ 2 flats	SHA2522FD	\$82
22.25" body, 25.5" shaft w/ 2 flats	SHA2522FD	\$82

call for proper application specifics

front roller for rear mower heads-use with D2519F25C	SHA2522FD	\$82
back roller for rear mower heads-use with D2522F25CG.22C	SHA2519FD	\$82

<u>2.5" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations			
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	D2522F25CG4	\$636	4 short bodies, 25.5" shaft w/ 2 flats	SHA2522FDA4	\$98
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	D2522F25NG4	\$636	4 short bodies, 25.5" shaft w/ 2 flats	SHA2522FDA4	\$98
4 bodies	2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	D2522F25CGF4	\$636	4 short bodies, 25.5" shaft w/ 2 flats	SHA2522FDA4	\$98
4 bodies	2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb	D2522F25NGF4	\$636	4 short bodies, 25.5" shaft w/ 2 flats	SHA2522FDA4	\$98
4 bodies	2.5" smooth Urethane (4x5.55" wide bodies)	10 lb	D2522F25C4	\$636	4 short bodies, 25.5" shaft w/ 2 flats	SHA2522FDA4	\$98
<u>3" dia. SINGLE body</u>							
	3" dia. wide grooved Urethane	9.5 lb	D2522F3CG	\$513	22.45" body, 25.5" shaft w/ 2 flats	SHA2522FD	\$82
	3" smooth Urethane	12 lb	D2522F3C	\$483	22.45" body, 25.5" shaft w/ 2 flats	SHA2522FD	\$82
	3" smooth Steel	11.5 lb	D2522F3S	\$443	22.25" body, 25.5" shaft w/ 2 flats	SHA2522FD	\$82
To diminish instances of shadowing lines due to overlap of reels				call for proper application specifics			
	3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb	D2522F3CG.22C	\$543	front roller for rear mower heads-use with D2519F3C	SHA2522FD	\$82
	3" smooth Urethane	11 lb	D2519F3C	\$483	back roller for rear mower heads-use with D2522F3CG.22C	SHA2519FD	\$82
<u>3" dia. TWO opposing end short bodies</u>				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies	3" dia. wide grooved Urethane (2x5.2" wide bodies)	6.5 lb	D2505F3CGt	\$583	2 short twin bodies at ends of a 25.5" shaft-2 flats on 1 end	SHA2505FDAt	\$98
2 bodies	3" smooth Urethane (2x4" wide bodies)	6 lb	D2504F3Ct	\$553	2 short twin bodies at ends of a 25.5" shaft-2 flats on 1 end	SHA2504FDAt	\$98
John Deere 18" 8000A & 6080A PRECISION CUT & E-CUT FAIRWAY - FRONT & BACK ROLLERS				Call to upgrade with double row angular contact bearings			
<u>2" dia. SINGLE body</u>							
	2" dia. wide grooved Urethane no flats	6.5 lb	D2218C2CG	\$402	18.45" body, 22" dia. shaft	SHA2218CD	\$76
	2" dia. narrow grooved Urethane no flats	6.7 lb	D2218C2NG	\$402	18.45" body, 22" dia. shaft	SHA2218CD	\$76
	2" dia. wide grooved Urethane 1" flats	6.5 lb	D2218C2CGF	\$402	18.45" body, 22" dia. shaft	SHA2218CD	\$76
	2" dia. narrow grooved Urethane 1" flats	6.7 lb	D2218C2NGF	\$402	18.45" body, 22" dia. shaft	SHA2218CD	\$76
	2" dia. smooth Urethane	7.5 lb	D2218C2C	\$362	18.45" body, 22" dia. shaft	SHA2218CD	\$76
	2" dia. smooth Steel heavy (1/4" wall)	10.5 lb	D2218C2S	\$312	18.45" body, 22" dia. shaft	SHA2218CD	\$76
	2" dia. smooth Steel heavy (1/4" wall)	9 lb	D2216A2S	\$312	16.2" body, 22" dia. shaft	SHA2216AD	\$76
<u>2" dia. TWO opposing end short bodies</u>				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2104A2CGt	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2104A2NGt	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies	2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2104A2CGFt	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies	2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2104A2NGFt	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies	2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb	D2104A2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies	2" dia. smooth Urethane (2x2" wide bodies)	4 lb	D2102A2Ct	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2102ADAt	\$91
2 bodies	2" dia. smooth Steel heavy (2x4.75" wide bodies)	4.2 lb	D2104A2St	\$452	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
<u>2" dia. SINGLE body + 2 bodies outside of brackets</u>				non-skidding for tight turns & ground undulations			
extended	2" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb	D2718A2CG+2C	\$512	18.45" center body + 2 short outer bodies, 27.25" shaft	SHA2718ADA+2	\$108
extended	2" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb	D2718A2NG+2C	\$512	18.45" center body + 2 short outer bodies, 27.25" shaft	SHA2718ADA+2	\$108
extended	2" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb	D2718A2CGF+2C	\$512	18.45" center body + 2 short outer bodies, 27.25" shaft	SHA2718ADA+2	\$108
extended	2" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb	D2718A2NGF+2C	\$512	18.45" center body + 2 short outer bodies, 27.25" shaft	SHA2718ADA+2	\$108
extended	2" dia. smooth Urethane (18.45" inner+2x2" outer bodies)	13 lb	D2718A2C+2C	\$512	18.45" center body + 2 short outer bodies, 27.25" shaft	SHA2718ADA+2	\$108
extended	2" dia. smooth Steel heavy (18.25" inner+2x2" outer bodies)	15 lb	D2718A2S+2S	\$512	19.25" center body + 2 short outer bodies, 27.25" shaft	SHA2718ADA+2	\$108
<u>2" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations			
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2119A2CG4	\$562	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2119A2NG4	\$562	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies	2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2119A2CGF4	\$562	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies	2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2119A2NGF4	\$562	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies	2" dia. smooth Urethane (4x4.75" wide bodies)	8 lb	D2119A2C4	\$562	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies	2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb	D2119A2S4	\$562	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
<u>2.5" dia. SINGLE body</u>							
	2.5" dia. wide grooved (1" spacing) Urethane no flats	6.7 lb	D2218A25CG	\$496	18.2" body, 22" dia. shaft	SHA2218AD	\$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	6.7 lb	D2218A25NG	\$486	18.2" body, 22" dia. shaft	SHA2218AD	\$76
	2.5" dia. wide grooved (1" spacing) Urethane 1" flats	6.7 lb	D2218A25CGF	\$486	18.2" body, 22" dia. shaft	SHA2218AD	\$76
	2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	6.7 lb	D2218A25NGF	\$486	18.2" body, 22" dia. shaft	SHA2218AD	\$76
	2.5" smooth Urethane	7.5 lb	D2218A25C	\$396	18.2" body, 22" dia. shaft	SHA2218AD	\$76
	2.5" smooth Steel	9.2 lb	D2218A25S	\$376	18.0" body, 22" dia. shaft	SHA2218AD	\$76
<u>2.5" dia. TWO opposing end short bodies</u>				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2104A25CGt	\$496	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb	D2104A25NGt	\$496	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies	2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2104A25CGFt	\$496	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies	2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb	D2104A25NGFt	\$496	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies	2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb	D2104A25Ct	\$496	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
2 bodies	2.5" smooth Urethane (2x2" wide bodies)	4 lb	D2102A25Ct	\$496	2 short twin bodies at ends of a 21.25" shaft	SHA2102ADAt	\$91
2 bodies	2.5" smooth Steel (2x4.75" wide bodies)	4.2 lb	D2104A25St	\$496	2 short twin bodies at ends of a 21.25" shaft	SHA2104ADAt	\$91
<u>2.5" dia. SINGLE body + 2 bodies outside of brackets</u>				non-skidding for tight turns & ground undulations			
extended	2.5" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb	D2718A25CG+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft	SHA2718ADA+2	\$108
extended	2.5" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) no flats	12 lb	D2718A25NG+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft	SHA2718ADA+2	\$108
extended	2.5" dia. wide grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb	D2718A25CGF+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft	SHA2718ADA+2	\$108
extended	2.5" dia. narrow grooved Urethane (18.45" inner+2x2" outer bodies) 1" flats	12 lb	D2718A25NGF+2C	\$566	18.45" center body + 2 short outer bodies, 27.25" shaft	SHA2718ADA+2	\$108
extended	2.5" smooth Urethane (18.45" inner+2x2" outer bodies)	13 lb	D2718A25C+2C	\$586	18.45" center body + 2 short outer bodies, 27.25" shaft	SHA2718ADA+2	\$108
extended	2.5" smooth Steel (18.25" inner+2x2" outer bodies)	15 lb	D2718A25S+2S	\$606	19.25" center body + 2 short outer bodies, 27.25" shaft	SHA2718ADA+2	\$108
<u>2.5" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations			
4 bodies	2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2119A25CG4	\$636	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies	2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb	D2119A25NG4	\$636	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies	2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2119A25CGF4	\$636	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies	2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb	D2119A25NGF4	\$636	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies	2.5" smooth Urethane (4x4.75" wide bodies)	8 lb	D2119A25C4	\$636	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91
4 bodies	2.5" smooth Steel (4x4.75" wide bodies)	12 lb	D2119A25S4	\$626	4 short bodies, 21.25" shaft	SHA2119ADA4	\$91

<u>3" dia. SINGLE body</u>					
3" dia. wide grooved Urethane	6.6 lb D2218C3CG	\$533	18.45" body, 22" dia. shaft	SHA2218CD	\$76
3" smooth Urethane	7.5 lb D2218C3C	\$483	18.45" body, 22" dia. shaft	SHA2218CD	\$76
3" smooth Steel	9.2 lb D2218C3S	\$443	18.25" body, 22" dia. shaft	SHA2218CD	\$76
To diminish instances of shadowing lines due to overlap of reels			call for proper application specifics		
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	6.8 lb D2218A25CG.22C	\$496	front roller for rear mower heads-use with D2215A25C	SHA2218AD	\$91
2.5" smooth Urethane	7 lb D2215A25C	\$416	back roller for rear mower heads-use with D2218A25CG.22C	SHA2215AD	\$76
3" dia. wide grooved Urethane with 2.2" wide smooth ends	6.8 lb D2218A3CG.22C	\$563	front roller for rear mower heads-use with D2215A3C	SHA2218AD	\$76
3" smooth Urethane	7 lb D2215A3C	\$503	back roller for rear mower heads-use with D2218A3CG.22C	SHA2215AD	\$76
John Deere 26" 8900A, 7200, 2653 +A/B FAIRWAY - FRONT & BACK ROLLERS (QA-7 reels)			Call to upgrade with double row angular contact bearings		
<u>3" dia. SINGLE body</u>					
3" dia. wide grooved Urethane	11.1 lb D2926F3CG	\$513	26.45" body, 29.75" shaft-2 flats on 1 end	SHA2926FD	\$82
3" smooth Urethane	13.5 lb D2926F3C	\$483	26.45" body, 29.75" shaft-2 flats on 1 end	SHA2926FD	\$82
3" smooth Steel	13.5 lb D2926F3S	\$443	26.25" body, 29.75" shaft-2 flats on 1 end	SHA2926FD	\$82
<u>3" dia. SINGLE body (upgraded double row bearings)</u>					
3" dia. wide grooved Urethane with double row bearings	11 lb 2D2926F3CGR	\$543	26.45" body, 29.75" shaft-2 flats on 1 end	SHA2926FD	\$82
3" smooth Urethane with double row bearings	12.5 lb 2D2926F3CR	\$533	26.45" body, 29.75" shaft-2 flats on 1 end	SHA2926FD	\$82
3" smooth Steel with double row bearings	12.5 lb 2D2926F3SR	\$503	26.25" body, 29.75" shaft-2 flats on 1 end	SHA2926FD	\$82
<u>3" dia. TWO opposing end short bodies</u>					
2 bodies 3" smooth Urethane (2x4" wide bodies)	6 lb D2904F3Ct	\$553	2 short twin bodies at ends of a 29.75" shaft-2 flats on 1 end	SHA2904FDAI	\$98
2 bodies 3" smooth Urethane (2x5.2" wide bodies)	6.5 lb D2905F3Ct	\$553	2 short twin bodies at ends of a 29.75" shaft-2 flats on 1 end	SHA2905FDAI	\$98
<u>3" dia. FOUR bodies</u>					
4 bodies 3" dia. wide grooved Urethane (4x6.5" wide bodies)	12.5 lb D2926F3CG4	\$673	4 short bodies, 29.75" shaft-2 flats on 1 end	SHA2926FDA4	\$98
4 bodies 3" smooth Urethane (4x6.5" wide bodies)	13.5 lb D2926F3C4	\$663	4 short bodies, 29.75" shaft-2 flats on 1 end	SHA2926FDA4	\$98
John Deere 30" 8900A, 7200, 2653 +A/B FAIRWAY - FRONT & BACK ROLLERS (QA-7 reels)			Call to upgrade with double row angular contact bearings		
<u>3" dia. SINGLE body</u>					
3" dia. wide grooved Urethane	11.1 lb D3329F3CG	\$513	29.45" body, 33.5" shaft-2 flats on 1 end	SHA3329FD	\$82
3" smooth Urethane	13.5 lb D3329F3C	\$493	29.45" body, 33.5" shaft-2 flats on 1 end	SHA3329FD	\$82
3" smooth Steel	13.5 lb D3329F3S	\$443	29.25" body, 33.5" shaft-2 flats on 1 end	SHA3329FD	\$82
<u>3" dia. SINGLE body (upgraded double row bearings)</u>					
3" dia. wide grooved Urethane with double row bearings	11 lb 2D3329F3CGR	\$543	29.45" body, 33.5" shaft-2 flats on 1 end	SHA3329FD	\$82
3" smooth Urethane with double row bearings	12.5 lb 2D3329F3CR	\$533	29.45" body, 33.5" shaft-2 flats on 1 end	SHA3329FD	\$82
3" smooth Steel with double row bearings	12.5 lb 2D3329F3SR	\$503	29.45" body, 33.5" shaft-2 flats on 1 end	SHA3329FD	\$82
3" smooth Urethane with double row bearings	12.5 lb 2D3319F3CR	\$533	19.45" body, 33.5" shaft-2 flats on 1 end	SHA3319FD	\$82
<u>3" dia. FOUR & FIVE bodies</u>					
5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies)	13.5 lb D3329F3CG5	\$723	5 short bodies, 33.5" shaft-2 flats on 1 end	SHA3329FDA5	\$112
4 bodies 3" smooth Urethane (4x6.7" wide bodies)	14 lb D3329F3C4	\$663	4 short bodies, 33.5" shaft-2 flats on 1 end	SHA3329FDA4	\$112
John Deere 30" 1900, 1905, 3325 FAIRWAY & 3365 TURF PRO & 365 PTO GANG (2 styles)			Call to upgrade with double row angular contact bearings		
<u>3" dia. SINGLE body</u>					
3" dia. wide grooved Urethane	13.5 lb D3229F3CG	\$513	29.45" body, 32" dia. shaft-2 flats on 1 end	SHA3229FD	\$82
3" smooth Urethane	15 lb D3229F3C	\$483	29.45" body, 32" dia. shaft-2 flats on 1 end	SHA3229FD	\$82
3" smooth Steel	15 lb D3229F3S	\$443	29.25" body, 32" dia. shaft-2 flats on 1 end	SHA3229FD	\$82
3" dia. wide grooved Urethane	13.5 lb D3229A3CG	\$513	29.45" body, 32" dia. shaft-1 flat on 1 end	SHA3229AD	\$76
3" smooth Urethane	15 lb D3229A3C	\$483	29.45" body, 32" dia. shaft-1 flat on 1 end	SHA3229AD	\$76
3" smooth Steel	15 lb D3229A3S	\$443	29.25" body, 32" dia. shaft-1 flat on 1 end	SHA3229AD	\$76
<u>3" dia. FOUR bodies</u>					
5 bodies 3" dia. wide grooved Urethane (5x5.2" wide bodies)	13.5 lb D3229F3CG5	\$723	5 short bodies, 32" dia. shaft-2 flats on 1 end	SHA3229FDA5	\$112
4 bodies 3" smooth Urethane (4x6.7" wide bodies)	14 lb D3229F3C4	\$663	5 short bodies, 32" dia. shaft-2 flats on 1 end	SHA3229FDA4	\$112
John Deere 30" FAIRWAY (305, 303, 756 & 856) - ALL ROLLERS (Choose from 2 styles)			Call to upgrade with double row angular contact bearings		
<u>3" dia. SINGLE body</u>					
3" dia. wide grooved Urethane	13.5 lb D3229X3CG	\$523	29.45" body, 32.25" shaft-.5" dia. ends	SHA3229XD	\$82
3" smooth Urethane	15 lb D3229X3C	\$493	29.45" body, 32.25" shaft-.5" dia. ends	SHA3229XD	\$82
3" smooth Steel	15 lb D3229X3S	\$453	29.25" body, 32.25" shaft-.5" dia. ends	SHA3229XD	\$82
3" dia. wide grooved Urethane	13.5 lb D3029W3CG	\$543	29.45" body, 30" shaft-5/8" dia. ends & 7/16" taps	SHA3029WD	\$82
3" smooth Urethane	15 lb D3029W3C	\$493	29.45" body, 30" shaft-5/8" dia. ends & 7/16" taps	SHA3029WD	\$82
3" smooth Steel	15 lb D3029W3S	\$453	29.25" body, 30" shaft-5/8" dia. ends & 7/16" taps	SHA3029WD	\$82
John Deere ROTARY DECK 8800 & 3245C - FRONT ROLLER (With two independent rolling 4" wide roller bodies)					
2 bodies 5" grooved Urethane (2x4" wide bodies) double row bearings	8 lb 2D2304A5CGRt	\$645	2 short twin bodies at ends of 23" shaft-3 grooves per body	SHA2304ADAIt	\$88
2 bodies 5" smooth Urethane (2x4" wide bodies) double row bearings	9.3 lb 2D2304A5CRt	\$625	2 short twin bodies at ends of 23" shaft	SHA2304ADAIt	\$88
John Deere ROTARY DECK 8800 & 3245C & 1565 - BACK ROLLER (choose from multiple styles to match your needs)					
<u>3" dia. SINGLE body</u>					
3" dia. wide grooved Urethane with double row bearings	9.5 lb 2D2319B3CGR	\$543	19.45" body, 23" shaft	SHA2319BD	\$76
3" smooth Urethane with double row bearings	11 lb 2D2319B3CR	\$533	19.45" body, 23" shaft	SHA2319BD	\$76
3" smooth Steel with double row bearings	12 lb 2D2319B3SR	\$503	19.25" body, 23" shaft	SHA2319BD	\$76
3" dia. wide grooved Urethane with double row bearings	9.5 lb 2D2419B3CGR	\$543	19.45" body, 24" shaft	SHA2419BD	\$76
3" smooth Urethane with double row bearings	11.5 lb 2D2419B3CR	\$533	19.45" body, 24" shaft	SHA2419BD	\$76
3" smooth Steel with double row bearings	11 lb 2D2419B3SR	\$503	19.25" body, 24" shaft	SHA2419BD	\$76
3" dia. wide grooved Urethane with double row bearings	9.5 lb 2D2522T3CGR	\$543	22.45" body, 25.87" shaft	SHA2522TD	\$76
3" smooth Urethane with double row bearings	12 lb 2D2522T3CR	\$533	22.45" body, 25.87" shaft	SHA2522TD	\$76
3" smooth Steel with double row bearings	11.5 lb 2D2522T3SR	\$503	22.25" body, 25.87" shaft	SHA2522TD	\$76
3" dia. wide grooved Urethane with double row bearings	9.5 lb 2D2622A3CGR	\$543	22.45" body, 26.75" shaft	SHA2622AD	\$76
3" smooth Urethane with double row bearings	12 lb 2D2622A3CR	\$533	22.45" body, 26.75" shaft	SHA2622AD	\$76
3" smooth Steel with double row bearings	11.5 lb 2D2622A3SR	\$503	22.25" body, 26.75" shaft	SHA2622AD	\$76
<u>3" dia. TWO opposing end short bodies</u>					
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	8 lb 2D2305B3CGRt	\$603	2 short twin bodies at ends of a 23" shaft	SHA2305BDAIt	\$91
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	8 lb 2D2304B3CRt	\$573	2 short twin bodies at ends of a 23" shaft	SHA2304BDAIt	\$91
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	10 lb 2D2304B3SRt	\$573	2 short twin bodies at ends of a 23" shaft	SHA2304BDAIt	\$91
<u>3" dia. THREE bodies</u>					
3 bodies 3" dia. wide grooved Urethane (3x5.2" wide bodies) double row bearings	11 lb 2D2319B3CGR3	\$663	3 short bodies, 23" shaft	SHA2319BDA3	\$108
3 bodies 3" smooth Urethane (3x5.2" wide bodies) double row bearings	11 lb 2D2319B3CR3	\$643	3 short bodies, 23" shaft	SHA2319BDA3	\$108
3 bodies 3" smooth Steel (3x5.2" wide bodies) double row bearings	11 lb 2D2319B3SR3	\$643	3 short bodies, 23" shaft	SHA2319BDA3	\$108

<u>3.5" dia. SINGLE body</u>					
3.5" smooth Urethane with double row bearings	13.5 lb 2D2319B35CR	\$617	19.45" body, 23" shaft	SHA2319BD	\$76
3.5" smooth Urethane with double row bearings	13.5 lb 2D2419B35CR	\$617	19.45" body, 24" shaft	SHA2419BD	\$76
3.5" smooth Urethane with double row bearings	13.5 lb 2D2522T35CR	\$617	22.45" body, 25.87" shaft	SHA2522TD	\$76
3.5" smooth Urethane with double row bearings	13.5 lb 2D2622A35CR	\$617	22.45" body, 26.75" shaft	SHA2622AD	\$76
<u>4" dia. SINGLE body</u>					
4" smooth Steel-double row bearings	20 lb 2D2319B4SR	\$694	19.25" body, 23" shaft	SHA2319BD	\$76
4" smooth Steel-double row bearings	20 lb 2D2419B4SR	\$694	19.25" body, 24" shaft	SHA2419BD	\$76
4" smooth Steel-double row bearings	20 lb 2D2522T4SR	\$694	22.25" body, 25.87" shaft	SHA2522TD	\$76
4" smooth Steel-double row bearings	20 lb 2D2622A4SR	\$694	22.25" body, 26.75" shaft	SHA2622AD	\$76
John Deere ROTARY DECK 9009A & 7400A (2016 & newer) 27" cut - FRONT ROLLER (With two independent rolling 5.2" wide roller bodies)					
2 bodies 5" grooved Urethane (2x5.2" wide bodies) double row bearings	12 lb 2D2905C5CGRt	\$645	2 short twin bodies at ends of 29" shaft-3 grooves per body	SHA2905CDAt	\$88
2 bodies 5" smooth Urethane (2x5.2" wide bodies) double row bearings	13 lb 2D2905C5CRt	\$625	2 short twin bodies at ends of 29" shaft	SHA2905CDA	\$88
John Deere ROTARY DECK 9009A & 7400A (2016 & newer) 27" cut - BACK ROLLER					
<u>3" dia. SINGLE body</u>					
3" dia. wide grooved Urethane with double row bearings	11 lb 2D2926C3CGR	\$543	26.45" body, 29" shaft	SHA2926CD	\$76
3" smooth Urethane with double row bearings	12.5 lb 2D2926C3CR	\$533	26.45" body, 29" shaft	SHA2926CD	\$76
3" smooth Steel with double row bearings	12.5 lb 2D2926C3SR	\$503	26.25" body, 29" shaft	SHA2926CD	\$76
3" smooth Urethane with double row bearings	12.5 lb 2D2919C3CR	\$533	19.45" body, 29" shaft	SHA2919CD	\$76
<u>3" dia. TWO opposing end short bodies</u>					
2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	10 lb 2D2905C3CGRt	\$603	2 short twin bodies at ends of a 29" shaft	SHA2905CDA	\$91
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	10 lb 2D2904C3CRt	\$573	2 short twin bodies at ends of a 29" shaft	SHA2905CDA	\$91
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	11 lb 2D2904C3SRt	\$573	2 short twin bodies at ends of a 29" shaft	SHA2905CDA	\$91
<u>3" dia. FOUR bodies</u>					
4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	12 lb 2D2926C3CGR4	\$703	4 short bodies, 29" shaft	SHA2926CDA4	\$91
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings	12 lb 2D2926C3CR4	\$703	4 short bodies, 29" shaft	SHA2926CDA4	\$91
John Deere ROTARY 7400 (pre-2016) DECK 27" cut - FRONT CASTER					
5" grooved Urethane (4" wide body) double row bearings	5 lb 2D0404G5CG	\$315	Roller assembly includes sleeves & bolts for mounting to fork	SHA0404GD	\$76
5" smooth Urethane (4" wide body) double row bearings	5 lb 2D0404G5C	\$295	Roller assembly includes sleeves & bolts for mounting to fork	SHA0404GD	\$76
John Deere ROTARY 7400 (pre-2016) DECK 27" cut - BACK ROLLER					
3" smooth Urethane with double row bearings	12.5 lb 2D2925A3CR	\$533	25.45" body, 29.25" shaft	SHA2925AD	\$76
3" smooth Steel with double row bearings	12.5 lb 2D2925A3SR	\$503	25.25" body, 29.25" shaft	SHA2925AD	\$76
for TORO mowers					
Toro 22" GREENSMOWERS - FRONT ROLLER: series 1000, 3, 300, 3000, 3050, 3100, 3150 (with 3/8" tap in shaft ends for ball stud)					
(Except TriFlex series without ball stud for basket yoke as follows: 3200, 3250, 3300, 3320, 3370, 3400, 3420 & FLEX 21)					
<u>2" dia. SINGLE body</u>					
2" dia. wide grooved Urethane no flats	6.5 lb T2522S2CG	\$382	22.45" body, 25.75" shaft-3/8" taps	SHA2522ST	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb T2522S2NG	\$382	22.45" body, 25.75" shaft-3/8" taps	SHA2522ST	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb T2522S2CGF	\$382	22.45" body, 25.75" shaft-3/8" taps	SHA2522ST	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2522S2NGF	\$382	22.45" body, 25.75" shaft-3/8" taps	SHA2522ST	\$76
2" dia. smooth Urethane	8 lb T2522S2C	\$362	22.25" body, 25.75" shaft-3/8" taps	SHA2522ST	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2522S2S	\$302	22.25" body, 25.75" shaft-3/8" taps	SHA2522ST	\$76
<u>2" dia. TWO opposing end short bodies</u>					
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504S2CGt	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	SHA2504STAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504S2NGt	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	SHA2504STAt	\$91
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504S2CGFt	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	SHA2504STAt	\$91
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504S2NGFt	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	SHA2504STAt	\$91
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4.2 lb T2502S2Ct	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	SHA2502STAt	\$91
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4 lb T2504S2Ct	\$452	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	SHA2504STAt	\$91
<u>2" dia. FOUR bodies</u>					
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522S2CG4	\$562	4 short bodies, 25.75" shaft-3/8" taps	SHA2522STA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522S2NG4	\$562	4 short bodies, 25.75" shaft-3/8" taps	SHA2522STA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522S2CGF4	\$562	4 short bodies, 25.75" shaft-3/8" taps	SHA2522STA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522S2NGF4	\$562	4 short bodies, 25.75" shaft-3/8" taps	SHA2522STA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb T2522S2C4	\$562	4 short bodies, 25.75" shaft-3/8" taps	SHA2522STA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb T2522S2S4	\$562	4 short bodies, 25.75" shaft-3/8" taps	SHA2522STA4	\$91
<u>2.5" dia. SINGLE body</u>					
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522S25CG	\$456	22.45" body, 25.75" shaft-3/8" taps	SHA2522ST	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522S25NG	\$456	22.45" body, 25.75" shaft-3/8" taps	SHA2522ST	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522S25CGF	\$456	22.45" body, 25.75" shaft-3/8" taps	SHA2522ST	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522S25NGF	\$456	22.45" body, 25.75" shaft-3/8" taps	SHA2522ST	\$76
2.5" smooth Urethane	9.5 lb T2522S25C	\$396	22.45" body, 25.75" shaft-3/8" taps	SHA2522ST	\$76
2.5" smooth Steel	10 lb T2522S25S	\$376	22.25" body, 25.75" shaft-3/8" taps	SHA2522ST	\$76
<u>2.5" dia. TWO opposing end short bodies</u>					
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504S25CGt	\$496	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	SHA2504STAt	\$91
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb T2504S25Ct	\$496	2 short twin bodies at ends of a 25.75" shaft-3/8" taps	SHA2504STAt	\$91
<u>2.5" dia. FOUR bodies</u>					
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522S25CG4	\$636	4 short bodies, 25.75" shaft-3/8" taps	SHA2522STA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522S25NG4	\$636	4 short bodies, 25.75" shaft-3/8" taps	SHA2522STA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522S25CGF4	\$636	4 short bodies, 25.75" shaft-3/8" taps	SHA2522STA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522S25NGF4	\$636	4 short bodies, 25.75" shaft-3/8" taps	SHA2522STA4	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	10 lb T2522S25C4	\$636	4 short bodies, 25.75" shaft-3/8" taps	SHA2522STA4	\$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522S25S4	\$626	4 independent roller bodies @22.3" oal, shaft	SHA2522STA4	\$76
Toro 22" GREENSMOWERS - BACK ROLLER: series 3, 300, 3000, 3050, 3100, 3150					
<u>2" dia. SINGLE body</u>					
2" dia. wide grooved Urethane no flats	6.5 lb T2522A2CG	\$382	22.45" body, 25.875" shaft	SHA2522AT	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb T2522A2NG	\$382	22.45" body, 25.875" shaft	SHA2522AT	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb T2522A2CGF	\$382	22.45" body, 25.875" shaft	SHA2522AT	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2522A2NGF	\$382	22.45" body, 25.875" shaft	SHA2522AT	\$76
2" dia. smooth Urethane	8 lb T2522A2C	\$362	22.25" body, 25.875" shaft	SHA2522AT	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2522A2S	\$302	22.25" body, 25.875" shaft	SHA2522AT	\$76

<u>2" dia. TWO opposing end short bodies</u>				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A2CGt	\$452	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A2NGt	\$452	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504A2CGFt	\$452	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504A2NGFt	\$452	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb T2502A2Ct	\$452	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb T2504A2Ct	\$452	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
<u>2" dia. SINGLE body + 2 bodies outside of brackets</u>				non-skidding for tight turns & ground undulations			
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb T3122A2CG+2C	\$512	22.45" center body + 2 short outer bodies, 31.875" shaft	SHA3122ATA+2	\$108		
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb T3122A2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.875" shaft	SHA3122ATA+2	\$108		
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb T3122A2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.875" shaft	SHA3122ATA+2	\$108		
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb T3122A2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.875" shaft	SHA3122ATA+2	\$108		
<u>2" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2CG4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2NG4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91		
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2CGF4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2NGF4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91		
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb T2522A2C4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91		
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb T2522A2S4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91		
<u>2" dia. FOUR bodies + 2 bodies outside of brackets</u>				non-skidding for tight turns & ground undulations			
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb T3122A2CG4+2C	\$652	4 center bodies + 2 short outer bodies, 31.875" shaft	SHA3122ATA4+2	\$108		
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats	13 lb T3122A2NG4+2C	\$652	4 center bodies + 2 short outer bodies, 31.875" shaft	SHA3122ATA4+2	\$108		
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb T3122A2CGF4+2C	\$652	4 center bodies + 2 short outer bodies, 31.875" shaft	SHA3122ATA4+2	\$108		
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats	13 lb T3122A2NGF4+2C	\$652	4 center bodies + 2 short outer bodies, 31.875" shaft	SHA3122ATA4+2	\$108		
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)	13 lb T3122A2C4+2C	\$652	4 center bodies + 2 short outer bodies, 31.875" shaft	SHA3122ATA4+2	\$108		
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)	13 lb T3122A2S4+2S	\$652	4 center bodies + 2 short outer bodies, 31.875" shaft	SHA3122ATA4+2	\$108		
<u>2.5" dia. SINGLE body</u>				non-stripping, non-skidding for tight turns & ground undulations			
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522A25CG	\$456	22.45" body, 25.875" shaft	SHA2522AT	\$76		
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522A25NG	\$456	22.45" body, 25.875" shaft	SHA2522AT	\$76		
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522A25CGF	\$456	22.45" body, 25.875" shaft	SHA2522AT	\$76		
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522A25NGF	\$456	22.45" body, 25.875" shaft	SHA2522AT	\$76		
2.5" smooth Urethane	9.5 lb T2522A25C	\$396	22.45" body, 25.875" shaft	SHA2522AT	\$76		
2.5" smooth Steel	10 lb T2522A25S	\$376	22.45" body, 25.875" shaft	SHA2522AT	\$76		
<u>2.5" dia. TWO opposing end short bodies</u>				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A25CGt	\$496	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A25NGt	\$496	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504A25CGFt	\$496	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
2 bodies 2.5" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504A25NGFt	\$496	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
2 bodies 2.5" smooth Urethane (2x2" wide bodies)	4 lb T2502A25Ct	\$496	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)	4.2 lb T2504A25Ct	\$496	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
<u>2.5" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations			
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2522A25CG4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98		
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522A25NG4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98		
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25CGF4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98		
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25NGF4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98		
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb T2522A25C4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98		
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522A25S4	\$626	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98		
Toro 22" GREENSMOWERS - BASKET (Yoke) ROLLERS: series 3, 300, 3000, 3050, 3100, 3150				(fully assembled with body + shaft + bearings + seals)			
(Except TriFlex series as follows: 3200, 3250, 3300, 3320, 3400, 3420 & FLEX 21)							
3" dia. wide grooved Urethane	9 lb T2520H3CG	\$513	20.45" body, 25.063" shaft-3/8" taps	SHA2520HT	\$90		
3" smooth Urethane	10.5 lb T2520H3C	\$483	20.45" body, 25.063" shaft-3/8" taps	SHA2520HT	\$90		
3" smooth Steel	11 lb T2520H3S	\$443	20.45" body, 25.063" shaft-3/8" taps	SHA2520HT	\$90		
3.5" smooth Urethane	12.5 lb T2520H35C	\$577	20.45" body, 25.063" shaft-3/8" taps	SHA2520HT	\$90		
2 bodies 3" smooth Urethane (2x4" wide bodies)	6.3 lb T2504H3CT	\$553	2 short twin bodies at ends of a 25.063" shaft-3/8" taps	SHA2520HTAt	\$90		
Toro 21/22" FLEX & TRIFLEX models 21, 2100, 2120, 1021 & e1021 + 3200, 3250, 3300, 3320, 3370, 3400, 3420 - FRONT & BACK ROLLERS							
(these rollers do not accommodate yoke ball studs. They have solid shaft ends without taps; if grower kit requires tap in shaft ends, change "A" in part # to "S")							
<u>2" dia. SINGLE body</u>				non-stripping, non-skidding for tight turns & ground undulations			
2" dia. wide grooved Urethane no flats	6.5 lb T2522A2CG	\$382	22.45" body, 25.875" shaft	SHA2522AT	\$76		
2" dia. narrow grooved Urethane no flats	6.7 lb T2522A2NG	\$382	22.45" body, 25.875" shaft	SHA2522AT	\$76		
2" dia. wide grooved Urethane 1" flats	6.5 lb T2522A2CGF	\$382	22.45" body, 25.875" shaft	SHA2522AT	\$76		
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2522A2NGF	\$382	22.45" body, 25.875" shaft	SHA2522AT	\$76		
2" dia. smooth Urethane	8 lb T2522A2C	\$362	22.25" body, 25.875" shaft	SHA2522AT	\$76		
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2522A2S	\$302	22.25" body, 25.875" shaft	SHA2522AT	\$76		
<u>2" dia. TWO opposing end short bodies</u>				non-stripping, non-skidding for tight turns & ground undulations			
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A2CGt	\$452	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats	4 lb T2504A2NGt	\$452	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504A2CGFt	\$452	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats	4 lb T2504A2NGFt	\$452	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)	4 lb T2502A2Ct	\$452	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)	4.2 lb T2504A2Ct	\$452	2 short twin bodies at ends of a 25.875" shaft	SHA2522ATAt	\$91		
<u>2" dia. SINGLE body + 2 bodies outside of brackets</u>				non-skidding for tight turns & ground undulations			
extended 2" dia. wide grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb T3122A2CG+2C	\$512	22.45" center body + 2 short outer bodies, 31.875" shaft	SHA3122ATA+2	\$108		
extended 2" dia. narrow grooved Urethane (22.45" inner+2x2" outer bodies) no flats	12 lb T3122A2NG+2C	\$512	22.45" center body + 2 short outer bodies, 31.875" shaft	SHA3122ATA+2	\$108		
extended 2" dia. smooth Urethane (22.45" inner+2x2" outer bodies)	13 lb T3122A2C+2C	\$512	22.25" center body + 2 short outer bodies, 31.875" shaft	SHA3122ATA+2	\$108		
extended 2" dia. smooth Steel heavy (22.25" inner+2x2" outer bodies)	13 lb T3122A2S+2S	\$512	22.25" center body + 2 short outer bodies, 31.875" shaft	SHA3122ATA+2	\$108		
<u>2" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2CG4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2NG4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91		
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2CGF4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91		
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2NGF4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91		
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb T2522A2C4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91		
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb T2522A2S4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91		

2" dia. FOUR bodies + 2 bodies outside of brackets

6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats
6 bodies 2" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats
6 bodies 2" dia. narrow grooved Urethane (4x5.55" inner+2x2" outer bodies) 1" flats
6 bodies 2" dia. smooth Urethane (4x5.55" inner+2x2" outer bodies)
6 bodies 2" dia. smooth Steel heavy (4x5.55" inner+2x2" outer bodies)

2.5" dia. SINGLE body

2.5" dia. wide grooved (1" spacing) Urethane no flats
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats
2.5" dia. wide grooved (1" spacing) Urethane 1" flats
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats
2.5" smooth Urethane
2.5" smooth Steel

2.5" dia. TWO opposing end short bodies

2 bodies 2.5" dia. wide grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)

2.5" dia. FOUR bodies

4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)

2.5" dia. FOUR bodies + 2 bodies outside of brackets

6 bodies 2.5" dia. wide grooved Urethane (4x5.55" inner+2x2" outer bodies) no flats
6 bodies 2.5" smooth Urethane (4x5.55" inner+2x2" outer bodies)

Toro GREENSMOWER FLEX models 18, 1800, 1820 & 1018 - FRONT & BACK ROLLERS (if groomer kit requires tap in ends of shaft, change "C" in part # to "S")

2" dia. SINGLE body

2" dia. wide grooved Urethane no flats
2" dia. narrow grooved Urethane no flats
2" dia. wide grooved Urethane 1" flats
2" dia. narrow grooved Urethane 1" flats
2" dia. smooth Urethane
2" dia. smooth Steel heavy (1/4" wall)

2" dia. TWO opposing end short bodies

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats
2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats
2 bodies 2" dia. smooth Urethane (2x2" wide bodies)
2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)

2" dia. SINGLE body + 2 bodies outside of brackets

extended 2" dia. wide grooved Urethane (19.45" inner+2x2" outer bodies) no flats
extended 2" dia. narrow grooved Urethane (19.45" inner+2x2" outer bodies) no flats
extended 2" dia. smooth Urethane (19.45" inner+2x2" outer bodies)

2" dia. FOUR bodies

4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)

2" dia. FOUR bodies + 2 bodies outside of brackets

6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) no flats
6 bodies 2" dia. wide grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats
6 bodies 2" dia. narrow grooved Urethane (4x4.75" inner+2x2" outer bodies) 1" flats
6 bodies 2" dia. smooth Urethane (4x4.75" inner+2x2" outer bodies)
6 bodies 2" dia. smooth Steel heavy (4x4.75" inner+2x2" outer bodies)

Toro GM800 18" GREENSMOWER - FRONT & BACK ROLLERS

2" dia. SINGLE body

2" dia. wide grooved Urethane no flats
2" dia. narrow grooved Urethane no flats
2" dia. wide grooved Urethane 1" flats
2" dia. narrow grooved Urethane 1" flats
2" dia. smooth Urethane
2" dia. smooth Steel heavy (1/4" wall)

2" dia. FOUR bodies

4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)

Toro GM1026 & 1600 26" GREENSMOWER - FRONT & BACK ROLLERS

2" dia. SINGLE body

2" dia. wide grooved Urethane no flats
2" dia. wide grooved Urethane 1" flats
2" dia. smooth Urethane
2" dia. smooth Steel heavy (1/4" wall)

13 lb T3122A2CG4+2C
13 lb T3122A2NG4+2C
13 lb T3122A2CGF4+2C
13 lb T3122A2NGF4+2C
13 lb T3122A2C4+2C
13 lb T3122A2S4+2S

9 lb T2522A25CG
9 lb T2522A25NG
9 lb T2522A25CGF
9 lb T2522A25NGF
9.5 lb T2522A25C
10 lb T2522A25S

4 lb T2504A25CGt
4.2 lb T2504A25Ct

10 lb T2522A25CG4
10.5 lb T2522A25NG4
10.5 lb T2522A25CGF4
10.5 lb T2522A25NGF4
13 lb T2522A25C4
13 lb T2522A25S4

14 lb T3122A25CG4+2C
14 lb T3122A25C4+2C

6.2 lb T2319C2CG
6.4 lb T2319C2NG
6.3 lb T2319C2CGF
6.5 lb T2319C2NGF
7.5 lb T2319C2C
10.5 lb T2319C2S

4 lb T2304C2CGt
4 lb T2304C2NGt
4 lb T2304C2CGFt
4 lb T2304C2NGFt
4 lb T2302C2Ct
4.2 lb T2304C2Ct

12 lb T2919C2CG+2C
12 lb T2919C2NG+2C
13 lb T2919C2C+2C

8.5 lb T2319C2CG4
8.5 lb T2319C2NG4
8.5 lb T2319C2CGF4
8.5 lb T2319C2NGF4
8.5 lb T2319C2C4
12 lb T2319C2S4

13 lb T2919C2CG4+2C
13 lb T2919C2NG4+2C
13 lb T2919C2CGF4+2C
13 lb T2919C2NGF4+2C
12 lb T2919C2C4+2C
12 lb T2919C2S4+2S

6.5 lb T2219S2CG
6.7 lb T2219S2NG
6.5 lb T2219S2CGF
6.7 lb T2219S2NGF
7.5 lb T2219S2C
10.5 lb T2219S2S

8.5 lb T2219S2CG4
8.5 lb T2219S2NG4
8.5 lb T2219S2CGF4
8.5 lb T2219S2NGF4
8.5 lb T2219S2C4
12 lb T2219S2S4

7.8 lb T3126A2CG
7.8 lb T3126A2CGF
11 lb T3126A2C
13.5 lb T3126A2S

non-skidding for tight turns & ground undulations

\$652 4 center bodies + 2 short outer bodies, 31.875" shaft SHA3122ATA4+2 **\$108**
\$652 4 center bodies + 2 short outer bodies, 31.875" shaft SHA3122ATA4+2 **\$108**
\$652 4 center bodies + 2 short outer bodies, 31.875" shaft SHA3122ATA4+2 **\$108**
\$652 4 center bodies + 2 short outer bodies, 31.875" shaft SHA3122ATA4+2 **\$108**
\$652 4 center bodies + 2 short outer bodies, 31.875" shaft SHA3122ATA4+2 **\$108**
\$652 4 center bodies + 2 short outer bodies, 31.875" shaft SHA3122ATA4+2 **\$108**

\$456 22.45" body, 25.875" shaft SHA2522AT **\$76**
\$456 22.45" body, 25.875" shaft SHA2522AT **\$76**
\$456 22.45" body, 25.87" shaft SHA2522AT **\$76**
\$456 22.45" body, 25.87" shaft SHA2522AT **\$76**
\$396 22.45" body, 25.875" shaft SHA2522AT **\$76**
\$376 22.25" body, 25.875" shaft SHA2522AT **\$76**

non-striping, non-skidding for tight turns & ground undulations

\$496 2 short twin bodies at ends of a 25.875" shaft SHA2504ATAt **\$91**
\$496 2 short twin bodies at ends of a 25.875" shaft SHA2504ATAt **\$91**

non-skidding for tight turns & ground undulations

\$636 4 short bodies, 25.875" shaft SHA2522ATA4 **\$98**
\$636 4 short bodies, 25.875" shaft SHA2522ATA4 **\$98**
\$636 4 short bodies, 25.875" shaft SHA2522ATA4 **\$98**
\$636 4 short bodies, 25.875" shaft SHA2522ATA4 **\$98**
\$636 4 short bodies, 25.875" shaft SHA2522ATA4 **\$98**
\$626 4 short bodies, 25.875" shaft SHA2522ATA4 **\$98**

non-skidding for tight turns & ground undulations

\$686 4 center body + 2 short outer bodies, 31.875" shaft SHA3122ATA4+2 **\$108**
\$686 4 center body + 2 short outer bodies, 31.875" shaft SHA3122ATA4+2 **\$108**

19.45" body, 23" shaft w/o taps SHA2319CT **\$76**
19.45" body, 23" shaft w/o taps SHA2319CT **\$76**
19.45" body, 23" shaft w/o taps SHA2319CT **\$76**
19.45" body, 23" shaft w/o taps SHA2319CT **\$76**
19.25" body, 23" shaft w/o taps SHA2319CT **\$76**
19.25" body, 23" shaft w/o taps SHA2319CT **\$76**

non-striping, non-skidding for tight turns & ground undulations

\$452 2 short twin bodies at ends of a 23" shaft SHA2304CTAt **\$91**
\$452 2 short twin bodies at ends of a 23" shaft SHA2304CTAt **\$91**
\$452 2 short twin bodies at ends of a 23" shaft SHA2304CTAt **\$91**
\$452 2 short twin bodies at ends of a 23" shaft SHA2304CTAt **\$91**
\$452 2 short twin bodies at ends of a 23" shaft SHA2302CTAt **\$91**
\$452 2 short twin bodies at ends of a 23" shaft SHA2304CTAt **\$91**

non-skidding for tight turns & ground undulations

\$512 19.45" center body + 2 short outer bodies, 29" shaft SHA2919CTA+2 **\$108**
\$512 19.45" center body + 2 short outer bodies, 29" shaft SHA2919CTA+2 **\$108**
\$512 19.25" center body + 2 short outer bodies, 29" shaft SHA2919CTA+2 **\$108**

non-skidding for tight turns & ground undulations

\$562 4 short bodies, 23" shaft SHA2319CTA4 **\$91**
\$562 4 short bodies, 23" shaft SHA2319CTA4 **\$91**
\$562 4 short bodies, 23" shaft SHA2319CTA4 **\$91**
\$562 4 short bodies, 23" shaft SHA2319CTA4 **\$91**
\$562 4 short bodies, 23" shaft SHA2319CTA4 **\$91**
\$562 4 short bodies, 23" shaft SHA2319CTA4 **\$91**

non-skidding for tight turns & ground undulations

\$652 4 center bodies + 2 short outer bodies, 29" shaft SHA2919CTA4+2 **\$108**
\$652 4 center bodies + 2 short outer bodies, 29" shaft SHA2919CTA4+2 **\$108**
\$652 4 center bodies + 2 short outer bodies, 29" shaft SHA2919CTA4+2 **\$108**
\$652 4 center bodies + 2 short outer bodies, 29" shaft SHA2919CTA4+2 **\$108**
\$652 4 center bodies + 2 short outer bodies, 29" shaft SHA2919CTA4+2 **\$108**
\$652 4 center bodies + 2 short outer bodies, 29" shaft SHA2919CTA4+2 **\$108**

19.45" body, 22.75" shaft w/o taps SHA2219ST **\$76**
19.45" body, 22.75" shaft w/o taps SHA2219ST **\$76**
19.45" body, 22.75" shaft w/o taps SHA2219ST **\$76**
19.45" body, 22.75" shaft w/o taps SHA2219ST **\$76**
19.25" body, 22.75" shaft w/o taps SHA2219ST **\$76**
19.25" body, 22.75" shaft w/o taps SHA2219ST **\$76**

non-skidding for tight turns & ground undulations

\$562 4 short bodies, 22.75" shaft SHA2219STA4 **\$91**
\$562 4 short bodies, 22.75" shaft SHA2219STA4 **\$91**
\$562 4 short bodies, 22.75" shaft SHA2219STA4 **\$91**
\$562 4 short bodies, 22.75" shaft SHA2219STA4 **\$91**
\$562 4 short bodies, 22.75" shaft SHA2219STA4 **\$91**
\$562 4 short bodies, 22.75" shaft SHA2219STA4 **\$91**

Call to upgrade with double row angular contact bearings

26.45" body, 31" shaft SHA3126AT **\$76**
26.45" body, 31" shaft SHA3126AT **\$76**
26.45" body, 31" shaft SHA3126AT **\$76**
26.25" body, 31" shaft SHA3126AT **\$76**

2" dia. TWO opposing end short bodies

2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) no flats
 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) no flats
 2 bodies 2" dia. wide grooved Urethane (2x4.75" wide bodies) 1" flats
 2 bodies 2" dia. narrow grooved Urethane (2x4.75" wide bodies) 1" flats
 2 bodies 2" dia. smooth Urethane (2x2" wide bodies)
 2 bodies 2" dia. smooth Urethane (2x4.75" wide bodies)

2" dia. SINGLE body + 2 bodies outside of brackets

extended 2" dia. wide grooved Urethane (26.45" inner+2x2" outer bodies) no flats
 extended 2" dia. narrow grooved Urethane (26.45" inner+2x2" outer bodies) no flats
 extended 2" dia. smooth Urethane (26.45" inner+2x2" outer bodies)

2" dia. FOUR bodies

4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) no flats
 4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats
 4 bodies 2" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats
 4 bodies 2" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats
 4 bodies 2" dia. smooth Urethane (4x6.5" wide bodies)
 4 bodies 2" dia. smooth Steel heavy (4x6.5" wide bodies)

2" dia. FOUR bodies + 2 bodies outside of brackets

6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats
 6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats
 6 bodies 2" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats
 6 bodies 2" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) 1" flats
 6 bodies 2" dia. smooth Urethane (4x6.5" inner+2x2" outer bodies)
 6 bodies 2" dia. smooth Steel heavy (4x6.5" inner+2x2" outer bodies)

2.5" dia. SINGLE body

2.5" dia. wide grooved (1" spacing) Urethane no flats
 2.5" smooth Urethane
 2.5" smooth Steel

2.5" dia. TWO opposing end short bodies

2 bodies 2.5" smooth Urethane (2x4.75" wide bodies)

2.5" dia. SINGLE body + 2 bodies outside of brackets

extended 2.5" dia. wide grooved Urethane (27.45" inner+2x2" outer bodies) no flats
 extended 2.5" dia. narrow grooved Urethane (27.45" inner+2x2" outer bodies) no flats
 extended 2.5" smooth Urethane (27.45" inner+2x2" outer bodies)

2.5" dia. FOUR bodies

4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats
 4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats
 4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)

2.5" dia. FOUR bodies + 2 bodies outside of brackets

6 bodies 2.5" dia. wide grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats
 6 bodies 2.5" dia. narrow grooved Urethane (4x6.5" inner+2x2" outer bodies) no flats
 6 bodies 2.5" smooth Urethane (4x6.5" inner+2x2" outer bodies)

Toro 5100D, 5300D & 223D FAIRWAY MOWERS - FRONT ROLLER

Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call

2.5" dia. SINGLE body

2.5" dia. wide grooved (1" spacing) Urethane no flats
 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats
 2.5" dia. wide grooved (1" spacing) Urethane 1" flats
 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats
 2.5" smooth Urethane
 2.5" smooth Steel

Toro 5100D, 5300D & 223D FAIRWAY MOWERS - BACK ROLLER (2.5" diameter also available)**2" dia. SINGLE body**

2" dia. wide grooved Urethane 1" flats
 2" dia. smooth Urethane
 2" dia. smooth Steel heavy (1/4" wall)

Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIRWAY MOWERS - FRONT

Combination roller assemblies to diminish effect of reel overlap shadowing are available-please call

2.5" dia. SINGLE body

2.5" dia. wide grooved (1" spacing) Urethane no flats
 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats
 2.5" dia. wide grooved (1" spacing) Urethane 1" flats
 2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats
 2.5" smooth Urethane
 2.5" smooth Steel
 2.5" dia. wide grooved (1" spacing) Urethane no flats
 2.5" smooth Urethane
 2.5" smooth Steel
 2.5" dia. wide grooved (1" spacing) Urethane no flats
 2.5" smooth Urethane
 2.5" smooth Steel

2.5" dia. FOUR bodies

4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats
 4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats
 4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats
 4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats
 4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)
 4 bodies 2.5" smooth Steel (4x5.55" wide bodies)
 4 bodies 2.5" dia. wide grooved Urethane (2x5.55"+2x6.5" wide bodies) no flats
 4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats
 4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats
 4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats
 4 bodies 2.5" smooth Urethane (2x5.55"+2x6.5" wide bodies)

4.4 lb T3104A2CGt
 4.4 lb T3104A2NGt
 4.4 lb T3104A2CGFt
 4.4 lb T3104A2NGFt
 4.4 lb T3102A2Ct
 4.4 lb T3104A2Ct

12.4 T3726A2CG+2C
 12.4 T3726A2NG+2C
 13.5 lb T3726A2C+2C

8.5 lb T3126A2CG4
 8.5 lb T3126A2NG4
 8.5 lb T3126A2CGF4
 8.5 lb T3126A2NGF4
 8.5 lb T3126A2C4
 12 lb T3126A2S4

13 lb T3726A2CG4+2C
 13 lb T3726A2CG4+2C
 13 lb T3726A2CGF4+2C
 13 lb T3726A2NGF4+2C
 12 lb T3126A2C4+2C
 12 lb T3126A2S4+2S

9.5 lb T3127A25CG
 11 lb T3127A25C
 11 lb T3127A25S

7 lb T3104A25Ct

12.4 T3727A25CG+2C
 12.4 T3727A25NG+2C
 13.5 lb T3727A25C+2C

10 lb T3128A25CG4
 10 lb T3128A25NG4
 13 lb T3128A25C4

10 lb T3728A25CG4+2C
 10 lb T3728A25NG4+2C
 13 lb T3728A25C4+2C

non-stripping, non-skidding for tight turns & ground undulations

2 short twin bodies at ends of a 31" shaft
 2 short twin bodies at ends of a 31" shaft
 2 short twin bodies at ends of a 31" shaft
 2 short twin bodies at ends of a 31" shaft
 2 short twin bodies at ends of a 31" shaft
 2 short twin bodies at ends of a 31" shaft

non-skidding for tight turns & ground undulations

26.45" center body + 2 short outer bodies, 37" shaft
 26.45" center body + 2 short outer bodies, 37" shaft
 26.45" center body + 2 short outer bodies, 37" shaft

non-skidding for tight turns & ground undulations

4 short bodies, 31" shaft
 4 short bodies, 31" shaft
 4 short bodies, 31" shaft
 4 short bodies, 31" shaft
 4 short bodies, 31" shaft
 4 short bodies, 31" shaft

non-skidding for tight turns & ground undulations

4 center bodies + 2 short outer bodies, 37" shaft
 4 center bodies + 2 short outer bodies, 37" shaft
 4 center bodies + 2 short outer bodies, 37" shaft
 4 center bodies + 2 short outer bodies, 37" shaft
 4 center bodies + 2 short outer bodies, 37" shaft
 4 center bodies + 2 short outer bodies, 37" shaft

27.45" body, 31" shaft
 27.45" body, 31" shaft
 27.25" body, 31" shaft

non-stripping, non-skidding for tight turns & ground undulations

2 short twin bodies at ends of a 31" shaft

non-skidding for tight turns & ground undulations

27.45" center body + 2 short outer bodies, 37" shaft
 27.45" center body + 2 short outer bodies, 37" shaft
 27.45" center body + 2 short outer bodies, 37" shaft

non-skidding for tight turns & ground undulations

4 short bodies, 31" shaft
 4 short bodies, 31" shaft
 4 short bodies, 31" shaft

non-skidding for tight turns & ground undulations

4 center bodies + 2 short outer bodies, 37" shaft
 4 center bodies + 2 short outer bodies, 37" shaft
 4 center bodies + 2 short outer bodies, 37" shaft

Call to upgrade with double row angular contact bearings

22.45" body, 25.87" shaft
 22.45" body, 25.87" shaft
 22.45" body, 25.87" shaft
 22.45" body, 25.87" shaft
 22.45" body, 25.87" shaft
 22.45" body, 25.87" shaft
 22.25" body, 25.87" shaft

Call to upgrade with double row angular contact bearings

19.45" body, 23" shaft
 19.25" body, 23" shaft
 19.25" body, 23" shaft

Call to upgrade with double row angular contact bearings

22.45" body, 27" shaft
 22.45" body, 27" shaft
 22.45" body, 27" shaft
 22.45" body, 27" shaft
 22.45" body, 27" shaft
 22.45" body, 27" shaft
 22.25" body, 27" shaft
 24.45" body, 27" shaft
 24.45" body, 27" shaft
 24.25" body, 27" shaft
 19.45" body, 23" shaft
 19.45" body, 23" shaft
 19.25" body, 23" shaft

non-skidding for tight turns & ground undulations

4 short bodies, 27" shaft
 4 short bodies, 27" shaft
 4 short bodies, 27" shaft
 4 short bodies, 27" shaft
 4 short bodies, 27" shaft
 4 short bodies, 27" shaft
 4 short bodies, 27" shaft
 4 short bodies, 27" shaft
 4 short bodies, 27" shaft
 4 short bodies, 27" shaft
 4 short bodies, 27" shaft
 4 short bodies, 27" shaft

3" dia. SINGLE body

3" dia. wide grooved Urethane	9.5 lb T2722A3CG	\$513	22.45" body, 27" shaft	SHA2722AT	\$76
3" smooth Urethane	12 lb T2722A3C	\$483	22.45" body, 27" shaft	SHA2722AT	\$76
3" smooth Steel	11.5 lb T2722A3S	\$443	22.25" body, 27" shaft	SHA2722AT	\$76
3" dia. wide grooved Urethane	9.5 lb T2724A3CG	\$513	24.45" body, 27" shaft	SHA2724AT	\$76
3" smooth Urethane	12 lb T2724A3C	\$483	24.45" body, 27" shaft	SHA2724AT	\$76
3" smooth Steel	11.5 lb T2724A3S	\$443	24.25" body, 27" shaft	SHA2724AT	\$76

3" dia. FOUR bodies

4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies)	10 lb T2722A3CG4	\$673	4 short bodies, 27" shaft	SHA2722ATA4	\$91
4 bodies 3" smooth Urethane (4x5.55" wide bodies)	13 lb T2722A3C4	\$663	4 short bodies, 27" shaft	SHA2722ATA4	\$91
4 bodies 3" dia. wide grooved Urethane (2x5.2"+2x6.5" wide bodies)	10 lb T2724A3CG4	\$673	4 short bodies, 27" shaft	SHA2724ATA4	\$91
4 bodies 3" smooth Urethane (2x5.55"+2x6.5" wide bodies)	13 lb T2724A3C4	\$663	4 short bodies, 27" shaft	SHA2724ATA4	\$91

Toro 3550D, 3555D, 3575D, 5200D, 5210D, 5400D, 5410D, 5510D, 5610D FAIRWAY MOWERS - BACK**Call to upgrade with double row angular contact bearings****2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats	6.5 lb T2522A2CG	\$382	22.45" body, 25.875" shaft	SHA2522AT	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb T2522A2NG	\$382	22.45" body, 25.875" shaft	SHA2522AT	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb T2522A2CGF	\$382	22.45" body, 25.875" shaft	SHA2522AT	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2522A2NGF	\$382	22.45" body, 25.875" shaft	SHA2522AT	\$76
2" dia. smooth Urethane	8 lb T2522A2C	\$362	22.25" body, 25.875" shaft	SHA2522AT	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2522A2S	\$302	22.25" body, 25.875" shaft	SHA2522AT	\$76
2" dia. wide grooved Urethane no flats	6.5 lb T2519A2CG	\$382	19.45" body, 25" shaft	SHA2519AT	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb T2519A2NG	\$382	19.45" body, 25" shaft	SHA2519AT	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb T2519A2CGF	\$382	19.45" body, 25" shaft	SHA2519AT	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb T2519A2NGF	\$382	19.45" body, 25" shaft	SHA2519AT	\$76
2" dia. smooth Urethane	7.5 lb T2519A2C	\$362	19.45" body, 25" shaft	SHA2519AT	\$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2519A2S	\$302	19.25" body, 25" shaft	SHA2519AT	\$76
2" dia. smooth Urethane	8 lb T2321T2C	\$362	21.45" body, 23.75" shaft	SHA2321TT	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb T2321T2S	\$302	21.25" body, 23.75" shaft	SHA2321TT	\$76
2" dia. wide grooved Urethane no flats	6.2 lb T2319A2CG	\$382	19.45" body, 23" shaft w/o taps	SHA2319AT	\$76
2" dia. narrow grooved Urethane no flats	6.4 lb T2319A2NG	\$382	19.45" body, 23" shaft w/o taps	SHA2319AT	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb T2319A2CGF	\$382	19.45" body, 23" shaft w/o taps	SHA2319AT	\$76
2" dia. narrow grooved Urethane 1" flats	6.5 lb T2319A2NGF	\$382	19.45" body, 23" shaft w/o taps	SHA2319AT	\$76
2" dia. smooth Urethane	7.5 lb T2319A2C	\$362	19.25" body, 23" shaft w/o taps	SHA2319AT	\$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2319A2S	\$302	19.25" body, 23" shaft w/o taps	SHA2319AT	\$76

2" dia. FOUR bodies

4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2CG4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	8.5 lb T2522A2NG4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2CGF4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb T2522A2NGF4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb T2522A2C4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb T2522A2S4	\$562	4 short bodies, 25.875" shaft	SHA2522ATA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A2CG4	\$562	4 short bodies, 25.875" shaft	SHA2519ATA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A2NG4	\$562	4 short bodies, 25.875" shaft	SHA2519ATA4	\$91
4 bodies 2" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A2CGF4	\$562	4 short bodies, 25.875" shaft	SHA2519ATA4	\$91
4 bodies 2" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A2NGF4	\$562	4 short bodies, 25.875" shaft	SHA2519ATA4	\$91
4 bodies 2" dia. smooth Urethane (4x4.75" wide bodies)	8.5 lb T2519A2C4	\$562	4 short bodies, 25.875" shaft	SHA2519ATA4	\$91
4 bodies 2" dia. smooth Steel heavy (4x4.75" wide bodies)	12 lb T2519A2S4	\$562	4 short bodies, 25.875" shaft	SHA2519ATA4	\$91

2.5" dia. SINGLE body

2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522A25CG	\$456	22.45" body, 25.87" shaft	SHA2522AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522A25NG	\$456	22.45" body, 25.87" shaft	SHA2522AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522A25CGF	\$456	22.45" body, 25.87" shaft	SHA2522AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522A25NGF	\$456	22.45" body, 25.87" shaft	SHA2522AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb T2522C25CG	\$456	22.45" body, 25.5" shaft	SHA2522CT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522C25NG	\$456	22.45" body, 25.5" shaft	SHA2522CT	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522C25CGF	\$456	22.45" body, 25.5" shaft	SHA2522CT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522C25NGF	\$456	22.45" body, 25.5" shaft	SHA2522CT	\$76
2.5" smooth Urethane	9.5 lb T2522C25C	\$396	22.45" body, 25.5" shaft	SHA2522CT	\$76
2.5" smooth Steel	10 lb T2522C25S	\$376	22.25" body, 25.5" shaft	SHA2522CT	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb T2521C25CG	\$456	21.45" body, 25.5" shaft	SHA2521CT	\$76
2.5" smooth Urethane	9.5 lb T2521C25C	\$396	21.45" body, 25.5" shaft	SHA2521CT	\$76
2.5" smooth Steel	10 lb T2521C25S	\$376	21.25" body, 25.5" shaft	SHA2521CT	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb T2519A25CG	\$456	19.45" body, 25" shaft	SHA2519AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2519A25NG	\$456	19.45" body, 25" shaft	SHA2519AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2519A25CGF	\$456	19.45" body, 25" shaft	SHA2519AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2519A25NGF	\$456	19.45" body, 25" shaft	SHA2519AT	\$76
2.5" smooth Urethane	9 lb T2519A25C	\$396	19.45" body, 25" shaft	SHA2519AT	\$76
2.5" smooth Steel	9 lb T2519A25S	\$376	19.25" body, 25" shaft	SHA2519AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	8.5 lb T2321A25CG	\$456	21.45" body, 23.75" shaft	SHA2321AT	\$76
2.5" smooth Urethane	9.5 lb T2321A25C	\$396	21.45" body, 23.75" shaft	SHA2321AT	\$76
2.5" smooth Steel	9.2 lb T2321A25S	\$376	21.25" body, 23.75" shaft	SHA2321AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb T2319A25CG	\$456	19.45" body, 23" shaft	SHA2319AT	\$76
2.5" smooth Urethane	9 lb T2319A25C	\$396	19.45" body, 23" shaft	SHA2319AT	\$76
2.5" smooth Steel	9 lb T2319A25S	\$376	19.25" body, 23" shaft	SHA2319AT	\$76

2.5" dia. FOUR bodies

4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2522A25CG4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522A25NG4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25CGF4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25NGF4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb T2522A25C4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522A25S4	\$626	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A25CG4	\$636	4 short bodies, 25" shaft	SHA2519ATA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A25NG4	\$636	4 short bodies, 25" shaft	SHA2519ATA4	\$91
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25CGF4	\$636	4 short bodies, 25" shaft	SHA2519ATA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25NGF4	\$636	4 short bodies, 25" shaft	SHA2519ATA4	\$91
4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)	8.5 lb T2519A25C4	\$636	4 short bodies, 25" shaft	SHA2519ATA4	\$91
4 bodies 2.5" smooth Steel (4x4.75" wide bodies)	12 lb T2519A25S4	\$626	4 short bodies, 25" shaft	SHA2519ATA4	\$91

<u>3" dia. SINGLE body</u>					
3" dia. wide grooved Urethane	9.5 lb T2522C3CG	\$513	22.45" body, 25.5" shaft	SHA2522CT	\$76
3" smooth Urethane	12 lb T2522C3C	\$483	22.45" body, 25.5" shaft	SHA2522CT	\$76
3" smooth Steel	11.5 lb T2522C3S	\$443	22.25" body, 25.5" shaft	SHA2522CT	\$76
3" dia. wide grooved Urethane	9 lb T2519A3CG	\$513	19.45" body, 25" shaft	SHA2519AT	\$76
3" smooth Urethane	11 lb T2519A3C	\$483	19.45" body, 25" shaft	SHA2519AT	\$76
3" smooth Steel	11 lb T2519A3S	\$443	19.25" body, 25" shaft	SHA2519AT	\$76
3" dia. wide grooved Urethane	9 lb T2319T3CG	\$513	19.45" body, 23" shaft	SHA2319TT	\$76
3" smooth Urethane	11 lb T2319T3C	\$483	19.45" body, 23" shaft	SHA2319TT	\$76
3" smooth Steel	11 lb T2319T3S	\$443	19.25" body, 23" shaft	SHA2319TT	\$76
Toro 5500D, 6500D & 6700D FAIRWAY MOWERS - FRONT & BACK ROLLERS					
<u>2.5" dia. SINGLE body</u>					
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2522A25CG	\$456	22.45" body, 25.87" shaft	SHA2522AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2522A25NG	\$456	22.45" body, 25.87" shaft	SHA2522AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2522A25CGF	\$456	22.45" body, 25.87" shaft	SHA2522AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2522A25NGF	\$456	22.45" body, 25.87" shaft	SHA2522AT	\$76
2.5" smooth Urethane	9.5 lb T2522A25C	\$396	22.45" body, 25.87" shaft	SHA2522AT	\$76
2.5" smooth Steel	10 lb T2522A25S	\$376	22.25" body, 25.87" shaft	SHA2522AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2422A25CG	\$456	22.45" body, 24.5" shaft	SHA2422AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2422A25NG	\$456	22.45" body, 24.5" shaft	SHA2422AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2422A25CGF	\$456	22.45" body, 24.5" shaft	SHA2422AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2422A25NGF	\$456	22.45" body, 24.5" shaft	SHA2422AT	\$76
2.5" smooth Urethane	9.5 lb T2422A25C	\$396	22.45" body, 24.5" shaft	SHA2422AT	\$76
2.5" smooth Steel	10 lb T2422A25S	\$376	22.25" body, 24.5" shaft	SHA2422AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb T2421A25CG	\$456	21.45" body, 24.5" shaft	SHA2422AT	\$76
2.5" smooth Urethane	9.5 lb T2421A25C	\$396	21.45" body, 24.5" shaft	SHA2421AT	\$76
2.5" smooth Steel	10 lb T2421A25S	\$376	21.25" body, 24.5" shaft	SHA2421AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	8 lb T2519A25CG	\$456	19.45" body, 25" shaft	SHA2519AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb T2519A25NG	\$456	19.45" body, 25" shaft	SHA2519AT	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9 lb T2519A25CGF	\$456	19.45" body, 25" shaft	SHA2519AT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9 lb T2519A25NGF	\$456	19.45" body, 25" shaft	SHA2519AT	\$76
2.5" smooth Urethane	9 lb T2519A25C	\$396	19.45" body, 25" shaft	SHA2519AT	\$76
2.5" smooth Steel	9 lb T2519A25S	\$376	19.25" body, 25" shaft	SHA2519AT	\$76
To diminish instances of shadowing lines due to overlap of reels					
2.5" dia. wide grooved (1" spacing) Urethane 2.2" wide flats	9.5 lb T2522A25CG.22C	\$496	call for proper application specifics		
2.5" smooth Urethane	11 lb T2519A25C	\$396	front roller for rear mower heads-use with T2519A25C	SHA2522AT	\$76
			back roller for rear mower heads-use with T2522A25CG.22C	SHA2519AT	\$76
<u>2.5" dia. FOUR bodies</u>					
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10 lb T2522A25CG4	\$636	non-skidding for tight turns & ground undulations		
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb T2522A25NG4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25CGF4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 bodies 2.5" dia. narrow grooved Urethane (4x5.55" wide bodies) 1" flats	10.5 lb T2522A25NGF4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	13 lb T2522A25C4	\$636	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	13 lb T2522A25S4	\$626	4 short bodies, 25.875" shaft	SHA2522ATA4	\$98
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A25CG4	\$636	4 short bodies, 25" shaft	SHA2519ATA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) no flats	8.5 lb T2519A25NG4	\$636	4 short bodies, 25" shaft	SHA2519ATA4	\$91
4 bodies 2.5" dia. wide grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25CGF4	\$636	4 short bodies, 25" shaft	SHA2519ATA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x4.75" wide bodies) 1" flats	8.5 lb T2519A25NGF4	\$636	4 short bodies, 25" shaft	SHA2519ATA4	\$91
4 bodies 2.5" smooth Urethane (4x4.75" wide bodies)	8.5 lb T2519A25C4	\$636	4 short bodies, 25" shaft	SHA2519ATA4	\$91
4 bodies 2.5" smooth Steel (4x4.75" wide bodies)	12 lb T2519A25S4	\$626	4 short bodies, 25" shaft	SHA2519ATA4	\$91
<u>3" dia. SINGLE body</u>					
3" dia. wide grooved Urethane	9.5 lb T2522A3CG	\$513	22.45" body, 25.87" shaft	SHA2522AT	\$76
3" smooth Urethane	12 lb T2522A3C	\$483	22.45" body, 25.87" shaft	SHA2522AT	\$76
3" smooth Steel	11.5 lb T2522A3S	\$443	22.25" body, 25.87" shaft	SHA2522AT	\$76
3" dia. wide grooved Urethane	9.5 lb T2722A3CG	\$513	22.45" body, 27" shaft	SHA2722AT	\$76
3" smooth Urethane	12 lb T2722A3C	\$483	22.45" body, 27" shaft	SHA2722AT	\$76
3" smooth Steel	11.5 lb T2722A3S	\$443	22.25" body, 27" shaft	SHA2722AT	\$76
3" dia. wide grooved Urethane	9.5 lb T2724A3CG	\$513	24.45" body, 27" shaft	SHA2724AT	\$76
3" smooth Urethane	12 lb T2724A3C	\$483	24.45" body, 27" shaft	SHA2724AT	\$76
3" smooth Steel	11.5 lb T2724A3S	\$443	24.25" body, 27" shaft	SHA2724AT	\$76
To diminish instances of shadowing lines due to overlap of reels					
3" dia. wide grooved Urethane with 2.2" wide smooth ends	9.5 lb T2722A3CG.22C	\$543	call for proper application specifics		
3" smooth Urethane	11 lb T2719A3C	\$483	front roller for rear mower heads-use with T2719A3C	SHA2722AT	\$76
(please confirm diameter of body and length of shaft required to fit BACK ROLLER)			back roller for rear mower heads-use with T2722A3CG.22C	SHA2719AT	\$76
2.5" Combination roller assemblies to diminish effect of reel overlap shadowing are available					
Toro SIDEWINDER 27" REEL MOWERS: 2000D, 2300D, 3100D & 216 - FRONT & BACK ROLLERS					
<u>2.5" dia. SINGLE body</u>					
2.5" dia. wide grooved (1" spacing) Urethane no flats	10 lb T3026D25CG	\$456	26.45" body, 30" shaft	SHA3026DT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9.5 lb T3026D25NG	\$456	26.45" body, 30" shaft	SHA3026DT	\$76
2.5" dia. wide grooved (1" spacing) Urethane 1" flats	9.5 lb T3026D25CGF	\$456	26.45" body, 30" shaft	SHA3026DT	\$76
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane 1" flats	9.5 lb T3026D25NGF	\$456	26.45" body, 30" shaft	SHA3026DT	\$76
2.5" smooth Urethane	11 lb T3026D25C	\$396	26.45" body, 30" shaft	SHA3026DT	\$76
2.5" smooth Steel	11 lb T3026D25S	\$376	26.45" body, 30" shaft	SHA3026DT	\$76
2.5" dia. wide grooved (1" spacing) Urethane no flats	10.3 lb T3227D25CG	\$456	27.45" body, 32" dia. shaft	SHA3227DT	\$76
2.5" smooth Urethane	11 lb T3227D25C	\$396	27.45" body, 32" dia. shaft	SHA3227DT	\$76
<u>2.5" dia. FOUR bodies</u>					
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) no flats	10 lb T3026D25CG4	\$636	non-skidding for tight turns & ground undulations		
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) no flats	10 lb T3026D25NG4	\$636	4 short bodies, 30" shaft	SHA3026DTA4	\$91
4 bodies 2.5" dia. wide grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb T3026D25CGF4	\$636	4 short bodies, 30" shaft	SHA3026DTA4	\$91
4 bodies 2.5" dia. narrow grooved Urethane (4x6.5" wide bodies) 1" flats	10 lb T3026D25NGF4	\$636	4 short bodies, 30" shaft	SHA3026DTA4	\$91
4 bodies 2.5" smooth Urethane (4x6.5" wide bodies)	13 lb T3026D25C4	\$636	4 short bodies, 30" shaft	SHA3026DTA4	\$91

3" dia. SINGLE body (FOUR bodies also available)

3" dia. wide grooved Urethane	12.5 lb T3026D3CG	\$513	26.45" body, 30" shaft	SHA3026DT	\$76
3" smooth Urethane	13 lb T3026D3C	\$483	26.45" body, 30" shaft	SHA3026DT	\$76
3" smooth Steel	13 lb T3026D3S	\$443	26.25" body, 30" shaft	SHA3026DT	\$76
3" dia. wide grooved Urethane	12.8 lb T3227D3CG	\$513	27.45" body, 32" dia. shaft	SHA3227DT	\$76
3" smooth Urethane	13.3 lb T3227D3C	\$483	27.45" body, 32" dia. shaft	SHA3227DT	\$76
3" smooth Steel	13.3 lb T3227D3S	\$443	27.25" body, 32" dia. shaft	SHA3227DT	\$76

Toro SIDEWINDER 32" REEL MOWERS: 3100D, 2600D & 2300D - FRONT ROLLER (check length of body and shaft)**3" dia. SINGLE body**

3" dia. wide grooved Urethane	14 lb T3431U3CG	\$543	31.45" body, 34.5" shaft	SHA3431UT	\$76
3" smooth Steel	15 lb T3431U3S	\$443	31.25" body, 34.5" shaft	SHA3431UT	\$76
3" dia. wide grooved Urethane	14 lb T3632U3CG	\$543	32.45" body, 36" shaft	SHA3632UT	\$76
3" smooth Steel	15 lb T3632U3S	\$463	32.25" body, 36" shaft	SHA3632UT	\$76
2.5" smooth Steel	12.5 lb T3431U25S	\$376	31.25" body, 34.5" shaft	SHA3431UT	\$76

3" dia. FOUR bodies

5 bodies 3" dia. wide grooved Urethane (1x5.2"+4x6.5" wide bodies)	12 lb T3431U3CG5	\$723	5 short bodies, 34.5" shaft	SHA3431UTA5	\$99
5 bodies 3" dia. wide grooved Urethane (1x5.2"+4x6.5" wide bodies)	12.5 lb T3632U3CG5	\$723	5 short bodies, 36" shaft	SHA3632UTA5	\$99
5 bodies 3" smooth Urethane (1x5.2"+4x6.5" wide bodies)	14 lb T3431U3C5	\$703	5 short bodies, 34.5" shaft	SHA3431UTA5	\$99
5 bodies 3" smooth Urethane (1x5.2"+4x6.5" wide bodies)	14.5 lb T3632U3C5	\$703	5 short bodies, 36" shaft	SHA3632UTA5	\$99

Toro SIDEWINDER 32" REEL MOWERS: 3100D, 2600D & 2300D - BACK ROLLER**2.5" dia. & 3" dia. & 3.5" dia. SINGLE body**

2.5" smooth Urethane	12.5 lb T3429U25C	\$396	29.45" body, 34.5" shaft	SHA3429UT	\$76
2.5" smooth Steel	12.5 lb T3429U25S	\$376	29.25" body, 34.5" shaft	SHA3429UT	\$76
3" smooth Urethane	15 lb T3429U3C	\$483	29.45" body, 34.5" shaft	SHA3429UT	\$76
3" smooth Steel	14.5 lb T3429U3S	\$443	29.25" body, 34.5" shaft	SHA3429UT	\$76
3" smooth Urethane (special)	15 lb T3429K3C	\$483	29.45" body, 34" shaft (confirm specs with us)	SHA3429KT	\$76
3" smooth Steel (special)	15 lb T3429K3S	\$443	29.25" body, 34" shaft (confirm specs with us)	SHA3429KT	\$76
3.5" smooth Urethane (special)	18 lb T3429K35C	\$577	29.45" body, 34" shaft (confirm specs with us)	SHA3429KT	\$76

3" dia. FIVE bodies

5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings	13.5 lb 2T3429A3CGR5	\$743	5 short bodies, 34.5" shaft	SHA3429ATA5	\$91
5 bodies 3" smooth Urethane (3x5.2"+2x6.5" bodies) double row bearings	14 lb 2T3429A3CR5	\$743	5 short bodies, 34.5" shaft	SHA3429ATA5	\$91

Toro REEL MOWERS: SPARTAN FAIRWAY, REELMASTER GANG, TURF PRO & PARKMASTER GANG

3" smooth Urethane	14 lb T3227J3C	\$493	27.45" body, 32.5" shaft	SHA3227JT	\$76
3" smooth Steel	13.5 lb T3227J3S	\$443	27.25" body, 32.5" shaft	SHA3227JT	\$76
3.5" smooth Urethane	17 lb T3227J35C	\$577	27.45" body, 32.5" shaft	SHA3227JT	\$76

Toro ROTARY DECK 4500D, 4700D, 3500D & 3505D - FRONT ROLLER (includes our Competition™ bearings, seals and roller shaft) does not use OEM 5/8" bolt

5" grooved Urethane (5.2" wide body) double row bearings	5 lb 2T0505G5CG	\$315	Roller assembly includes sleeves & bolts for mounting to fork	SHA0505GT	\$79
5" smooth Urethane (5.2" wide body) double row bearings	5 lb 2T0505G5C	\$295	Roller assembly includes sleeves & bolts for mounting to fork	SHA0505GT	\$79

Toro ROTARY DECK 4500D, 4700D, 3500D & 3505D - BACK ROLLER**3" dia. SINGLE body**

3" dia. wide grooved Urethane with double row bearings	13.5 lb 2T3329A3CGR	\$543	29.45" body, 33" shaft	SHA3329AT	\$79
3" smooth Urethane with double row bearings	15 lb 2T3329A3CR	\$533	29.45" body, 33" shaft	SHA3329AT	\$79
3" smooth Steel with double row bearings	15 lb 2T3329A3SR	\$503	29.25" body, 33" shaft	SHA3329AT	\$79

3" dia. TWO opposing end short bodies

2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	10.5 lb 2T3305A3CGRt	\$603	2 short twin bodies at ends of a 33" shaft	SHA3305ATAt	\$91
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	11 lb 2T3304A3CRt	\$573	2 short twin bodies at ends of a 33" shaft	SHA3304ATAt	\$91
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	12 lb 2T3304A3SRt	\$573	2 short twin bodies at ends of a 33" shaft	SHA3304ATAt	\$91

3" dia. FIVE bodies

5 bodies 3" dia. wide grooved Urethane (3x5.2"+2x6.5" bodies) double row bearings	13.5 lb 2T3329A3CGR5	\$743	5 short bodies, 33" shaft	SHA3329ATA5	\$91
5 bodies 3" smooth Urethane (3x5.2"+2x6.5" bodies) double row bearings	14 lb 2T3329A3CR5	\$743	5 short bodies, 33" shaft	SHA3329ATA5	\$91

3.5" dia. SINGLE body

3.5" smooth Urethane with double row bearings	18 lb 2T3329A35CR	\$617	29.45" body, 33" shaft	SHA3329AT	\$79
---	-------------------	--------------	------------------------	-----------	-------------

Toro ROTARY DECK 4300D - FRONT ROLLER (with extended shaft) (includes our Competition™ bearings, seals and roller shaft) does not use OEM 5/8" bolt

5" grooved Urethane (5.2" wide body) double row bearings	5 lb 2T0705G5CG	\$315	Roller assembly includes sleeves & bolts for mounting to fork	SHA0705GT	\$79
5" smooth Urethane (5.2" wide body) double row bearings	5.5 lb 2T0705G5C	\$295	Roller assembly includes sleeves & bolts for mounting to fork	SHA0705GT	\$79

Toro ROTARY DECK 4300D - BACK ROLLER (3.5" dia. rollers may be available-please call)**3" dia. SINGLE body**

3" dia. wide grooved Urethane with double row bearings	11 lb 2T2824K3CGR	\$543	24.45" body, 28" shaft	SHA2824KT	\$79
3" smooth Urethane with double row bearings	12 lb 2T2824K3CR	\$533	24.45" body, 28" shaft	SHA2824KT	\$79
3" smooth Steel with double row bearings	11 lb 2T2824K3SR	\$513	24.25" body, 28" shaft	SHA2824KT	\$79

3" dia. TWO opposing end short bodies

2 bodies 3" dia. wide grooved Urethane (2x5.2" wide bodies) double row bearings	10.5 lb 2T2805K3CGRt	\$603	2 short twin bodies at ends of a 28" shaft	SHA2805KTAt	\$91
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	11 lb 2T2804K3CRt	\$573	2 short twin bodies at ends of a 28" shaft	SHA2804KTAt	\$91
2 bodies 3" smooth Steel (2x4" wide bodies) double row bearings	12 lb 2T2804K3SRt	\$573	2 short twin bodies at ends of a 28" shaft	SHA2804KTAt	\$91

3" dia. FOUR bodies

4 bodies 3" dia. wide grooved Urethane (4x5.2" wide bodies) double row bearings	12.5 lb 2T2824K3CGR4	\$703	4 short bodies, 28" shaft	SHA2824KTA4	\$91
4 bodies 3" smooth Urethane (4x5.2" wide bodies) double row bearings	13.5 lb 2T2824K3CR4	\$703	4 short bodies, 28" shaft	SHA2824KTA4	\$91

Toro 22" VERTICUT heads (Call to confirm dimensions of your roller)**(Sectional rollers with 4 bodies also available)**

2" dia. smooth Steel heavy (1/4" wall)	10 lb T2419A2S	\$302	19.25" body, 24" shaft	SHA2419AT	\$76
2" dia. smooth Steel heavy (1/4" wall)	10.5 lb T2321A2S	\$302	21.25" body, 23" shaft	SHA2321AT	\$76

for RANSOMES mowers (multi-body rollers available)**RANSOMES ALL 22" GREENSPLEX & E-PLEX & 160 - FRONT ROLLER****2" dia. SINGLE body**

2" dia. wide grooved Urethane no flats	6.5 lb R2522A2CG	\$382	22.45" body, 25.875" shaft	SHA2522AJ	\$76
2" dia. narrow grooved Urethane no flats	6.7 lb R2522A2NG	\$382	22.45" body, 25.875" shaft	SHA2522AJ	\$76
2" dia. wide grooved Urethane 1" flats	6.5 lb R2522A2CGF	\$382	22.45" body, 25.875" shaft	SHA2522AJ	\$76
2" dia. narrow grooved Urethane 1" flats	6.7 lb R2522A2NGF	\$382	22.45" body, 25.875" shaft	SHA2522AJ	\$76
2" dia. smooth Urethane	8 lb R2522A2C	\$362	22.25" body, 25.875" shaft	SHA2522AJ	\$76
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb R2522A2S	\$302	22.25" body, 25.875" shaft	SHA2522AJ	\$76

<u>2" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	R2522A2CGF4	\$562	4 short bodies, 25.875" shaft	SHA2522AJA4	\$91	
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	R2522A2C4	\$562	4 short bodies, 25.875" shaft	SHA2522AJA4	\$91	
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	R2522A2S4	\$562	4 short bodies, 25.875" shaft	SHA2522AJA4	\$91	
<u>2.5" dia. SINGLE body</u>							
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R2522A25CG	\$456	22.45" body, 25.875" shaft	SHA2522AJ	\$76	
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb	R2522A25NG	\$456	22.45" body, 25.875" shaft	SHA2522AJ	\$76	
2.5" smooth Urethane	9.5 lb	R2522A25C	\$396	22.25" body, 25.875" shaft	SHA2522AJ	\$76	
2.5" smooth Steel	10 lb	R2522A25S	\$376	22.25" body, 25.875" shaft	SHA2522AJ	\$76	
<u>2.5" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations			
4 bodies 2.5" dia. wide grooved Urethane (4x5.55" wide bodies) no flats	10.5 lb	R2522A25CG4	\$636	4 short bodies, 25.875" shaft	SHA2522AJA4	\$91	
4 bodies 2.5" smooth Urethane (4x5.55" wide bodies)	8.5 lb	R2522A25C4	\$636	4 short bodies, 25.875" shaft	SHA2522AJA4	\$91	
4 bodies 2.5" smooth Steel (4x5.55" wide bodies)	12 lb	R2522A25S4	\$626	4 short bodies, 25.875" shaft	SHA2522AJA4	\$91	
RANSOMES 300 & 500 GREENSMOWERS - BACK ROLLER							
<u>2" dia. SINGLE body</u>							
2" dia. wide grooved Urethane 1" flats	6.5 lb	R2422S2CGF	\$382	22.45" body , 24.25" shaft-3/8" taps	SHA2422SJ	\$76	
2" dia. smooth Urethane	8 lb	R2422S2C	\$362	22.25" body , 24.25" shaft-3/8" taps	SHA2422SJ	\$76	
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	R2422S2S	\$302	22.25" body , 24.25" shaft-3/8" taps	SHA2422SJ	\$76	
2" dia. wide grooved Urethane 1" flats	6.5 lb	R2422G2CGF	\$382	22.45" body , 24.25" shaft-7/16" taps	SHA2422GJ	\$76	
2" dia. smooth Urethane	8 lb	R2422G2C	\$362	22.25" body , 24.25" shaft-7/16" taps	SHA2422GJ	\$76	
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb	R2422G2S	\$302	22.25" body , 24.25" shaft-7/16" taps	SHA2422GJ	\$76	
<u>2" dia. FOUR bodies</u>				non-skidding for tight turns & ground undulations			
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	R2422S2CGF4	\$562	4 bodies @22.3" oal, shaft-3/8" taps	SHA2422SJA4	\$91	
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	R2422S2C4	\$562	4 short bodies, 24.25" shaft	SHA2422SJA4	\$91	
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	R2422S2S4	\$562	4 short bodies, 24.25" shaft	SHA2422SJA4	\$91	
4 bodies 2" dia. wide grooved Urethane (4x5.55" wide bodies) 1" flats	8.5 lb	R2422G2CGF4	\$562	4 short bodies, 24.25" shaft	SHA2422GJA4	\$91	
4 bodies 2" dia. smooth Urethane (4x5.55" wide bodies)	8.5 lb	R2422G2C4	\$562	4 short bodies, 24.25" shaft	SHA2422GJA4	\$91	
4 bodies 2" dia. smooth Steel heavy (4x5.55" wide bodies)	12 lb	R2422G2S4	\$562	4 short bodies, 24.25" shaft	SHA2422GJA4	\$91	
RANSOMES MOTOR 180D, 180 TRIPLEX & TRIPLE 18 - ALL ROLLERS				Call to upgrade with double row angular contact bearings			
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R2826G25CG	\$456	7/16" taps in shaft ends	SHA2826GR	\$76	
2.5" smooth Urethane	11.5 lb	R2826G25C	\$396	7/16" taps in shaft ends	SHA2826GR	\$76	
2.5" smooth Steel	12 lb	R2826G25S	\$376	26.25" body, 7/16" taps	SHA2826GR	\$76	
RANSOMES 250 LIGHTWEIGHT FAIRWAY - 33 HP/ 6" DIA. REELS - ALL ROLLERS				Call to upgrade with double row angular contact bearings			
3" dia. wide grooved Urethane	13 lb	R2722R3CG	\$513	22.45" body, 27" shaft	SHA2722RR	\$76	
3" smooth Urethane	15 lb	R2722R3C	\$483	22.45" body, 27" shaft	SHA2722RR	\$76	
3" smooth Steel	15 lb	R2722R3S	\$443	22.45" body, 27" shaft	SHA2722RR	\$76	
RANSOMES 250 LIGHTWEIGHT FAIRWAY - 28 HP/ 2WD REELS - FRONT ROLLER				Call to upgrade with double row angular contact bearings			
3" dia. wide grooved Urethane	13 lb	R2622A3CG	\$513	22.45" body, 26" shaft	SHA2622AR	\$76	
3" smooth Urethane	15 lb	R2622A3C	\$483	22.45" body, 26" shaft	SHA2622AR	\$76	
3" smooth Steel	15 lb	R2622A3S	\$443	22.45" body, 26" shaft	SHA2622AR	\$76	
RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - FRONT ROLLER				Call to upgrade with double row angular contact bearings			
3" dia. wide grooved Urethane	13 lb	R2722A3CG	\$513	22.45" body, 27.5" shaft	SHA2722AR	\$76	
3" smooth Urethane	15 lb	R2722A3C	\$483	22.45" body, 27" shaft	SHA2722AR	\$76	
3" smooth Steel	15 lb	R2722A3S	\$443	22.45" body, 27.5" shaft	SHA2722AR	\$76	
RANSOMES 250 LIGHTWEIGHT FAIRWAY - 23 HP/ 5" DIA. REELS - BACK ROLLER				Call to upgrade with double row angular contact bearings			
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R2421S25CG	\$456	3/8" taps in shaft ends	SHA2421SJ	\$76	
2.5" smooth Urethane	9.5 lb	R2421S25C	\$396	3/8" taps in shaft ends	SHA2421SJ	\$76	
2.5" smooth Steel	10 lb	R2421S25S	\$376	21.25" body, 3/8" taps	SHA2421SJ	\$76	
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R2421G25CG	\$456	7/16" taps in shaft ends	SHA2421GJ	\$76	
2.5" smooth Urethane	8 lb	R2421G25C	\$396	7/16" taps in shaft ends	SHA2421GJ	\$76	
2.5" smooth Steel	12 lb	R2421G25S	\$376	21.25" body, 7/16" taps	SHA2421GJ	\$76	
RANSOMES 26" FAIRWAY 300, 305, 405 & 26" T-PLEX 185D - ALL ROLLERS				Call to upgrade with double row angular contact bearings			
3" dia. wide grooved Urethane	13 lb	R3026T3CG	\$513	26.45" body, 30" shaft	SHA3026TR	\$76	
3" smooth Urethane	15 lb	R3026T3C	\$493	26.45" body, 30" shaft	SHA3026TR	\$76	
3" smooth Steel	15 lb	R3026T3S	\$443	26.45" body, 30.5" shaft	SHA3026TR	\$76	
RANSOMES 30" T-PLEX 185D - ALL ROLLERS				Call to upgrade with double row angular contact bearings			
3" dia. wide grooved Urethane	13 lb	R3429T3CG	\$553	29.45" body, 34.5" shaft	SHA3429TR	\$76	
3" smooth Urethane	15 lb	R3429T3C	\$493	29.45" body, 34" shaft	SHA3429TR	\$76	
3" smooth Steel	15 lb	R3429T3S	\$453	29.25" body, 34.5" shaft	SHA3429TR	\$76	
RANSOMES 350D, 213D, 465, 5/3 MOTOR, 5 MOUNTED, 5/7 & 340 (27" REEL) - ALL ROLLERS				Call to upgrade with double row angular contact bearings			
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb	R3127G25CG	\$456	27.45" body, 31 .62" dia. shaft-7/16" taps	SHA3127GR	\$76	
2.5" smooth Urethane	11.2 lb	R3127G25C	\$396	27.45" body, 31 .62" dia. shaft-7/16" taps	SHA3127GR	\$76	
2.5" smooth Steel	12 lb	R3127G25S	\$376	27.25" body, 31 .62" dia. shaft-7/16" taps	SHA3127GR	\$76	
3" dia. wide grooved Urethane	12.4 lb	R3529A3CG	\$553	29.45" body, 35" shaft	SHA3529AR	\$76	
3" smooth Urethane	15 lb	R3529A3C	\$483	29.45" body, 35" shaft	SHA3529AR	\$76	
3" smooth Steel	15 lb	R3529A3S	\$453	29.25" body, 35" shaft	SHA3529AR	\$76	
RANSOMES ROTARY AR-250, AR-2500 DECK - BACK ROLLER				Call to upgrade with double row angular contact bearings			
3.5" smooth Urethane	27 lb	R2722X35C	\$577	22.45" body, 27.25" shaft-1/2" dia. ends	SHA2722XR	\$76	
4" smooth Urethane	23 lb	R2722X4C	\$654	22.45" body, 27.25" shaft	SHA2722XR	\$76	
4" smooth Steel	27 lb	R2722X4S	\$654	22.45" body, 32.25" shaft	SHA2722XR	\$76	

for TRU-TURF Greens Golf Rollers (multi-body rollers available)**Call to upgrade with double row angular contact bearings**

Tru-Turf Smoothing Heads Rollers for RS48-11E machine			Multi-body roller options available to minimize skidding		
2.5" smooth Urethane	9.5 lb T2222S25C	\$396	22.45" body, 22.625" shaft-3/8" taps	SHA2222ST	\$76
2.5" smooth Steel	9.2 lb T2222S25S	\$376	22.25" body, 22.625" shaft-3/8" taps	SHA2222ST	\$76
Tru-Turf Smoothing Heads Rollers for RB48-11A machine (4 short & 2 long rollers per machine)			Multi-body roller options available to minimize skidding		
2.5" smooth Urethane	9.5 lb T2222R25C	\$396	22.45" body short rollers, 22.716" shaft (4 per machine)	SHA2222RT	\$76
2.5" smooth Steel	9.2 lb T2222R25S	\$376	22.25" body short rollers, 22.716" shaft (4 per machine)	SHA2222RT	\$76
2.5" smooth Urethane	10 lb T2524R25C	\$396	24.45" body long rollers, 25.078" shaft (2 per machine)	SHA2522RT	\$76
2.5" smooth Steel	9.6 lb T2524R25S	\$376	24.25" body long rollers, 25.078" shaft (2 per machine)	SHA2522RT	\$76
Tru-Turf Smoothing Heads Rollers for R50-11 machine (4 short & 2 long rollers per machine)			Multi-body roller options available to minimize skidding		
2.5" smooth Urethane	9.5 lb T2222Y25C	\$396	22.45" body short rollers, 22.75" shaft (4 per machine)	SHA2222YT	\$91
2.5" smooth Steel	9.2 lb T2222Y25S	\$376	22.25" body short rollers, 22.75" shaft (4 per machine)	SHA2222YT	\$91
2.5" smooth Urethane	10 lb T2524Y25C	\$396	24.45" body long rollers, 25" shaft (2 per machine)	SHA2524YT	\$91
2.5" smooth Steel	9.6 lb T2524Y25S	\$396	24.25" body long rollers, 25" shaft (2 per machine)	SHA2524YT	\$91
Tru-Turf Smoothing Heads Rollers for GR39 machine			Multi-body roller options available to minimize skidding		
2.5" smooth Urethane	15.5 lb T3939S25C	\$616	39.45" body, 39.812" dia. shaft-3/8" taps	SHA3939ST	\$100
2.5" smooth Steel	15.5 lb T3939S25S	\$646	39.25" body, 39.812" dia. shaft-3/8" taps	SHA3939ST	\$100
Tru-Turf Smoothing Heads Rollers for TR7000C machine			Multi-body roller options available to minimize skidding		
2 bodies 2.5" smooth Urethane (2x19.5" wide bodies)	15.5 lb TT3939S25Ct	\$676	2 body assembly at 39.5" total length, 39.812" dia. shaft	SHA3939STAt	\$100
2 bodies 2.5" smooth Steel (2x19.45" wide bodies)	15.5 lb TT3939S25S2	\$686	2 body assembly at 39.5" total length, 39.812" dia. shaft	SHA3939ST	\$100
Tru-Turf Smoothing Heads Rollers for R52 machine (9 rollers per machine)			Multi-body roller options available to minimize skidding		
2.5" smooth Urethane	9 lb T1818S25C	\$396	18.45" body, 18.5" shaft-3/8" taps (9 per machine)	SHA1818ST	\$76
2.5" smooth Steel	8.7 lb T1818S25S	\$376	18.25" body, 18.5" shaft-3/8" taps (9 per machine)	SHA1818ST	\$76
Tru-Turf Smoothing Heads Rollers for TR66 Spikes machine			Multi-body roller options available to minimize skidding		
2.5" smooth Urethane	9.5 lb TT2422S25C	\$396	22.45" body, 24.25" shaft-3/8" taps	SHA2422STT	\$76
2.5" smooth Steel	9.2 lb TT2422S25S	\$396	22.25" body, 24.25" shaft-3/8" taps	SHA2422STT	\$76

for DENNIS**Dennis Walking mower - ALL ROLLERS (handlebar bushings needed)****Call to upgrade with double row angular contact bearings**

3.5" smooth Urethane	21 lb D3834G35C	\$577	34.45" body, 38.5" shaft-7/16" taps	SHA3834GD	\$106
Handlebar bushing (2 per roller)	2SLEEVE 1.25x.5x1.2 PU	\$33			

for SHIBAURA & HUSTLER (multi-body rollers available)**Call to upgrade with double row angular contact bearings**

Shibaura G EXE 26 Greens Mower			Multi-body roller options available to minimize skidding		
2.5" dia. wide grooved (1" spacing) Urethane no flats	10 lb S2826P25CG	\$486	26.45" body, 28.375" shaft	SHA2826PS	\$88
2.5" smooth Urethane	12.5 lb S2826P25C	\$416	26.45" body, 28.375" shaft	SHA2826PS	\$88
2.5" smooth Steel	12.5 lb S2826P25S	\$406	26.25" body, 28.375" shaft	SHA2826PS	\$88
2" dia. smooth Urethane	8.5 lb S2826P2C	\$382	26.25" body, 28.375" shaft	SHA2826PS	\$88
2" dia. smooth Steel heavy (1/4" wall)	12 lb S2826P2S	\$322	26.25" body, 28.375" shaft	SHA2826PS	\$88
Shibaura G Flow22 & MG70 & Hustler GM1500 Greens Mower			Multi-body roller options available to minimize skidding		
2" dia. wide grooved Urethane 1" flats	6.5 lb S2522P2CGF	\$412	22.45" body, 25.75" shaft	SHA2522PS	\$88
2" dia. smooth Urethane	8 lb S2522P2C	\$382	22.25" body, 25.75" shaft	SHA2522PS	\$88
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb S2522P2S	\$322	22.25" body, 25.75" shaft	SHA2522PS	\$88
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb S2522P25CG	\$486	22.45" body, 25.75" shaft	SHA2522PS	\$88
2.5" dia. narrow grooved (1/2" dia. spacing) Urethane no flats	9 lb S2522P25NG	\$486	22.45" body, 25.75" shaft	SHA2522PS	\$88
2.5" smooth Urethane	11.5 lb S2522P25C	\$416	22.45" body, 25.75" shaft	SHA2522PS	\$88
2.5" smooth Steel	12 lb S2522P25S	\$406	22.25" body, 25.75" shaft	SHA2522PS	\$88
Shibaura SR525 Fairway & Hustler 7500 & 7700 Fairway			Multi-body roller options available to minimize skidding		
3" dia. wide grooved Urethane	10.5 lb S2522P3CG	\$553	22.45" body, 25.75" shaft	SHA2522PS	\$88
3" smooth Urethane	12.5 lb S2522P3C	\$513	22.45" body, 25.75" shaft	SHA2522PS	\$88
3" smooth Steel	12.5 lb S2522P3S	\$523	22.25" body, 25.75" shaft	SHA2522PS	\$88
Shibaura SR370			Multi-body roller options available to minimize skidding		
3" dia. wide grooved Urethane	12.5 lb S2926P3CG	\$553	26.45" body, 29.75" shaft	SHA2926PS	\$88
3" smooth Urethane	14 lb S2926P3C	\$513	26.45" body, 29.75" shaft	SHA2926PS	\$88
3" smooth Steel	14 lb S2926P3S	\$523	26.25" body, 29.75" shaft	SHA2926PS	\$88

for BARONESS (multi-body rollers available)**Call to upgrade with double row angular contact bearings**

Baroness LM66T Greens - Front & back ROLLERS			Multi-body roller options available to minimize skidding		
2.5" dia. wide grooved (1" spacing) Urethane no flats	13 lb B2725H25CG	\$486	25.45" body, 27" shaft-M10 taps	SHA2725HK	\$91
2.5" smooth Urethane	15 lb B2725H25C	\$476	25.45" body, 27" shaft-M10 taps	SHA2725HK	\$91
2.5" smooth Steel	15 lb B2725H25S	\$456	25.25" body, 27" shaft-M10 taps	SHA2725HK	\$91
Baroness LM185 - Front & Back ROLLERS			Multi-body roller options available to minimize skidding		
3" dia. wide grooved Urethane	13 lb B3027K3CG	\$613	27.45" body, 30" shaft-9/16" dia. ends	SHA3027KK	\$91
3" smooth Urethane	15 lb B3027K3C	\$573	27.45" body, 30" shaft-9/16" dia. ends	SHA3027KK	\$91
3" smooth Steel	15 lb B3027K3S	\$523	27.25" body, 30" shaft-9/16" dia. ends	SHA3027KK	\$91
Baroness LM2700 Fairway - 27.45" ROLLER BODIES			Multi-body roller options available to minimize skidding		
3" dia. wide grooved Urethane	13 lb B2727G3CG	\$613	27.45" body, 27.625" shaft-7/16" taps	SHA2727GK	\$91
3" smooth Urethane	15 lb B2727G3C	\$573	27.45" body, 27.625" shaft-7/16" taps	SHA2727GK	\$91
3" smooth Steel	15 lb B2727G3S	\$523	27.25" body, 27.625" shaft-7/16" taps	SHA2727GK	\$91
3.5" smooth Urethane	18 lb B2727G35C	\$677	27.45" body, 27.625" shaft-7/16" taps	SHA2727GK	\$91
4" smooth Urethane	23 lb B2727G4C	\$754	27.45" body, 27.625" shaft-7/16" taps	SHA2727GK	\$91

for VENTRAC (multi-body rollers available)**Call to upgrade with double row angular contact bearings****Ventrac MJ840 Contour Deck Rotary Mower****Multi-body roller options available to minimize skidding****3" dia. SINGLE body**

3" smooth Urethane with double row bearings	11.8 lb V2422S3C	only available through Venture Products	SHA2422SV	
3" smooth Steel	11.4 lb V2422S3S	\$483	22.05" body, 24.56" shaft-3/8" taps	\$91

3" dia. TWO opposing end short bodies**non-stripping, non-skidding for tight turns & ground undulations**

2 bodies 3" dia. wide grooved Urethane (2x4" wide bodies)	8 lb V2404S3CGt	\$583	2 short twin bodies at ends of a 24.56" shaft	SHA2404SVAIt	\$91
2 bodies 3" smooth Urethane (2x4" wide bodies) double row bearings	8 lb V2404S3CRt	\$643	2 short twin bodies at ends of a 24.56" shaft	SHA2404SVAIt	\$91
2 bodies 3" smooth Urethane (2x4" wide bodies)	8 lb V2404S3Ct	\$553	2 short twin bodies at ends of a 24.56" shaft	SHA2404SVAIt	\$91
2 bodies 3" smooth Steel (2x4" wide bodies)	10 lb V2404S3St	\$553	2 short twin bodies at ends of a 24.56" shaft	SHA2404SVAIt	\$91

Ventrac MR740 Triplex Reel Mower**Multi-body roller options available to minimize skidding**

3" dia. wide grooved Urethane	9.5 lb V2827S3CG	\$553	27.45" body, 28.78" shaft-3/8" taps, .545" dia ends	SHA2827SV	\$91
3" smooth Urethane	11.5 lb V2827S3C	\$543	27.45" body, 28.78" shaft-3/8" taps, .545" dia ends	SHA2827SV	\$91
3" smooth Steel	11.2 lb V2827S3S	\$483	27.25" body, 28.78" shaft-3/8" taps, .545" dia ends	SHA2827SV	\$91

for SISIS (multi-body rollers available)**Call to upgrade with double row angular contact bearings****Sisis Flexi-400 fairway rolling machine- ALL ROLLERS****Multi-body roller options available to minimize skidding**

3" smooth Urethane	11.6 lb S2524S3C	\$513	24.45" body, 25.125" shaft-3/8" taps	SHA2524SS	\$91
3" smooth Steel	12 lb S2524S3S	\$523	24.25" body, 25.125" shaft-3/8" taps	SHA2524SS	\$91
3.5" smooth Urethane	16 lb S2524S35C	\$577	24.45" body, 25.125" shaft-3/8" taps	SHA2524SS	\$91

Sisis Veemo MK2 Verticutter - ALL ROLLERS**Multi-body roller options available to minimize skidding**

3" smooth Urethane	15 lb S3029G3C	\$513	29.45" body, 30.5" shaft-7/16" taps	SHA3029GS	\$91
3" smooth Steel	15 lb S3029G3S	\$523	29.25" body, 30.5" shaft-7/16" taps	SHA3029GS	\$91

for TrueSurface (multi-body rollers available)**Call to upgrade with double row angular contact bearings****True Surface V5 rolling machine - FRONT ROLLER****Multi-body roller options available to minimize skidding**

3" smooth Urethane	9.5 lb T2522V3C	\$503	22.45" body, 25.5" shaft-3/8" taps	SHA2522VT	\$91
3" smooth Steel	10 lb T2522V3S	\$463	22.25" body, 25.5" shaft-3/8" taps	SHA2522VT	\$91

for NATIONAL**Call to upgrade with double row angular contact bearings****National 68 & 84 TRIPLEX & PTO GANG - 30" REELS****Multi-body roller options available to minimize skidding**

3" dia. wide grooved Urethane	13 lb N3429I3CG	\$553	29.45" body, 34.5" shaft	SHA3429IN	\$76
3" smooth Urethane	15 lb N3429I3C	\$493	29.45" body, 34.5" shaft	SHA3429IN	\$76
3" smooth Steel	15 lb N3429I3S	\$453	29.25" body, 34.5" shaft	SHA3429IN	\$76
3.5" smooth Urethane	18 lb N3429I35C	\$577	29.45" body, 34.5" shaft	SHA3429IN	\$76
4" smooth Urethane	23 lb N3429I4C	\$654	29.45" body, 34.5" shaft	SHA3229IN	\$76
4" smooth Steel	19 lb N3429I4S	\$654	29.25" body, 34.5" shaft	SHA3229IN	\$76

National 68 & 84 TRIPLEX & PTO GANG - 25" OUTSIDE REELS**Multi-body roller options available to minimize skidding**

3" smooth Urethane	11 lb N2420I3C	\$483	20.45" body, 24.875" shaft	SHA2420IN	\$76
3" smooth Steel	11 lb N2420I3S	\$443	20.25" body, 24.875" shaft	SHA2420IN	\$76
3.5" smooth Urethane	13 lb N2420I35C	\$577	20.45" body, 24.875" shaft	SHA2420IN	\$76

for BUNTON**Call to upgrade with double row angular contact bearings****Bunton 22" WALKING GREENSMOWERS - FRONT****Multi-body roller options available to minimize skidding**

2" dia. wide grooved Urethane 1" flats	6.5 lb B2422P2CGF	\$412	22.45" body, 24.5" shaft	SHA2422PB	\$88
2" dia. smooth Urethane	8 lb B2422P2C	\$382	22.25" body, 24.5" shaft	SHA2422PB	\$88
2" dia. smooth Steel heavy (1/4" wall)	11.5 lb B2422P2S	\$312	22.25" body, 24.5" shaft	SHA2422PB	\$88
2.5" dia. wide grooved (1" spacing) Urethane no flats	9 lb B2422P25CG	\$486	22.45" body, 24.5" shaft	SHA2422PB	\$88
2.5" smooth Urethane	9.5 lb B2422P25C	\$476	22.45" body, 24.5" shaft	SHA2422PB	\$88
2.5" smooth Steel	10 lb B2422P25S	\$456	22.25" body, 24.5" shaft	SHA2422PB	\$88

Bunton 26" WALKING GREENSMOWER - FRONT**Multi-body roller options available to minimize skidding**

2.5" dia. wide grooved (1" spacing) Urethane no flats	10 lb B2726P25CG	\$486	26.45" body	SHA2726PB	\$88
2.5" smooth Urethane	10.5 lb B2726P25C	\$476	26.45" body	SHA2726PB	\$88
2.5" smooth Steel	11 lb B2726P25S	\$456	26.25" body	SHA2726PB	\$88

Bunton 30" FAIRWAY GANG MOWER - FRONT & BACK ROLLERS**Multi-body roller options available to minimize skidding**

3" dia. wide grooved Urethane	13 lb B3629H3CG	\$613	29.45" body, 36.25" shaft	SHA3629HB	\$88
3" smooth Urethane	15 lb B3629H3C	\$573	29.45" body, 36" shaft	SHA3629HB	\$88
3" smooth Steel	15 lb B3629H3S	\$523	29.25" body, 36.25" shaft	SHA3629HB	\$88
3.5" smooth Urethane	18 lb B3629H35C	\$677	29.25" body, 36.25" shaft	SHA3629HB	\$88

for KESMAC**Call to upgrade with double row angular contact bearings****Kesmac GANG MOWER - ALL ROLLERS****Multi-body roller options available to minimize skidding**

3" dia. wide grooved Urethane	13 lb K3227A3CG	\$553	27.45" body	SHA3227AK	\$88
3" smooth Urethane	15 lb K3227A3C	\$493	27.45" body, 32" dia. shaft	SHA3227AK	\$88
3" smooth Steel	15 lb K3227A3S	\$443	27.25" body, 32" dia. shaft	SHA3227AK	\$88
3.5" smooth Urethane	18 lb K3227A35C	\$577	27.45" body, 32" dia. shaft	SHA3227AK	\$88
4" smooth Urethane	23 lb K3227A4C	\$654	27.45" body, 32" dia. shaft	SHA3227AK	\$88

Don't see your machine or roller style listed? Call us about the possible roller options to enhance after-cut appearance.

GOLFCO INTERNATIONAL COMPETITION ROLLERS™ 2025

Competition Roller™ Upgrade Options

Upgrade to Stainless Steel Bearings on Competition Rollers™

Upgrade to Double Row Bearings as our Competition2 Rollers™

- upgrade select Competition Rollers™ to double row bearings with black oxide finish (per body)
- available for most rollers greater than 2" dia. (with special machined deep bore bearing housings)

Add Grease Fittings (set of 2 special flush mount grease fittings)

- grease fittings (set of two) for new Competition Rollers™ or new overhaul kits
- special yellow end seal (set of two) to accommodate grease fitting without new bearing kits

Bearing Installation Tool Set

- set of 2 tools - aids in installing bearings into roller housing and onto shaft

Super solid one piece Polyurethane Soft Blow Mallet - FULL SIZE (13" length)

- add a bottle opener to your full size mallet for \$12 extra

Super solid one piece Polyurethane Soft Blow Mallet - 3/4 SIZE (9.8" length)

Super solid one piece Polyurethane Soft Blow Mallet - 1/2 SIZE (6.5" length)

- unique utility to add to your tool box

Retail

\$28 BU-COMPSS

\$40

(designate by adding "2" to front of roller part number)



\$24 GFFD316SET

\$29 2SEAL16CUGF SET



\$76 2TOOLSET



\$70 #MALLET13

\$82 #MALLET13BO



\$45 #MALLET9.8

\$33 #MALLET6.5

Competition Roller™ Overhaul Kits - *ORIGINAL STYLE*

Single row deep groove bearings

- Only Golfco bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

Standard overhaul kit for all single body (except "H" style 2" grooved)

- (with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)

\$76 OHCOMP

Stainless steel bearing overhaul kit for all single body (except 2" grooved)

- (with 2 stainless bearings, 6 seals, 2 stainless washers & 4 retainers)

\$104 OHCOMPSS

Overhaul kit for new "H" style 2" dia. grooved rollers shipped after 9/26/19

- (with 2 alloy steel bearings, 6 seals, 2 stainless washers & 4 retainers)

\$76 OHCOMPH

Overhaul kit for twin body roller assemblies (one kit per body - call to confirm)

\$92 OHCOMPNT

Overhaul kit for 3 & 4 body roller assemblies (one kit per body - call to confirm)

\$78 OHCOMPNA



Competition2 Roller™ Overhaul Kits *SERIES 2* with Double-Row Bearings

Double row angular contact bearings with corrosion resistant black oxide finish

- Only Golfco bearings are filled to over 90% with a special high performance extreme pressure rated grease that has been time tested to maximize the life of the bearing for commercial mower applications.

Kit for single body deep bore rollers

- (with 2 bearings, 6 seals, 2 stainless washers & 4 snap ring retainers)

\$124 OHCOMP2BO

Kit for single body regular bore rollers

- (with 2 bearings, 4 seals, 2 steel washers & 2 snap ring retainers)

\$98 OHCOMP2R

Kit for twin body regular bore rollers

- (with 2 bearings, 4 seals, 2 stainless washers & 2 collar retainers)

\$98 OHCOMP2Rt

Competition Roller™ Shafts

Replacement shafts are listed to the right of each roller line item shown in our Competition Roller price list above.

(The shaft part number is derived from the first 6 digits of the roller part number as follows: Roller T2522S2CGF has shaft part SHA2522ST)

Each roller assembly listed in this offering catalog comes completely assembled with roller body or bodies, shaft and overhaul kits (bearings/seals/retainers).

Pro Roller™ Bearings (Water Pump Style)

Replaces Toro #21-8430

- Water pump bearing-sealed (shaft is 5/8"od x 1.8"L)

\$26 BWP3

Replaces Toro #52-3180 & 52-3210

- Water pump bearing-sealed (shaft is 5/8"od x 1.8"L with 3/8-24 tap)

\$26 BWP4

Replaces Jacobsen #101482

- Water pump bearing-sealed (shaft is 5/8"od x 1.0"L with 7/16-20 tap)

\$26 BWP5

Replaces Toro #75-1290, Jacobsen #101481 & John Deere #35741

- Water pump bearing-sealed (shaft is 5/8"od x 1.5"L)

\$26 BWP7